

Error Type	Error Code	Error Description	Reason/Action
CoreError	ERROR_UNKNOWN	Unknown error has occurred.	Further investigation is required. Contact the support team with the details of the operation which resulted in this error (including your application's logs, if existing).
CoreError	ERROR_AUTHENTICATION_TOKEN	Authentication error, the token used for secure authentication is invalid.	Authentication token was not sent. Authentication token is incorrect. Authentication token does not exist.
CoreError	ERROR_CURRENCY_NOT_SUPPORTED	Currency is not supported by the terminal.	The terminal being used is not configured for the currency provided. Check the currency in terminal settings.
CoreError	ERROR_TRANSACTION	Error during transaction.	Further investigation is required. Contact the support team with the details of the operation which resulted in this error (including your application's logs, if existing).

CoreError	ERROR_SERVER	Error communicating with server.	1. Check if the host configured for the app is correct 2. Check the connection status with the internet, the connection status with the gateway server, then try to connect to the server again.
CoreError	ERROR_TIMEOUT	Timeout has occurred while waiting for the response.	1. Check if the host configured for the app is correct 2. Check the connection status with the internet, the connection status with the gateway server, then try to connect to the server again.
CoreError	ERROR_NETWORK	Network error, problem with connectivity.	1. Check if the host configured for the app is correct 2. Check the connection status with the internet, the connection status with the gateway server, then try to connect to the server again
CoreError	VALIDATION_ERROR	Invalid Core Object settings.	The data sent is incorrect for some reason. Check the format and values.

CoreError	ERROR_JSON	Error parsing JSON, only if there is an invalid response from the server.	The terminal in use might not be completely configured for use yet. Further investigation is required. Contact the support team with the details of the operation which resulted in this error including your application's logs, if existing.
CoreError	INCORRECT_SETTINGS_TERMINAL	Terminal ID is incorrect.	This error occurs when the wrong terminal number is used. Check if the terminal number used is the one provided by our team
CoreError	INCORRECT_SETTINGS_SECRET	Secret is incorrect.	The password provided/configured for the terminal (number) is incorrect. Check if you are using the password provided by our team.
CoreError	INCORRECT_SETTINGS	Settings contain incorrect values.	Further investigation is required. Contact the support team with the details of the operation which resulted in this error (including your application's logs, if existing).

CoreError	ERROR_SIGNATURE_NULL	Signature data is null.	Signature is necessary, but it was not provided.
CoreError	ERROR_ORDER_ALREADY_PROCESSED	Order has already been processed	The order id provided was already used before and the order Id must be unique.
CoreError	SETTINGS_MISSING	This error is thrown when the required settings are missing.	The terminal in use might not be completely configured for use yet. Further investigation is required. Contact the support team with the details of the operation which resulted in this error (including your application's logs, if existing).
CoreError	ERROR_CONNECTION	Occurs when the SDK cannot connect to the host.	1. Check if the host configured for the app is correct 2. Check the connection status with the internet, the connection status with the gateway server, then try to connect to the server again
CoreError	TERMINAL_DOES_NOT_ALLOW_CHP	Occurs when the terminal does not allow cardholder present transactions.	Contact support to enable CHP for the terminal that you use

CoreError	DECRYPTION_FAILED_DEVICE_NOT_REGISTERED	The device is not registered on the server, the transaction won't be processed.	Contact support with your device's KSN to get this registered
CoreError	CANT_REFUND_TRANSACTION	The transaction can't be refunded.	Possibly the transaction was already voided so it can't be refunded anymore. If it's not voided contact support with transaction details
CoreError	SELFTEST_MODE_NOT_SET	SelfTest mode is not set in Terminal.	Your terminal should be set in Test mode. for some reason, it's not.
CoreError	RESOURCE_FILE_WITH_CORRESPAY_URL_NOT_FOUND	payconfig.xml file doesn't exist.	Check your application. It's missing an important configuration file (payconfig.xml).
CoreError	INVALID_REFUND_AMOUNT	This error occurs when the Refund amount is too low or negative.	Try performing a refund with a valid amount. If the issue persists contact support
CoreError	UNREFERENCED_REFUND_SHOULD_BE_ENABLED	Unreferenced Refunds are not enabled for the terminal	Contact support to enable Unreferenced Refund for the terminal that you use
CoreError	VALIDATION_LIMIT_REACHED	The validation limit reached. Lots of requests to the server are performed in a small amount of time.	Your terminal account has a set of limits that can be configured to provide better security. This error indicates that one of those configured limits was reached.

CoreError	TAX_AMOUNT_MUST_BE_GREATER_THAN_ZERO	This error occurs when Tax amount is too low.	Some transactions, depending on your terminal account (acquirer and other rules), might require the definition of a tax amount value, or even just because the transaction needs to provide this information. In these cases, the value can't be negative or zero - as the error code states.
CoreError	USER_DOESNT_HAVE_ASSOCIATED_PRIVILEGE	User doesn't have the privilege to view Open/ Closed batch transactions.	Permission issue. Contact support to get the necessary privilege
CoreError	TIP_AMOUNT_MUST_BE_GREATER_THAN_ZERO	This error occurs when Tip amount is too low.	Some transactions might need to provide a tip amount value that can't be negative or zero - as the error code states.
CoreError	ORDER_ID_WRONG_LENGTH	The length of the order id must be between 3 -24 characters.	The data provided has a length constraint.
CoreError	ERROR_GENERAL_COUNTRY_UNKNOWN	Unknown country.	The country provided does not exist. It might be misspelled or refers to a nonexistent country.

CoreError	ERROR_DIGEST_MISMATCH	Digest mismatch. The request was unsuccessful.	The digest sent is inconsistent with what was expected, Please check: 1. If the digest is sent. 2. Digest structure, sequence, and values match the expected values. 3. Correct algorithm is used to create the digest. Contact the support team with the details of the operation which resulted in this error (including your application's logs, if existing).
CoreError	ERROR_INVALID_API_KEY	The API key is invalid.	Contact support and request to verify: - If the API key sent on request is correct. - If the API key sent on request is still valid.
CoreError	ERROR_INVALID_AUTHENTICATION_TOKEN	Authentication error, the token used for secure authentication is invalid.	Contact support and request to verify: - If the authentication-token was sent on request. - If the authentication-token sent on request is a valid one.

CoreError	ERROR_INVALID_USER_ACCESS	Invalid user access.	The user has one of the following issues: - It does not exist, it's not active or it has used incorrect credentials. - It has no permission to the terminal/merchant informed. - It has no permission to the feature requested. - It has an expired password/ change request pending
CoreError	ERROR_METHOD_NOT_SUPPORTED	Method not supported.	Verify if the settings on your terminal account match what you are requesting. If that is not the source of the issue, contact support and ask to verify the request details against the terminal settings.
CoreError	ERROR_VALIDATION_LIMIT_HIT	Validation limit hit.	Too many requests performed in a short amount of time. Try again in a few seconds or contact support for further investigation.
CoreError	ERROR_SWIPE_WITHOUT_FALLBACK_NOT_ALLOWED	Swipe without fallback is not allowed.	Further investigation is required. Contact the support team with the details of the operation which

			resulted in this error (including your application's logs, if existing).
CoreError	ERROR_INVALID_EMV_TAGS	Invalid EMV tags. Decryption on the server has failed.	Contact support with your device's KSN to get this registered
CoreError	ERROR_INVALID_TRACK_DATA	Invalid track data. Decryption on the server has failed.	Contact support with your device's KSN to get this registered
CoreError	ERROR_INVALID_APPLE_PAYLOAD	Apple payload has invalid data.	Further investigation is required. Contact the support team with the details of the operation which resulted in this error (including your application's logs, if existing).
CoreError	ERROR_INVALID_AMOUNT	The amount is Invalid.	The amount provided for the transaction is invalid for some reason (format, too big, too small, etc.). Further investigation is required. Contact the support team with the details of the operation which resulted in this error (including your application's logs, if existing).
CoreError	ERROR_INVALID_CURRENCY	Currency is not supported by the terminal.	The terminal being used is not configured for the currency provided. Check the

			currency in terminal settings.
CoreError	ERROR_GENERAL	General error.	Further investigation is required. Contact the support team with the details of the operation which resulted in this error (including your application's logs, if existing).
CoreError	ERROR_INVALID_ARGUMENT	Invalid argument. The request was unsuccessful.	This error might have many different origins, but usually is related to inconsistent data. Further investigation is required. Contact the support team with the details of the operation which resulted in this error (including your application's logs, if existing).
CoreError	INVALID_MERCHANT_REFERENCE	Merchant reference is invalid.	A merchant reference sent is inconsistent (format or value). Further investigation is required. Contact the support team with the details of the operation which resulted in this error (including your application's logs, if existing).

CoreError	ERROR_INVALID_URL	Error in the configuration file (URL incorrect or the format is not valid).	Usually, this error occurs when the payconfig.xml file is not properly configured. Check if the URLs in the config file are valid
CoreError	DEVICE_NOT_CONNECTED	Device is not connected.	Check if the device is connected
CoreError	DEVICE_CANNOT_BE_NULL	The device is null. When passing null instead of any of the DeviceEnum values.	action
CoreError	CARD_CVV_WRONG_FORMAT_OR_LENGTH	Wrong CVV format or length.	CVV provided has an incorrect format. CVV should be between 3-4 numeric digits.
CoreError	CARRIAGE_RETURN_FOUND	Carriage return found during CoreSale field validation.	Further investigation is required. Contact the support team with the details of the operation which resulted in this error (including your application's logs, if existing).
CoreError	TERMINAL_OFFLINE_INPUT_METHOD_NOT_SUPPORTED	The terminal is offline. Input method is not supported.	The input method used is not supported in offline mode
CoreError	INCORRECT_CHECKER_TIMEOUT_OR_INTERVAL	Incorrect checker timeout or interval.	Provided an incorrect/unacceptable value as timeout configuration for the Terminal Offline Mode Healthy Checker option.

CoreError	CHECKER_NOT_STARTED_OR_TERMINAL_MANUALLY_SET_TO_OFFLINE	The checker not started or terminal was manually set to offline mode.	You must start the checker.
CoreError	TERMINAL_IS_OFFLINE	The terminal is in offline mode.	An operation is attempted in offline mode and is not allowed on it.
CoreError	POLLING_NOT_SUPPORTED	Polling is not supported.	Trying to use the polling mode when not supported/ configured.
CoreError	MANUAL_ENTRY_CURRENTLY_NOT_SUPPORTED	Manual entry transactions are not supported.	Trying to use Keyed transactions when not allowed by the terminal configurations. Check the terminal settings or contact support for further investigation.
CoreError	ERROR_INVALID_KSN_RANGE	Decryption on the server has failed.	Contact support with your device's KSN to get this registered
CoreError	ERROR_DEVICE_NOT_FOUND	Decryption on the server has failed.	Device not found in the decryptx portal. Contact support
CoreError	ERROR_DEVICE_NOT_ACTIVATED	Decryption on the server has failed.	The device is not activated in decryptx portal.
CoreError	ERROR_ORDER_ALREADY_IN_PROGRESS	The order is already in progress.	Trying to perform an action that can't be performed on a transaction that is already in progress.
CoreError	DATE_NOT_VALID_FORMAT	Settlement date is not valid.	Returned when settlement date is not

			during transaction report EBT call.
CoreError	CRITERION_TYPE_CANNOT_BE_EMPTY	Criterion type cannot be empty.	Returned when criterion type is empty during transaction report EBT call.
CoreError	CRITERION_VALUE_CANNOT_BE_EMPTY	Criterion value cannot be empty.	Returned when criterion value is empty during transaction report EBT call.
CoreError	ERROR_FEATURE_NOT_SUPPORTED	Particular SDK features are not supported.	Mainly used for payconex bluechip SDK.
CoreError	CARD_EXPIRED	Card is expired.	Returned when card is expired during the transaction.
CoreError	INCORRECT_PAYCONFIG_SETTINGS	Payconfig settings are incorrect.	Payconfig settings are incorrect. Please contact support.
CoreError	ERROR_NOT_AUTHORIZED	Api call is not authorized.	Api call is not authorized. Please contact support.
CoreError	ERROR_INVALID_REQUEST	Request has been invalid.	Please contact support if this error occurs.
CoreError	ERROR_TRANSACTION_NOT_FOUND	Transaction has not been found.	Returned when wrong uniqueRef is used during transaction look up.
CoreError	MAX_DIGESTS_IN_TIMEFRAME_HIT	Too many requests in a timeframe.	Limit the number of requests being sent.

CoreError	KSN_NOT_VALID	KSN is not valid.	Usually occurs due to bad card read. Please retry.
CoreError	INCORRECT_API_KEY	API key is incorrect.	Please contact support.
CoreDeviceError	UNKNOWN	An unknown error has occurred.	Further investigation is required. Contact support with the details of the operation which resulted in this error (including your application's logs, if existing).
CoreDeviceError	INVALID_CARD	The inserted card is invalid.	Something is wrong with the card used. Try using a different card and if the issue persists contact support .
CoreDeviceError	ERROR_DEVICE_NOT_SUPPORTED	SDK doesn't support selected device.	Trying to use a device that the SDK does not support. The plugins installed in your application (SDK version) are not able to communicate with the device. If you are using a device that should be supported (as specified in the documentation) contact support for further investigation.
CoreDeviceError	TRANSACTION_CANCELLED	The transaction was canceled.	action

CoreDeviceError	TRANSACTION_ERROR	Transaction error has occurred.	Further investigation is required. Contact the support team with the details of the operation which resulted in this error (including your application's logs, if existing).
CoreDeviceError	DEVICE_CONNECTION_ERROR	Problem connecting to a device.	Most likely a hardware issue. Try again.
CoreDeviceError	SWIPE_FAILED	Swipe has failed. Please retry.	Most likely a hardware issue. Try again.
CoreDeviceError	CMD_NOT_AVAILABLE	The API or Firmware does not support the command.	Most likely a hardware issue. Check documentation.
CoreDeviceError	TIMEOUT	The device has timed out.	Try to connect again.
CoreDeviceError	DEVICE_RESET	Device was reset.	Restart the operation.
CoreDeviceError	DEVICE_BUSY	Will be triggered when the device receive an inappropriate command.	Most likely a hardware issue. Check documentation.
CoreDeviceError	INPUT_OUT_OF_RANGE	Invalid data value range.	Check data values provided.
CoreDeviceError	INPUT_INVALID_FORMAT	Input has invalid format.	Check data values provided.
CoreDeviceError	INPUT_ZERO_VALUES	Zero value input.	Check data values provided.
CoreDeviceError	INPUT_INVALID	Invalid input.	Check data values provided.

CoreDeviceError	CASHBACK_NOT_SUPPORTED	Will be triggered when the selected transaction type do not accept cashback.	Improper action.
CoreDeviceError	CRC_ERROR	Device communication error.	Possible causes: - mPOS is out of battery. - Audio jack is defective. - No response from mPOS.
CoreDeviceError	COMM_ERROR	Device communication error.	Possible causes: - mPOS is out of battery. - Audio jack is defective. - No response from mPOS.
CoreDeviceError	FAIL_TO_START_BT_V2	Failed to start Bluetooth 2 functions.	Restart the device and try again. For further investigation, Contact the support team
CoreDeviceError	FAIL_TO_START_BT_V4	Failed to start Bluetooth 4 functions.	Restart the device and try again. For further investigation, Contact the support team
CoreDeviceError	FAIL_TO_START_BT	Failed to start Bluetooth functions.	Restart the device and try again. For further investigation, Contact the support team
CoreDeviceError	VOLUME_WARNING_NOT_ACCEPTED	Volume warning not accepted.	Restart the device and try again. For further

			investigation, Contact the support team
CoreDeviceError	FAIL_TO_START_AUDIO	Audio couldn't be started.	Restart the device and try again. For further investigation, Contact the support team
CoreDeviceError	INVALID_FUNCTION_IN_CURRENT_MODE	The API function is not available in current connection mode.	For further investigation, contact us.
CoreDeviceError	INVALID_FUNCTION_IN_CURRENT_CONNECTION_MODE	The API function is not available in current connection mode.	For further investigation, contact us.
CoreDeviceError	COMM_LINK_UNINITIALIZED	Communication link is uninitialized.	Restart the device and try again. For further investigation, Contact the support team
CoreDeviceError	BTV2_ALREADY_STARTED	Bluetooth 2 already started.	No need for this action.
CoreDeviceError	BTV4_ALREADY_STARTED	Bluetooth 4 already started.	No need for this action.
CoreDeviceError	BTV4_NOT_SUPPORTED	The Android device has no BLE support.	Incorrect use of device.
CoreDeviceError	FAIL_TO_START_SERIAL	Failed to start serial functions.	Contact the support team further investigation
CoreDeviceError	INVALID_CARD	The EMV card is invalid.	Something is wrong with the card used. Try using a different card and if the issue persists contact support .
CoreDeviceError	INTERRUPTED	Transaction was interrupted.	Another event interrupted the

			processing of the transaction.
CoreDeviceError	WRONG_DEVICE	Expects another device to be connected.	For further investigation, contact support .
CoreDeviceError	TRANSACTION_ABORTED	Transaction has been aborted.	Further investigation is required. Contact the contact support with the details of the operation which resulted in this error (including your application's logs, if existing).
CoreDeviceError	TRANSACTION_DENIED	Transaction has been denied.	The transaction was not accepted by the device, retry.
CoreDeviceError	UNSUPPORTED_CARD_TYPE	Card type is not supported.	The device does not support the card type used. Check if the card type is enabled for the terminal or contact support .
CoreDeviceError	INPUT_OFFLINE_PIN_ONLY	Offline pin only.	The transaction only accepts offline pin.
CoreDeviceError	MAC_ERROR	Mac Error.	General error on Mac platform.
CoreDeviceError	CMD_TIMEOUT	Command timeout Error.	Communication between POS and device reached timeout. Restart the transaction.

CoreDeviceError	WR_DATA_ERROR	Data error.	Further investigation is required. Contact support with the details of the operation which resulted in this error (including your application's logs, if existing).
CoreDeviceError	EMV_APP_CFG_ERROR	EMV Application Error.	Further investigation is required. Contact support with the details of the operation which resulted in this error (including your application's logs, if existing).
CoreDeviceError	EMV_CAPK_CFG_ERROR	EMV Certification Authority Public Key Error.	Further investigation is required. Contact support with the details of the operation which resulted in this error (including your application's logs, if existing).
CoreDeviceError	APDU_ERROE	APDU Error.	Further investigation is required. Contact support with the details of the operation which resulted in this error (including your application's logs, if existing).

CoreDeviceError	TAP_FAILED	Tap has failed.	Action didn't work. Retry.
CoreDeviceError	PIN_FAILED	Wrong pin entered.	Pin provided is not valid.
CoreDeviceError	TERMINATED	Transaction was terminated.	contact support for further investigation.
CoreDeviceError	DECLINED	Transaction was declined.	-
CoreDeviceError	CANCEL	Transaction was cancelled.	-
CoreDeviceError	CAPK_FAIL	CAPK has failed.	contact support for further investigation.
CoreDeviceError	NOT_ICC	The card is not an ICC card.	The device was expecting an ICC card but another type was used.
CoreDeviceError	SELECT_APK_FAIL	Application selection has failed.	Contact support for further investigation.
CoreDeviceError	APPLICATION_BLOCKED	Application is blocked.	Contact support for further investigation.
CoreDeviceError	ICC_CARD_REMOVED	Card has been removed.	Card is removed before the end of processing. Retry and wait for the process to be complete
CoreDeviceError	CARD_BLOCKED	Card is blocked.	-
CoreDeviceError	CARD_NOT_SUPPORTED	Card is not supported.	Card type is not supported by the device used.

CoreDeviceError	CONDITION_NOT_SATISFIED	Condition is not satisfied.	Contact support for further investigation.
CoreDeviceError	INVALID_ICC_DATA	ICC data is invalid.	Something went wrong with the ICC Card data.
CoreDeviceError	MISSING_MANDATORY_DATA	Mandatory data missing.	Check if the data sent includes all the mandatory items. If not contact support for further investigation.
CoreDeviceError	NO_EMV_APPS	Empty candidate list or card is not personalized.	Contact support for further investigation.
CoreDeviceError	NETWORK_NOT_AVAILABLE	Network is not available.	Connectivity issues. Try to check the connection with the device and try again.
CoreDeviceError	TEST_NOT_SUPPORTED_BY_DEVICE	Selftest mode. Test is not supported by this device.	Use of test mode with a device that does not support it.
CoreDeviceError	VALIDATION_FAILED_TESTS_NOT_COMPLETED	Selftest mode. Validation has failed. Test is not completed.	Test failure.
CoreDeviceError	CANNOT_INITIALIZE	Cannot initialize the device.	Problems when initializing the device. Check the data sent and the connection. Contact us for further investigation.
CoreDeviceError	AUTO_CONFIG_ERROR	Auto configuration error has occurred.	Problems when configuring the device. Check the data sent and the connection. Contact support for further investigation.

CoreDeviceError	DATA_PARSING_ERROR	Data parsing error has occurred.	Something compromised the data when parsed. Further investigation is required. Contact support with the details of the operation which resulted in this error (including your application's logs, if existing).
CoreDeviceError	INVALID_CARD_PLEASE_TRY_AGAIN	The card is invalid. Please retry.	Something is wrong with the card used. Try using a different card and if the issue persists contact support .
CoreDeviceError	INPUT_METHOD_NOT_SUPPORTED	Input method is not supported.	Use of input method with inappropriate device.
CoreDeviceError	INPUT_METHOD_NOT_SUPPORTED_FOR_DELAYED_AUTH	Input method is not supported for delayed AUTH.	The input method used is not supported on Delayed Auth mode
CoreDeviceError	CORE_TRANSACTION_INPUT_METHOD_NOT_SUPPORTED	Input method is not supported.	The input method used is not supported
CoreDeviceError	GIFT_CARD_ENCRYPTION_ENABLED	Gift card encryption is enabled.	Contact support for further investigation.
CoreDeviceError	ENCRYPTION_NOT_ENABLED	Card encryption is not enabled.	Contact support for further investigation.
CoreDeviceError	PLUGIN_CANNOT_BE_INITIALIZED_EMV_SETTINGS_MISSING	Emv settings are missing. Plugin cannot be initialized.	Contact support for further investigation.

CoreDeviceError	TRANSACTION_CANNOT_BE_CANCELED_AT_THIS_STAGE	Transaction cannot be cancelled at this stage.	Trying to cancel a transaction that can't be cancelled anymore.
CoreDeviceError	FIRMWARE_FILE_NOT_VALID	Firmware file is not valid during firmware update on ingenico devices.	Contact support for further investigation.
CoreDeviceError	ERROR_OCCURRED_DURING_LOADING	Error occurred during ingenico OTA loading.	Contact support for further investigation.
CoreDeviceError	CONFIGURATION_FILE_NOT_VALID	Configuration file is not valid during configuration update on ingenico devices.	Make sure the file path is correct.
CoreDeviceError	RKI_FILE_NOT_VALID	RKI file is not valid during RKI update on ingenico devices.	Make sure the file path is correct.
CoreDeviceError	ASSET_FILE_NOT_VALID	Asset file is not valid during asset update on ingenico devices.	Make sure the file path is correct.
CoreDeviceError	EMV_TAGS_NOT_FOUND	EMV tags are missing from the device.	contact support for further investigation.
CoreDeviceError	SERV_NOT_ALLOWED	This feature is currently disabled.	Trying to use a feature that is not enabled. Contact support to get this enabled
CoreDeviceError	TIPS_NOT_ENABLED_ON_THE_SERVER	Tips needs to be enabled on the server.	Check if tips option is enabled for your account. Contact support to get this feature enabled

CoreDeviceError	TIPS_BY_PERCENTAGE_NOT_ENABLED_ON_THE_SERVER	Tips by percentage needs to be enabled in the Selfcare system.	Contact support to get this feature enabled
CoreDeviceError	TIPS_BY_AMOUNT_NOT_ENABLED_ON_THE_SERVER	Tips by amount needs to be enabled in the Selfcare system.	Contact support to get this feature enabled
CoreDeviceError	FORM_ERROR	There is a problem with ingenico form.	Contact support for further investigation.
CoreDeviceError	CUSTOM_TIP_ERROR	Custom tip couldn't be added. There is a problem with ingenico form.	Contact support for further investigation.
CoreDeviceError	QUICK_CHIP_NOT_SUPPORTED	The device does not support Quick chip.	Please disable quick chip.
CoreDeviceError	CARD_ALREADY_EXPIRED	Card is expired.	Card is expired, use another card.
CoreDeviceError	QUICK_CHIP_NOT_ENABLED	Quick chip is not enabled.	Enable quick chip to use delayed auth or polling.
CoreDeviceError	TERMINAL_NOT_READY	Terminal is not ready.	Wait before re-initing the device. Applicable to BBPOS devices.
CoreDeviceError	DEVICE_CONNECTING	Device is currently connecting.	Wait before re-initing the device. Applicable to BBPOS devices.
CoreDeviceError	DEVICE_ALREADY_CONNECTED	Device is already connected.	Don't need to init the device again. Applicable to BBPOS devices.

CoreDeviceError	DEVICE_RELEASING_RESOURCES	Device is releasing resources.	Wait before re-initing the device. Applicable to BBPOS devices.
CoreDeviceError	DEVICE_CONNECTION_CANCELLED	Device connection has been cancelled.	BT connection has been cancelled, when releasing device resources. Please init the BBPOS device again.
CoreDeviceError	DEVICE_INITIALIZING	Device is initializing.	Wait before re-initing the device. Applicable to BBPOS devices.
CoreDeviceError	FATAL_ERROR	Fatal error has occurred.	Please contact support and include logs from an idtech device.
CoreDeviceError	TRANSACTION_IN_PROGRESS	Transaction is currently in progress.	Please wait before starting another transaction while the current transaction is in progress.
CoreDeviceError	DEVICE_RESTART_REQUIRED	Device restart requires.	Please restart the idtech device.
CoreDeviceError	MANUAL_ENTRY_FAILED	Manual entry transaction failed.	Please retry the transaction and make sure the correct card number is entered.
CoreDeviceError	MSD_VISA_CONTACTLESS_NOT_SUPPORTED	MSD Visa card is not supported.	Please insert the card instead.
CoreDeviceError	TRANSACTION_CANCELLED_DATA_EMPTY	Transaction has been cancelled.	Usually due to bad card read. Please retry.

CoreDeviceError	CUSTOM_MSG_LENGTH_EXCEEDED	Custom message string is too long.	Please use message with less characters.
CoreDeviceError	CARD_SOURCE_EMPTY	The card couldn't be read.	Please check if the ingenico device has encryption enabled. Also check if the device has all the input methods enabled during initDevice call.
CoreDeviceError	INVALID_INIT_DEVICE_DATA	initDevice data is invalid.	Please make sure the correct data type is being sent.
CoreDeviceError	CARD_NUMBER_INCORRECT_LENGTH_PLEASE_RETRY	Card number has incorrect length.	Please make sure the correct card number is keyed in. Please retry.
CoreDeviceError	EXPIRY_DATE_VALIDATION_ERROR	Expiry date is invalid.	Please enter the correct expiry date.
CoreDeviceError	VOUCHER_DATA_EMPTY	Voucher data is empty.	Please make sure you include all the details needed to process EBT voucher transactions.
CoreDeviceError	CARD_ACCOUNT_CANNOT_BE_EMPTY	Card account cannot be empty.	Please make sure to include either FOOD_STAMP or CASH when processing EBT transactions.
CoreDeviceError	OPERATOR_CANNOT_BE_EMPTY	Operator cannot be empty.	Please make sure to set operator

			processing EBT transactions.
CoreDeviceError	SALE_REQUEST_TYPE_CANNOT_BE_EMPTY	Sale request type cannot be empty.	Please make sure to set sale request type when processing EBT transactions.
CoreDeviceError	DEVICE_ID_CANNOT_BE_EMPTY	Device ID cannot be empty.	Please make sure to set device ID when processing EBT transactions.
CoreDeviceError	PIN_OR_ACCOUNT_NUMBER_FORMAT_ERROR	Pin is incorrect.	Pin is incorrect please retry.
CoreDeviceError	CARD_NUMBER_CANNOT_BE_EMPTY	Card number cannot be empty.	Please make sure you include card number for EBT voucher transactions.
CoreDeviceError	EMV_APPLICATION_ERROR	AID was not submitted.	Please make sure to submit the correct AID during application selection.
CoreDeviceError	LOADING_FIRMWARE_NOT_SUPPORTED	Device doesn't support loading Firmware through the SDK.	Device doesn't support loading Firmware through the SDK.
CoreDeviceError	LOADING_RKI_NOT_SUPPORTED	Device doesn't support loading RKI through the SDK.	Device doesn't support loading RKI through the SDK.
CoreDeviceError	SWIPE_CANNOT_BE_READ	Swipe failed. Please retry.	Swipe failed. Please retry.
CoreDeviceError	KEY_NOT_INJECTED	The device doesn't have keys injected.	The device doesn't have keys injected. Please contact support.

CoreDeviceError	CARD_REJECTED	Card rejected.	Card rejected. Please retry.
CoreDeviceError	OUT_OF_PAPER	Printer is out of paper.	Please add more paper.
CoreDeviceError	BLUETOOTH_NOT_ENABLED	Bluetooth is not enabled.	Please enable bluetooth.
CoreDeviceError	BLUETOOTH_NOT_SUPPORTED	Bluetooth connection type is not supported.	Please use different connection type.
CoreDeviceError	EXTERNAL_PINPAD_NOT_DETECTED	External pinpad is not detected.	Please connect the external pinpad if its configured through initDevice.
CoreDeviceError	TXN_FLOW_SWITCHING_NOT_SUPPORTED	Transaction flow (emvType) of the CoreSale object conflicts with the value specified on the device initialisation (initDevice).	Transaction flow (emvType) of the CoreSale object conflicts with the value specified on the device initialisation (initDevice).
CoreDeviceError	APPLE_VAS_PRIVATE_KEY_NOT_SET	Apple vas private key is not set.	Apple vas private key is not set. Please contact support.
CoreDeviceError	APPLE_VAS_MERCHANT_CONFIG_FAILED	Apple vas merchant config failed.	Apple vas merchant config failed. Please contact support.
CoreDeviceError	GOOGLE_SMARTTAP_PRIVATE_KEY_NOT_SET	Google smarttap private key is not set.	Google smarttap private key is not set. Please contact support.

CoreDeviceError	GOOGLE_SMARTTAP_COLLECTOR_CONFIG_FAILED	Google smarttap merchant config failed.	Google smarttap merchant config failed. Please contact support.
CoreDeviceError	MSD_JCB_CONTACTLESS_NOT_SUPPORTED	JCB MSD is not supported.	Please insert the card instead.
CoreDeviceError	EMPTY_DEVICE_INFO	The device info is empty.	Please reconnect the device.
CoreDeviceError	PLEASE_INPUT_CARD_NUMBER_ON_SECOND_SCREEN	Input the card number on the second screen.	Applicable to E700. Please use Q20 screen to input the card number.
CoreDeviceError	CVV_VALIDATION_ERROR	CVV is invalid.	Please retry.
CoreDeviceError	PLEASE_INPUT_CVV_ON_SECOND_SCREEN	Input the CVV on the second screen.	Applicable to E700. Please use Q20 screen to input the CVV.
CoreDeviceError	POLLING_SIGNAL_PENDING	SDK busy - awaiting polling signal. Use terminal's continuePolling method to signal the SDK.	SDK busy - awaiting polling signal. Use terminal's continuePolling method to signal the SDK.
CoreDeviceError	VAS_SMARTTAP_NOT_CONFIGURED	Vas smarttap is not configured.	Vas smarttap is not configured. Please contact support.
CoreDeviceError	MIFARE_TIMEOUT	Mifare has timed out.	Please retry.

CoreDeviceError	MIFARE_AUTHENTICATE_ERROR	Mifare authentication error.	Please retry.
CoreDeviceError	MIFARE_READ_ERROR	Mifare read error.	Please retry.
CoreDeviceError	MIFARE_WRITE_ERROR	Mifare write error.	Please retry.
CoreDeviceError	PAYMENT_CARD_NOT_PRESENT	Payment card is not present.	Please retry.
CoreDeviceError	MIFARE_READ_LIMIT_EXCEEDED_TEN_BLOCKS_MAX	Mifare read limit exceeded ten blocks error.	Please retry.
CoreDeviceError	QUICK_CHIP_ENABLED	Quick-chip enabled. Please disable quick-chip to process standard transaction.	Quick-chip enabled. Please disable quick-chip to process standard transaction.
CoreDeviceError	AMOUNT_CANNOT_BE_ZERO	Amount cannot be zero.	Please make sure the correct amount is set during delayed auth.
CoreDeviceError	INVALID_EXPIRY_DATE	Invalid expiry date.	Please retry.
CoreDeviceError	CANCELLING_PREVIOUS_TRANSACTION	SDK busy - cancel transaction in progress.	SDK busy - cancel transaction in progress. Please retry.
CoreDeviceError	START_TRANSACTION_FAILED	Transaction failed to start.	Please retry.

