

حصريا والاول عالميا اصلاح ايمي الاساسي Repair IMEI Original لهاتف Xiaomi 13T البروديكت
**Aristotle with all instructions and memory MTK processor Partial Flash without
deleting data or formatting, with the latest version and latest security from the
HyperOS system BOOTLOADER LOCKED Hardware**

**Exclusively and the first in the world: Xiaomi 13T MTK Aristotle Repair Original
IMEI Without Formatting Without Deleting Data (LOCKED BOOTLOADER)
Hardware Via DFT Pro**

Disclaimer:

**Note: The process of IMEI repair is illegal in some countries, including Syria,
Turkey, and the United States of America. Please respect and follow the laws in
your country and do not violate them. The purpose of the articles on the site is to
repair the IMEI number found under the battery or on the back cover that was lost
during an incorrect flashing process of the phone. The author and the website are
not responsible for any actions that violate the law in your country under any
.circumstances**

Very Important Note:

**You must follow the sequence of events from the beginning to the end of the
.topic to avoid mistakes and problems. Read the article line by line before starting**

.Peace be upon you and God's mercy and blessings

:Today, we present the exclusive and comprehensive method

**Exclusively and the first in the world: Repairing the Original IMEI of Xiaomi 13T
with the product code 'Aristotle' using all instructions and memory with the MTK
processor. This involves partial flashing without deleting data or formatting,
using the latest version and latest security of the HyperOS system, with a
.LOCKED BOOTLOADER hardware configuration**

First, open the phone and replace the appropriate 33K resistor



: download file from here

here

The modified file is ready for direct flashing without any modifications. Flash it using any AUTH server, with the best and fastest server being the HalabTech .server

Very Important Note:

.Exclusively, flash using the Firmware Upgrade mode

After flashing the file, open the DFT PRO interface. Enter the first and second IMEI numbers in Meta Mode, as shown in the following image



After completing the process, wait for the phone to boot up. Congratulations, the IMEI has been repaired without formatting, without risk, and without deleting any data





HALAB TECH

مع تحيات فريق حلب تك

halabtech.com