

CHEMISTRY
FORM 4
PAPER 1 – MARKING SCHEME

10. a) Two samples of water A and B were tested on volume of soap required to lather before and after boiling. The results were recorded in the table below.

b)

Sample of water	Volume of soap used before boiling (cm ³)	Volume of soap used after boiling (cm ³)
A	30	10
B	30	30

- i. Explain the observation made in water sample A (1mks)

A – had temporary hardness / CaHCO_3 or MgHCO_3 present

- ii. Name one cation and one anion that could be present in sample water B (1mark)

Cation..... Mg^{2+} or Ca^{2+}

Anion..... NO_3^- or SO_4^{2-}

- iii. State one uses of hard water.


– Beer making

(1 mark)

11. Use the bond energy value given below for questions that follows


Bond	Bond energy (KJmol ⁻¹)
H – H	432
C = C	610
C – C	346
C – H	413

Determine the enthalpy change for the conversion of propene to propane by hydrogen.



CHEMISTRY
FORM 4
PAPER 1 – MARKING SCHEME

12. The set up below was used to prepare dry hydrogen gas. Study it and answer the questions that follow.



(i) Identify the mistake in the set-up above. (1 mark)

Method of gas collection – should be upward delivery / downward displacement of air

(ii) What would be liquid Y? (1 mark)


Concentrated Sulphuric acid

(iii) Give two properties that hydrogen gas share with carbon II oxide (1 mark)

– Reducing agent
 – Burn with blue flame
 * Neutral to litmus


OK Any two.

13. Study the diagram below then use it to answer the questions that follow.



CHEMISTRY
FORM 4
PAPER 1 – MARKING SCHEME


- b) Determine the values of **a** and **b** in the equation. (2mks)



$$a = 2$$

$$b = 2$$

23. The diagram below shows a structure of water molecules.





- (a) Name the bonds

X Covalent bond

Y Hydrogen bond


- b) Using dots (•) and crosses (X) to represent electrons, draw diagrams to represent the bonding in magnesium chloride ($\text{Mg}=12$, $\text{Cl}=17$) (2mk)



24. The set up below shows the electrolysis of dilute copper (II) chloride. Study it and answer the questions that follow.


CHEMISTRY
FORM 4
PAPER 1 – MARKING SCHEME

24. The set up below shows the electrolysis of dilute copper (II) chloride. Study it and answer the questions that follow.




(a) Label the cathode and anode on the diagram. (1mk)

(b) Write an equation for the reaction responsible for formation of gas in tube R. (1mk)



25. 20 cm³ of sodium carbonate solution was reacted completely with 25cm³ of 0.8 M hydrochloric acid . calculate the concentration of sodium carbonate solutions in moles per litre (3marks)

$$\begin{aligned} \text{Moles HCl} &= \frac{25 \times 0.8}{1000} \\ &= 0.02 \end{aligned}$$



13


$$\text{Moles} = \frac{M \times V}{1000}$$

$$0.01 = M \times \frac{20}{1000}$$

$$M = 0.01 \times \frac{1000}{20} = 0.5\text{M}$$

CHEMISTRY
FORM 4
PAPER 1 – MARKING SCHEME

26. The following diagram represents a section of the plant for the large scale manufacture of hydrochloric acid.



(a) Name gases A and B.

A..... Hydrogen

B..... Chlorine

(1 mark)

(b) State the role of the glass beads in the plant

Increase surface area for dissolving HCl gas

(1 mark)

(c) Why is gas A introduced into the reaction chamber through a jet? (1 mark)

In Excess Hydrogen and Chlorine mixture explodes

27. a) What does the abbreviation PVCs stand for? (1 mark)

Poly vinyl chlorides

b). State **one** advantage and **one** disadvantage of PVC over natural polymers.

Advantage..... (1mk)


Cheaper

Disadvantage --- (1 mk) ¹⁴

non biodegradable.

CHEMISTRY
FORM 4
PAPER 1 – MARKING SCHEME

18. Hydrogen gas was passed over heated copper (II) oxide in a combustion tube as shown below.




- i) State and explain the observations made in the combustion tube. (2 marks)

black copper II oxide ~~turns~~ ^{change} brown in colour
 copper II oxide reduced to copper


- ii) Write equations for the reaction that took place;

I. In the combustion tube.



19. a) Below is a section of an apparatus used to measure accurate volume of liquids in the laboratory

(a) Identify the apparatus.



- Burette

- b) Give two reasons why glass is preferred in making of apparatus above in question 19(a)

- Easy to clean

- clear / Easy visibility

- Does not react with most of the chemicals.

20. a) State Le'Chatelier's principle (1mk)

When a change in condition is applied to a system in equilibrium, the system moves so as to oppose that change.

CHEMISTRY
FORM 4
PAPER 1 – MARKING SCHEME


14. Determine the oxidation state of element in bracket in the following substances



(1mk)

$$(+1) + (x) + (2 \times 4) = 0$$

$$x = (+8) - (1) = +7$$



(1mk)

$$[(+1) \times 2] + 2x + (2 \times 7) = 0$$

$$2x = +14 - 2$$

$$x = +6$$

(ii) Explain this observation. When acidified hydrogen peroxide is added to pale-green iron (ii) sulphate solution, the solution turns yellow (1mk)

H_2O_2 oxidises Fe^{2+} ions to Fe^{3+} ions

15. a) State Graham's law (1 mk)

Under the same condition of temperature and pressure the rate of diffusion of a gas is inversely proportional to the square root of its density.

b) A sample of unknown compound gas X is shown by analysis to contain Sulphur and oxygen. The gas requires 28.3 seconds to diffuse through a small aperture into a vacuum. An identical number of oxygen molecules pass through the same aperture in 20 seconds. Determine the molecular mass of gas X. (O = 16, S = 32) (3marks)

$$\frac{T_X}{T_{\text{O}_2}} = \frac{\sqrt{M_X}}{\sqrt{M_{\text{O}_2}}}$$

$$\frac{28.3}{20} = \frac{\sqrt{x}}{\sqrt{32}}$$


$$(1.415)^2 = \frac{x}{32}$$

$$X = 32 \times (1.415)^2$$

$$= 64.07$$

$$\approx 64$$


b) When sulphur(VI) is heated the equilibrium shown below is established.



How would the position of the equilibrium be affected if the pressure is increased? Explain.

More SO_3 is formed | shift to left - increase in pressure result to reduction in volume (2mks)


21. Chlorine gas was bubbled into as solution of hydrogen sulphide as shown in the diagram below.



- a. Explain the observation made in the boiling tube (2 Marks)

a. Explain the observation made in the boiling tube (2 Marks)

yellow solid - Chlorine oxidises Hydrogen Sulphide to Sulphur. +.llow



- b. State the precaution that should be taken in this experiment? (1 Mark)

- Done in fume chamber / open field
* chlorine is poisonous

22. A radioactive element X decays as shown below.




- a) Give the number of neutrons in element X. (1mk)

$$216 - 84 = 132$$

CHEMISTRY
FORM 4
PAPER 1 – MARKING SCHEME

16. The diagram below demonstrate two properties of carbon iv oxide.



- (a) Identify the two properties demonstrated.. (2marks)
- Denser than air Density ✓
 - Does not burn or support burning ✓
- (b) State one use of carbon iv oxide based on other properties apart from the one identified in question 16 (a). (1mark)

- refrigeration ✓
 - Manufacture of Sodium Carbonate ✓
 - Manufacture of fizzy drinks. ✓
- Any.

17. The molecular formula mass of gas A is 42 and its empirical formula is CH_2 .

- (a) Determine the molecular formula of gas A ($\text{C} = 12.0$, $\text{H} = 1.0$). (2mks)


$$\text{CH}_2 = 12 + (1 \times 2) = 14$$

$$n = \frac{42}{14} = 3$$

$$\text{MF} = (\text{CH}_2)_3$$


$$= \text{C}_3\text{H}_6$$

- (b) Write the equation of the reaction between A and 1 mole of chlorine gas. (1mk)



CHEMISTRY
FORM 4
PAPER 1 – MARKING SCHEME

- a) Draw the wooden splint at the end of experiment, if it was slipped in at that position then removed. (1 mark)




- b) Explain the appearance of the wooden splint in a) above. (2 marks)


Uncharred part - Almost colourless region / less heat.

Charred part - pale blue region / very hot

- c) Below is the structure of polymer



- i. Draw the monomeric unit of polymer




- ii. A sample of this polymer is found to have a molecular mass of 10400. determine the number of monomers in the polymer. (C=12, H=1)
 (2marks)

$$\begin{aligned}
 \text{Mass of Monomer} &= (12 \times 8) + (1 \times 8) \\
 &= 104
 \end{aligned}$$

$$n = \frac{10400}{104} = 100 \text{ units}$$

CHEMISTRY
FORM 4
PAPER 1 – MARKING SCHEME

4. Calculate the volume of nitrogen iv oxide produced when 10g of lead (ii) nitrate was completely decomposed by heating at s.t.p. (Pb= 207, N = 14, O = 16, Molar gas volume at s.t.p. = 22.4dm³) (3 Marks)



5. A solution of hydrogen chloride gas in water conducts an electrical current, while that of hydrogen chloride in methylbenzene does not conduct. Explain. (1 Mark)

HCl ionises in water (polar) but remain molecular in methylbenzene (non polar)

6. a) The electron arrangement of ions X²⁺ and Y³⁻ are 2,8, and 2,8 respectively. In which groups do X and Y belong? (1 Mark)

X..... 2 $\frac{1}{2}$

Y..... 5 $\frac{1}{2}$

- c) Give the formula of compound that would be formed between X and Y and state the bond present in that compound. (1 Mark)

Formula.....

X₃Y₂ $\frac{1}{2}$

Bond type.....

ionic / Electrovalent $\frac{1}{2}$

CHEMISTRY
FORM 4
PAPER 1 – MARKING SCHEME


7. The elements nitrogen, phosphorus and potassium are essential for plant growth. Phosphorus in the fertilizer may be in the form of ammonium phosphate. Calculate the mass of nitrogen present in a 50kg bag containing pure ammonium phosphate. $(\text{NH}_4)_3\text{PO}_4$ (N=14.0, H=1.0, P=31.0, O=16.0) (3 Marks)

$$(\text{NH}_4)_3\text{PO}_4 = 149$$

$$\text{Mass of Nitrogen} = 14 \times 3 = 42$$

$$\frac{42}{149} \times 50 = 14.09 \text{ kg}$$

8. A mixture consists of iodine and sodium chloride
 (i) By use of **diagram** illustrate how this mixture can be separated. (3 marks)





Workability 01
 Labelling 01
 Diagram 01
03

9. a) What are positional Isomers (1mk)

Compounds with the same molecular formula but different structural formula due to position of the functional group

b) Draw and name two isomers with molecular formula C_4H_6 . (2 marks)



CHEMISTRY
FORM 4
PAPER 1 – MARKING SCHEME

1. Element A has two isotopes with mass numbers 30 and X. Given that the RAM of element A is 34.5 and the percentage abundance of ^{30}A is 55%, calculate the value of X. (3 marks)

$$\text{R.A.M} = \frac{M_1 \times \% + M_2 \times \%}{100}$$

$$34.5 = \frac{30 \times 55 + x \times 45}{100}$$

$$3450 = 1650 + 45x$$

$$3450 - 1650 = 45x$$

$$\frac{1800}{45} = x$$

$$x = 40$$

2. Describe how you would prepare crystals of copper (ii) sulphate starting with copper (ii) oxide. (3 marks)

- React excess copper (ii) oxide with dilute sulphuric acid
 - Filter excess copper (ii) oxide
 - Heat to evaporate excess water until crystals start appearing
 - Allow slow evaporation to form crystals

3. 10 grammes of sodium carbonate decahydrate ($\text{Na}_2\text{CO}_3 \cdot 10\text{H}_2\text{O}$) was left exposed in air for a few days after which the mass was measured again.

a) State and explain the observation made on change of mass taken after some days (2mks)

Mass decreased - lost water of crystallization

b) Give the name of the process demonstrated in question (3) above. (1 Mark)

- efflorescence