

Company Logo Here

XX PHARMACEUTICALS LIMITED

117 Adams Street, Brooklyn, NY 11201, USA

Annexure-I Operational Log sheet of WFI generation system

Engineering Department
Operational Log sheet of WFI generation system

Date:

Starting Time:

Stop Time:

Total Running Hours:

Time	Steam Pressure (MPa))	Feed Water Pressure (MPa)	Feed Water Flow(L/H)	Feed Water Conductivity (µs/cm)	WFI Temperature(°C)	WFI tank Level (%)	Remarks
6.00 AM							
7.00 AM							
8.00 AM							
9.00 AM							
10.00 AM							
11.00 AM							
12.00 AM							
1.00 PM							
2.00 PM							
3.00 PM							
4.00 PM							
5.00 PM							
6.00 PM							
7.00 PM							
8.00 PM							
9.00 PM							
10.00 PM							
11.00 PM							
12.00PM							
1.00 AM							
2.00 AM							
3.00 AM							
4.00 AM							

Done By:

Checked By:

Approved By: _____
Manager, Quality Assurance

Company Logo Here

XX PHARMACEUTICALS LIMITED

117 Adams Street, Brooklyn, NY 11201, USA

www.pharmaguideline.co.uk

Approved By: _____
Manager, Quality Assurance