

```

<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE schemadocs
[
<!ELEMENT schemadocs ( schema+ )>
<!ELEMENT schema ( name, description, processes, submitterRole, receiverRole, examples )>
<!ELEMENT name ( #PCDATA )>
<!ELEMENT description ( #PCDATA | link )*>
<!ELEMENT process ( #PCDATA )>
<!ELEMENT link ( #PCDATA )>
<!ATTLIST link schema CDATA #IMPLIED>
<!ATTLIST link figure CDATA #IMPLIED>
<!ELEMENT example ( #PCDATA )>
<!ELEMENT submitterRole ( #PCDATA )>
<!ELEMENT receiverRole ( #PCDATA )>
<!ELEMENT processes ( process* )>
<!ELEMENT examples ( example* )>
]>
<schemadocs>
  <schema>
    <name>Application Response</name>
    <description>A document to indicate the application's response to a transaction. This may be a
business response and/or a technical response, sent automatically by an application or
initiated by a user.</description>
    <processes/>
    <submitterRole>Sender</submitterRole>
    <receiverRole>Receiver</receiverRole>
    <examples/>
  </schema>
  <schema>
    <name>Attached Document</name>
    <description>A UBL wrapper that allows a document of any kind to be packaged with the UBL
document that references it.</description>
    <processes/>
    <submitterRole>Sender</submitterRole>
    <receiverRole>Receiver</receiverRole>
    <examples/>
  </schema>
  <schema>
    <name>Awarded Notification</name>
    <description>The document used to communicate a contract award to the winner.</description>

```

```

    <processes>
    <process>Tendering (pre-award)</process>
    </processes>
    <submitterRole>Contracting Authority</submitterRole>
    <receiverRole>Tenderer</receiverRole>
    <examples/>
</schema>
<schema>
    <name>Bill Of Lading</name>
    <description>A document that conveys information about an instance of a transportation service
    and may under some circumstances serve as a contractual document For the service. See
    <link>Bill of Lading</link> and compare with <link>Waybill</link>.</description>
    <processes>
    <process>Transport</process>
    </processes>
    <submitterRole>Freight Forwarder, Carrier</submitterRole>
    <receiverRole>Consignor (or Consignee), Freight Forwarder</receiverRole>
    <examples/>
</schema>
<schema>
    <name>Call For Tenders</name>
    <description>A document used by a Contracting Party to define a procurement project to buy
    goods, services, or works during a specified period.</description>
    <processes>
    <process>Tendering (pre-award)</process>
    </processes>
    <submitterRole>Contracting Authority</submitterRole>
    <receiverRole>Tenderer</receiverRole>
    <examples/>
</schema>
<schema>
    <name>Catalogue</name>
    <description>A document that describes items, prices, and price validity. See
    <link>Catalogue</link>.</description>
    <processes>
    <process>Catalogue</process>
    <process>Create Catalogue</process>
    <process>Delete Catalogue</process>
    <process>Update Catalogue Item Specification</process>
    <process>Update Catalogue Pricing</process>

```

```

<process>Initial Stocking of the Area by Producer</process>
<process>Permanent Replenishment</process>
<process>Price Adjustments</process>
<process>Transfer of Base Item Catalogue</process>
<process>Changes to the Item Catalogue</process>
<process>Changes to the Article Catalogue</process>
</processes>
<submitterRole>Seller</submitterRole>
<receiverRole>Contracting Party</receiverRole>
<examples/>
</schema>
<schema>
  <name>Catalogue Deletion</name>
  <description>A document used to cancel an entire <link schema="">Catalogue</link>.</description>
  <processes>
    <process>Catalogue</process>
  </processes>
  <submitterRole>Seller</submitterRole>
  <receiverRole>Contracting Party</receiverRole>
  <examples/>
</schema>
<schema>
  <name>Catalogue Item Specification Update</name>
  <description>A document used to update information (e.g., technical descriptions and properties)
  about Items in an existing <link schema="">Catalogue</link>.</description>
  <processes>
    <process>Catalogue</process>
  </processes>
  <submitterRole>Seller</submitterRole>
  <receiverRole>Contracting Party</receiverRole>
  <examples/>
</schema>
<schema>
  <name>Catalogue Pricing Update</name>
  <description>A document used to update information about prices in an existing
  <link schema="">Catalogue</link>.</description>
  <processes>
    <process>Catalogue</process>
  </processes>
  <submitterRole>Seller</submitterRole>

```

```

    <receiverRole>Contracting Party</receiverRole>
    <examples/>
</schema>
<schema>
    <name>Catalogue Request</name>
    <description>A document used to request a <link schema="">Catalogue</link>.</description>
    <processes>
    <process>Catalogue</process>
    </processes>
    <submitterRole>Contracting Party</submitterRole>
    <receiverRole>Seller</receiverRole>
    <examples/>
</schema>
<schema>
    <name>Certificate Of Origin</name>
    <description>A document that describes the Certificate of Origin.</description>
    <processes>
    <process>Certification of Origin of Goods</process>
    </processes>
    <submitterRole>Exporter, Issuer</submitterRole>
    <receiverRole>Issuer, Importer</receiverRole>
    <examples/>
</schema>
<schema>
    <name>Contract Award Notice</name>
    <description>A document published by a Contracting Party to announce the awarding of a
    procurement project.</description>
    <processes>
    <process>Tendering (pre-award)</process>
    </processes>
    <submitterRole>Contracting Authority</submitterRole>
    <receiverRole>Tenderer</receiverRole>
    <examples/>
</schema>
<schema>
    <name>Contract Notice</name>
    <description>A document used by a Contracting Party to announce a project to buy goods, services
    or works.</description>
    <processes>
    <process>Tendering (pre-award)</process>

```

```

    </processes>
    <submitterRole>Contracting Authority</submitterRole>
    <receiverRole>Tenderer</receiverRole>
  </examples/>
</schema>
<schema>
  <name>Credit Note</name>
  <description>A document used to specify credits due to the Debtor from the
  Creditor.</description>
  <processes>
    <process>Billing</process>
  </processes>
  <submitterRole>Supplier Accounting Party</submitterRole>
  <receiverRole>Customer Accounting Party</receiverRole>
  <examples>
    <example>UBL-CreditNote-2.0-Example.xml</example>
    <example>UBL-CreditNote-2.1-Example.xml</example>
  </examples>
</schema>
<schema>
  <name>Debit Note</name>
  <description>A document used to specify debts incurred by the Debtor.</description>
  <processes>
    <process>Billing</process>
  </processes>
  <submitterRole>Customer Accounting Party</submitterRole>
  <receiverRole>Supplier Accounting Party</receiverRole>
  <examples>
    <example>UBL-DebitNote-2.1-Example.xml</example>
  </examples>
</schema>
<schema>
  <name>Despatch Advice</name>
  <description>A document used to describe the despatch or delivery of goods and
  services.</description>
  <processes>
    <process>Logistics</process>
  </processes>
  <submitterRole>Despatch</submitterRole>
  <receiverRole>Delivery</receiverRole>

```

```

<examples>
  <example>UBL-DespatchAdvice-2.0-Example.xml</example>
</examples>
</schema>
<schema>
  <name>Document Status</name>
  <description>A document used to provide information about document status.</description>
  <processes/>
  <submitterRole>Party currently controlling Status of the collaboration</submitterRole>
  <receiverRole>Party requesting Status on collaboration</receiverRole>
  <examples/>
</schema>
<schema>
  <name>Document Status Request</name>
  <description>A document used to request the status of another document.</description>
  <processes/>
  <submitterRole>Party requesting Status on collaboration</submitterRole>
  <receiverRole>Party currently controlling Status of the collaboration</receiverRole>
  <examples/>
</schema>
<schema>
  <name>Exception Criteria</name>
  <description>A document used to specify the thresholds for forecast variance, product activity,
and performance history beyond which exceptions should be triggered.</description>
  <processes>
    <process>Collaborative Planning, Forecasting, and Replenishment</process>
  </processes>
  <submitterRole>Buyer, Seller</submitterRole>
  <receiverRole>Buyer, Seller</receiverRole>
  <examples>
    <example>UBL-ExceptionCriteria-2.1-Example.xml</example>
  </examples>
</schema>
<schema>
  <name>Exception Notification</name>
  <description>A document used to notify an exception in forecast variance, product activity, or
performance history.</description>
  <processes>
    <process>Collaborative Planning, Forecasting, and Replenishment</process>
  </processes>

```

```

    <submitterRole>Buyer, Seller</submitterRole>
    <receiverRole>Buyer, Seller</receiverRole>
    <examples>
    <example>UBL-ExceptionNotification-2.1-Example.xml</example>
    </examples>
</schema>
<schema>
    <name>Forecast</name>
    <description>A document used to forecast sales or orders.</description>
    <processes>
    <process>Collaborative Planning, Forecasting, and Replenishment</process>
    </processes>
    <submitterRole>Buyer, Seller</submitterRole>
    <receiverRole>Buyer, Seller</receiverRole>
    <examples>
    <example>UBL-Forecast-2.1-Example.xml</example>
    </examples>
</schema>
<schema>
    <name>Forecast Revision</name>
    <description>A document used to revise a <link schema="">Forecast</link>.</description>
    <processes>
    <process>Collaborative Planning, Forecasting, and Replenishment</process>
    </processes>
    <submitterRole>Buyer, Seller</submitterRole>
    <receiverRole>Buyer, Seller</receiverRole>
    <examples>
    <example>UBL-ForecastRevision-2.1-Example.xml</example>
    </examples>
</schema>
<schema>
    <name>Forwarding Instructions</name>
    <description>A document issued to a forwarder, giving instructions regarding the action to be
    taken for the forwarding of goods described therein. See <link>Forwarding
    Instructions</link>.</description>
    <processes>
    <process>Transport</process>
    </processes>
    <submitterRole>Consignor (or Consignee), Freight Forwarder</submitterRole>
    <receiverRole>Freight Forwarder, Carrier</receiverRole>

```

```

    <examples>
      <example>UBL-ForwardingInstructions-2.0-Example-International.xml</example>
    </examples>
  </schema>
  <schema>
    <name>Freight Invoice</name>
    <description>A document stating the charges incurred for a logistics service.</description>
    <processes>
      <process>Freight Billing</process>
    </processes>
    <submitterRole>Freight Forwarder</submitterRole>
    <receiverRole>Consignor or Consignee</receiverRole>
    <examples>
      <example>UBL-FreightInvoice-2.1-Example.xml</example>
    </examples>
  </schema>
  <schema>
    <name>Fulfilment Cancellation</name>
    <description>A document used to cancel an entire <link schema="">Despatch Advice</link> or <link schema="">Receipt Advice</link>.</description>
    <processes>
      <process>Logistics</process>
    </processes>
    <submitterRole>Buyer or Seller</submitterRole>
    <receiverRole>Seller or Buyer</receiverRole>
    <examples>
      <example>UBL-FulfilmentCancellation-2.1-Example.xml</example>
    </examples>
  </schema>
  <schema>
    <name>Goods Item Itinerary</name>
    <description>A document providing details relating to a transport service, such as transport movement, identification of equipment and goods, subcontracted service providers, etc.</description>
    <processes>
      <process>Intermodal Freight Management</process>
    </processes>
    <submitterRole>Transport Service Provider</submitterRole>
    <receiverRole>Transport User</receiverRole>
    <examples>

```

```

    <example>UBL-GoodsItemItinerary-2.1-Example.xml</example>
  </examples>
</schema>
<schema>
  <name>Guarantee Certificate</name>
  <description>A document to notify the deposit of a bid bond guarantee.</description>
  <processes>
    <process>Tendering (pre-award)</process>
  </processes>
  <submitterRole>Tenderer</submitterRole>
  <receiverRole>Contracting Authority</receiverRole>
  <examples/>
</schema>
<schema>
  <name>Instruction For Returns</name>
  <description>A document used to initiate a return of goods. The producer is requesting the
  return of products that are not selling well, either to use in other places or to free up rack
  or shelf space.</description>
  <processes>
    <process>Cyclic Replenishment Program (CRP)</process>
  </processes>
  <submitterRole>Seller</submitterRole>
  <receiverRole>Buyer</receiverRole>
  <examples>
    <example>UBL-InstructionForReturns-2.1-Example.xml</example>
  </examples>
</schema>
<schema>
  <name>Inventory Report</name>
  <description>A report on the quantities of each item that are, or will be, in stock. This
  document is sent by a Buyer (for example a retailer) to a Seller (for example a
  producer).</description>
  <processes>
    <process>Cyclic Replenishment Program (CRP)</process>
  </processes>
  <submitterRole>Buyer</submitterRole>
  <receiverRole>Seller</receiverRole>
  <examples>
    <example>UBL-InventoryReport-2.1-Example.xml</example>
  </examples>

```

```
</schema>
<schema>
  <name>Invoice</name>
  <description>A document used to request payment.</description>
  <processes>
    <process>Billing</process>
  </processes>
  <submitterRole>Supplier Accounting Party</submitterRole>
  <receiverRole>Customer Accounting Party</receiverRole>
  <examples>
    <example>UBL-Invoice-2.0-Example.xml</example>
    <example>UBL-Invoice-2.1-Example.xml</example>
    <example>UBL-Invoice-2.1-Example-Trivial.xml</example>
  </examples>
</schema>
<schema>
  <name>Item Information Request</name>
  <description>A document used to request product activity, forecast, or performance
data.</description>
  <processes>
    <process>Collaborative Planning, Forecasting, and Replenishment</process>
  </processes>
  <submitterRole>Buyer, Seller</submitterRole>
  <receiverRole>Buyer, Seller</receiverRole>
  <examples/>
</schema>
<schema>
  <name>Order</name>
  <description>A document used to order goods and services.</description>
  <processes>
    <process>Ordering (post-award)</process>
  </processes>
  <submitterRole>Buyer</submitterRole>
  <receiverRole>Seller</receiverRole>
  <examples>
    <example>UBL-Order-2.0-Example.xml</example>
    <example>UBL-Order-2.1-Example.xml</example>
    <example>UBL-Order-2.0-Example-International.xml</example>
  </examples>
</schema>
```

```

<schema>
  <name>Order Cancellation</name>
  <description>A document used to cancel an entire <link schema="">Order</link>.</description>
  <processes>
    <process>Ordering (post-award)</process>
    <process>Logistics</process>
  </processes>
  <submitterRole>Buyer</submitterRole>
  <receiverRole>Seller</receiverRole>
  <examples>
    <example>UBL-OrderCancellation-2.1-Example.xml</example>
  </examples>
</schema>
<schema>
  <name>Order Change</name>
  <description>A document used to specify changes to an existing <link schema="">Order</link>.</description>
  <processes>
    <process>Ordering (post-award)</process>
    <process>Logistics</process>
  </processes>
  <submitterRole>Buyer</submitterRole>
  <receiverRole>Seller</receiverRole>
  <examples>
    <example>UBL-OrderChange-2.1-Example.xml</example>
  </examples>
</schema>
<schema>
  <name>Order Response</name>
  <description>A document used to indicate detailed acceptance or rejection of an
  <link schema="">Order</link> or to make a counter-offer.</description>
  <processes>
    <process>Ordering (post-award)</process>
  </processes>
  <submitterRole>Seller</submitterRole>
  <receiverRole>Buyer</receiverRole>
  <examples>
    <example>UBL-OrderResponse-2.1-Example.xml</example>
  </examples>
</schema>
<schema>

```

```

<name>Order Response Simple</name>
<description>A document used to indicate simple acceptance or rejection of an entire
<link schema="">Order</link>.</description>
<processes>
<process>Ordering (post-award)</process>
</processes>
<submitterRole>Seller</submitterRole>
<receiverRole>Buyer</receiverRole>
<examples>
<example>UBL-OrderResponseSimple-2.0-Example.xml</example>
<example>UBL-OrderResponseSimple-2.1-Example.xml</example>
</examples>
</schema>
<schema>
  <name>Packing List</name>
  <description>A document describing how goods are packed.</description>
  <processes>
  <process>Transport</process>
  </processes>
  <submitterRole>Consignor</submitterRole>
  <receiverRole>Freight Forwarder</receiverRole>
  <examples/>
</schema>
<schema>
  <name>Prior Information Notice</name>
  <description>A document used by a contracting party to declare the intention to buy goods,
  services, or works during a specified period.</description>
  <processes>
  <process>Tendering (pre-award)</process>
  </processes>
  <submitterRole>Contracting Authority</submitterRole>
  <receiverRole>Tenderer</receiverRole>
  <examples>
  <example>UBL-PriorInformationNotice-2.2-Example-Embedded.xml</example>
  <example>UBL-PriorInformationNotice-2.2-Example-External.xml</example>
  </examples>
</schema>
<schema>
  <name>Product Activity</name>
  <description>A document reporting the movement of goods at specified retail locations for

```

```

inventory tracking purposes.</description>
<processes>
<process>Collaborative Planning, Forecasting, and Replenishment</process>
<process>Vendor Managed Inventory</process>
</processes>
<submitterRole>Buyer</submitterRole>
<receiverRole>Seller</receiverRole>
<examples>
<example>UBL-ProductActivity-2.1-Example-1.xml</example>
<example>UBL-ProductActivity-2.1-Example-2.xml</example>
<example>UBL-ProductActivity-2.1-Example-3.xml</example>
</examples>
</schema>
<schema>
  <name>Quotation</name>
  <description>A document used to quote for the provision of goods and services.</description>
  <processes>
  <process>Quotation</process>
  </processes>
  <submitterRole>Seller</submitterRole>
  <receiverRole>Originator</receiverRole>
  <examples>
  <example>UBL-Quotation-2.0-Example.xml</example>
  <example>UBL-Quotation-2.1-Example.xml</example>
  </examples>
</schema>
<schema>
  <name>Receipt Advice</name>
  <description>A document used to describe the receipt of goods and services.</description>
  <processes>
  <process>Logistics</process>
  </processes>
  <submitterRole>Delivery</submitterRole>
  <receiverRole>Despatch</receiverRole>
  <examples>
  <example>UBL-ReceiptAdvice-2.0-Example.xml</example>
  </examples>
</schema>
<schema>
  <name>Reminder</name>

```

```

<description>A document used to remind a customer of payments overdue.</description>
<processes>
<process>Billing</process>
</processes>
<submitterRole>Supplier Accounting Party and/or Payee</submitterRole>
<receiverRole>Customer Accounting Party and/or Payee</receiverRole>
<examples>
<example>UBL-Reminder-2.1-Example.xml</example>
</examples>
</schema>
<schema>
  <name>Remittance Advice</name>
  <description>A document that specifies details of an actual payment.</description>
  <processes>
  <process>Payment Notification</process>
  </processes>
  <submitterRole>Supplier Accounting Party and/or Payee</submitterRole>
  <receiverRole>Customer Accounting Party and/or Payee</receiverRole>
  <examples>
  <example>UBL-RemittanceAdvice-2.0-Example.xml</example>
  </examples>
</schema>
<schema>
  <name>Request For Quotation</name>
  <description>A document used to request a <link schema="">Quotation</link> for goods and services from a
seller.</description>
  <processes>
  <process>Quotation</process>
  </processes>
  <submitterRole>Originator</submitterRole>
  <receiverRole>Seller</receiverRole>
  <examples>
  <example>UBL-RequestForQuotation-2.0-Example.xml</example>
  <example>UBL-RequestForQuotation-2.1-Example.xml</example>
  </examples>
</schema>
<schema>
  <name>Retail Event</name>
  <description>A document used to specify basic information about retail events (such as
promotions, product introductions, and community or environmental events) that affect supply

```

```

    or demand.</description>
</processes>
<process>Cyclic Replenishment Program (CRP)</process>
</processes>
<submitterRole>Buyer, Seller</submitterRole>
<receiverRole>Buyer, Seller</receiverRole>
<examples>
<example>UBL-RetailEvent-2.1-Example.xml</example>
</examples>
</schema>
<schema>
  <name>Self Billed Credit Note</name>
  <description>A credit note created by the debtor in a self billing arrangement with a creditor;
  Self Billed Credit Note replaces <link schema="">Debit Note</link> in such arrangements.</description>
  <processes>
  <process>Billing</process>
  </processes>
  <submitterRole>Customer Accounting Party</submitterRole>
  <receiverRole>Supplier Accounting Party</receiverRole>
  <examples>
  <example>UBL-SelfBilledCreditNote-2.1-Example.xml</example>
  </examples>
</schema>
<schema>
  <name>Self Billed Invoice</name>
  <description>An invoice document created by the customer (rather than the supplier) in a Self
  Billing relationship.</description>
  <processes>
  <process>Billing</process>
  </processes>
  <submitterRole>Customer Accounting Party</submitterRole>
  <receiverRole>Supplier Accounting Party</receiverRole>
  <examples/>
</schema>
<schema>
  <name>Statement</name>
  <description>A document used to report the status of orders, billing, and payment. This document
  is a statement of account, not a summary invoice.</description>
  <processes>
  <process>Billing</process>

```

```

    </processes>
    <submitterRole>Supplier Accounting Party</submitterRole>
    <receiverRole>Customer Accounting Party</receiverRole>
    <examples>
    <example>UBL-Statement-2.0-Example.xml</example>
    </examples>
</schema>
<schema>
    <name>Stock Availability Report</name>
    <description>A report on the quantities of each item that are, or will be, in stock. This
    document is sent by a Seller (for example a producer) to a Buyer (for example a
    retailer).</description>
    <processes>
    <process>Cyclic Replenishment Program (CRP)</process>
    </processes>
    <submitterRole>Seller (Producer)</submitterRole>
    <receiverRole>Buyer (Retailer)</receiverRole>
    <examples>
    <example>UBL-StockAvailabilityReport-2.1-Example.xml</example>
    </examples>
</schema>
<schema>
    <name>Tender</name>
    <description>A document whereby an economic operator (the tenderer) makes a formal offer (the
    tender) to a contracting authority to execute an order for the supply or purchase of goods, or
    for the execution of work, according to the terms of a proposed contract.</description>
    <processes>
    <process>Tendering (pre-award)</process>
    </processes>
    <submitterRole>Tenderer</submitterRole>
    <receiverRole>Contracting Authority</receiverRole>
    <examples/>
</schema>
<schema>
    <name>Tender Receipt</name>
    <description>A document sent by a contracting party to an economic operator acknowledging
    receipt of a Tender.</description>
    <processes>
    <process>Tendering (pre-award)</process>
    </processes>

```

```

    <submitterRole>Contracting Authority</submitterRole>
    <receiverRole>Tenderer</receiverRole>
    <examples/>
</schema>
<schema>
    <name>Tenderer Qualification</name>
    <description>A document declaring the qualifications of a tenderer.</description>
    <processes>
    <process>Tendering (pre-award)</process>
    </processes>
    <submitterRole>Tenderer</submitterRole>
    <receiverRole>Contracting Authority</receiverRole>
    <examples/>
</schema>
<schema>
    <name>Tenderer Qualification Response</name>
    <description>A document issued by a procurement organization to notify an economic operator
    whether it has been admitted to or excluded from the tendering process.</description>
    <processes>
    <process>Tendering (pre-award)</process>
    </processes>
    <submitterRole>Contracting Authority</submitterRole>
    <receiverRole>Tenderer</receiverRole>
    <examples/>
</schema>
<schema>
    <name>Trade Item Location Profile</name>
    <description>A document specifying trade item attributes relating to replenishment
    policies.</description>
    <processes>
    <process>Collaborative Planning, Forecasting, and Replenishment</process>
    </processes>
    <submitterRole>Buyer, Seller</submitterRole>
    <receiverRole>Buyer, Seller</receiverRole>
    <examples>
    <example>UBL-TradeItemLocationProfile-2.1-Example.xml</example>
    </examples>
</schema>
<schema>
    <name>Transport Execution Plan</name>

```

```

    <description>A document used in the negotiation of a transport service between a transport user
    and a transport service provider.</description>
    <processes>
    <process>Intermodal Freight Management</process>
    </processes>
    <submitterRole>Transport Service Provider, Transport User</submitterRole>
    <receiverRole>Transport User, Transport Service Provider</receiverRole>
    <examples>
    <example>UBL-TransportExecutionPlan-2.1-Example.xml</example>
    </examples>
</schema>
<schema>
    <name>Transport Execution Plan Request</name>
    <description>A document sent by a transport user to request a transport service from a transport
    service provider.</description>
    <processes>
    <process>Intermodal Freight Management</process>
    </processes>
    <submitterRole>Transport User</submitterRole>
    <receiverRole>Transport Service Provider</receiverRole>
    <examples>
    <example>UBL-TransportExecutionPlanRequest-2.1-Example.xml</example>
    </examples>
</schema>
<schema>
    <name>Transport Progress Status</name>
    <description>A document sent from a transportation network manager to a transport service
    provider giving the status of the whereabouts and schedule of the transport means involved in
    a transport service.</description>
    <processes>
    <process>Intermodal Freight Management</process>
    </processes>
    <submitterRole>Transportation Network Manager</submitterRole>
    <receiverRole>Transport Service Provider</receiverRole>
    <examples>
    <example>UBL-TransportProgressStatus-2.1-Example.xml</example>
    </examples>
</schema>
<schema>
    <name>Transport Progress Status Request</name>

```

```

<description>A document sent from a transport service provider to a transportation network
manager requesting a <link schema="">Transport Progress Status</link>.</description>
<processes>
<process>Intermodal Freight Management</process>
</processes>
<submitterRole>Transport Service Provider</submitterRole>
<receiverRole>Transportation Network Manager</receiverRole>
<examples>
<example>UBL-TransportProgressStatusRequest-2.1-Example.xml</example>
</examples>
</schema>
<schema>
  <name>Transport Service Description</name>
  <description>A document sent by a transport service provider to announce the availability of a
transport service.</description>
  <processes>
  <process>Intermodal Freight Management</process>
  </processes>
  <submitterRole>Transport Service Provider</submitterRole>
  <receiverRole>Transport User</receiverRole>
  <examples>
  <example>UBL-TransportServiceDescription-2.1-Example.xml</example>
  </examples>
</schema>
<schema>
  <name>Transport Service Description Request</name>
  <description>A document requesting a <link schema="">Transport Service Description</link>, sent from a
party with a transport demand (transport user) to a party providing transport services
(transport service provider).</description>
  <processes>
  <process>Intermodal Freight Management</process>
  </processes>
  <submitterRole>Transport User</submitterRole>
  <receiverRole>Transport Service Provider</receiverRole>
  <examples>
  <example>UBL-TransportServiceDescriptionRequest-2.1-Example.xml</example>
  </examples>
</schema>
<schema>
  <name>Transportation Status</name>

```

```

    <description>A document to circulate reports of transportation status or changes in status
    (events) among a group of participants.</description>
    <processes>
    <process>Freight Status Reporting</process>
    </processes>
    <submitterRole>Transport Service Provider</submitterRole>
    <receiverRole>Transport User</receiverRole>
    <examples>
    <example>UBL-TransportationStatus-2.1-Example.xml</example>
    </examples>
</schema>
<schema>
    <name>Transportation Status Request</name>
    <description>A document requesting a <link schema="">Transportation Status</link> report.</description>
    <processes>
    <process>Freight Status Reporting</process>
    </processes>
    <submitterRole>Transport User</submitterRole>
    <receiverRole>Transport Service Provider</receiverRole>
    <examples>
    <example>UBL-TransportationStatusRequest-2.1-Example.xml</example>
    </examples>
</schema>
<schema>
    <name>Unawarded Notification</name>
    <description>A document communicating to a tenderer that the contract has been awarded to
    different tenderer.</description>
    <processes>
    <process>Tendering (pre-award)</process>
    </processes>
    <submitterRole>Contracting Authority</submitterRole>
    <receiverRole>Tenderer</receiverRole>
    <examples/>
</schema>
<schema>
    <name>Utility Statement</name>
    <description>A supplement to an <link schema="">Invoice</link> or <link schema="">Credit Note</link>, containing
    information on the consumption of services provided by utility suppliers to private and public
    customers, including electricity, gas, water, and telephone services.</description>
    <processes>

```

```

    <process>Utility Billing</process>
  </processes>
  <submitterRole>Supplier Accounting Party</submitterRole>
  <receiverRole>Customer Accounting Party</receiverRole>
</examples/>
</schema>
<schema>
  <name>Waybill</name>
  <description>A transport document describing a shipment. It is issued by the party who
undertakes to provide transportation services, or undertakes to arrange for their provision,
to the party who gives instructions for the transportation services (shipper, consignor,
etc.). It states the instructions for the beneficiary and may contain the details of the
transportation, charges, and terms and conditions under which the transportation service is
provided. See <link>Waybill</link> and compare with <link>Bill of Lading</link>.</description>
  <processes>
    <process>Transport</process>
  </processes>
  <submitterRole>Freight Forwarder, Carrier</submitterRole>
  <receiverRole>Consignor (or Consignee), Freight Forwarder</receiverRole>
  <examples>
    <example>UBL-Waybill-2.0-Example-International.xml</example>
  </examples>
</schema>

```

```

<!-- new pre-award documents-->

```

```

<schema>
  <name>Expression Of Interest Response</name>
  <description>A document whereby a Contracting Authority accepts receiving an Expression Of
Interest from an Economic Operator (the tenderer) </description>
  <processes>
    <process>Tendering (pre-award)</process>
  </processes>
  <submitterRole>Contracting Authority</submitterRole>
  <receiverRole>Tenderer (Economic Operator)</receiverRole>
  <examples/>
</schema>
<schema>
  <name>Expression Of Interest Request</name>
  <description>A document whereby an Economic Operator (the tenderer) makes an Expression Of

```

```

Interest in a Call For Tenders to a Contracting Authority </description>
<processes>
<process>Tendering (pre-award)</process>
</processes>
<submitterRole>Tenderer (Economic Operator)</submitterRole>
<receiverRole>Contracting Authority</receiverRole>
<examples>
<example>UBL-ExpressionOfInterestRequest-2.2-Example.xml</example>
</examples>
</schema>
<schema>
<name>Qualification Application Request</name>
<description>A document whereby a Contracting Authority makes a description of the required
qualification Application (In Europe: ESPD Request) to an Economic Operator (the tenderer) </description>
<processes>
<process>Tendering (pre-award)</process>
</processes>
<submitterRole>Contracting Authority</submitterRole>
<receiverRole>Tenderer (Economic Operator)</receiverRole>
<examples/>
</schema>
<schema>
<name>Qualification Application Response</name>
<description>A document whereby an Economic Operator (the tenderer) makes a description of the
required qualification Application (In Europe: ESPD Response) to an Contracting Authority </description>
<processes>
<process>Tendering (pre-award)</process>
</processes>
<submitterRole>Tenderer (Economic Operator)</submitterRole>
<receiverRole>Contracting Authority</receiverRole>
<examples/>
</schema>
<schema>
<name>Tender Contract</name>
<description>A document whereby a Contracting Authority sends information to the Economic
Operator describing the final contract after a tendering procedure.</description>
<processes>
<process>Tendering (pre-award)</process>
</processes>
<submitterRole>Contracting Authority</submitterRole>

```

```

    <receiverRole>Tenderer (Economic Operator)</receiverRole>
    <examples/>
</schema>
<schema>
    <name>Tender Status Request</name>
    <description>A document whereby an Economic Operator (the tenderer) asking about the details and
    status of a tendering procedure </description>
    <processes>
    <process>Tendering (pre-award)</process>
    </processes>
    <submitterRole>Tenderer (Economic Operator)</submitterRole>
    <receiverRole>Contracting Authority</receiverRole>
    <examples/>
</schema>
<schema>
    <name>Tender Status</name>
    <description>A document whereby a Contracting Authority sends information to the Economic
    Operator describing the status of a tendering procedure.</description>
    <processes>
    <process>Tendering (pre-award)</process>
    </processes>
    <submitterRole>Contracting Authority</submitterRole>
    <receiverRole>Tenderer (Economic Operator)</receiverRole>
    <examples/>
</schema>
<schema>
    <name>Tender Withdrawal</name>
    <description>A document whereby an Economic Operator (the tenderer) makes a Tender Withdrawal to
    a Contracting Authority </description>
    <processes>
    <process>Tendering (pre-award)</process>
    </processes>
    <submitterRole>Tenderer (Economic Operator)</submitterRole>
    <receiverRole>Contracting Authority</receiverRole>
    <examples/>
</schema>
<schema>
    <name>Unsubscribe From Procedure Response</name>
    <description>A document whereby a Contracting Authority accepts receiving an Unsubscribe From
    Procedure from an Economic Operator (the tenderer) and sends a confirmation</description>

```

```

    <processes>
      <process>Tendering (pre-award)</process>
    </processes>
    <submitterRole>Contracting Authority</submitterRole>
    <receiverRole>Tenderer (Economic Operator)</receiverRole>
    <examples/>
  </schema>
  <schema>
    <name>Unsubscribe From Procedure Request</name>
    <description>A document whereby an Economic Operator (the tenderer) wants to Unsubscribe From Procedure and sends it to Contracting Authority </description>
    <processes>
      <process>Tendering (pre-award)</process>
    </processes>
    <submitterRole>Tenderer (Economic Operator)</submitterRole>
    <receiverRole>Contracting Authority</receiverRole>
    <examples/>
  </schema>

```

```

<!-- new party information exchange documents-->

```

```

  <schema>
    <name>Business Card</name>
    <description>A document used to provide information about a business party and its business capabilities. </description>
    <processes>
      <process>Business Directory and Agreements</process>
    </processes>
    <submitterRole>Sender</submitterRole>
    <receiverRole>Receiver</receiverRole>
    <examples>
      <example>UBL-BusinessCard-2.2-Example.xml</example>
    </examples>
  </schema>
  <schema>
    <name>Digital Capability</name>
    <description>A document used to provide information about a business party and its digital capabilities. </description>
    <processes>
      <process>Business Directory and Agreements</process>
    </processes>
    <submitterRole>Sender</submitterRole>

```

```

    <receiverRole>Receiver</receiverRole>
  <examples>
    <example>UBL-DigitalCapability-2.2-Example.xml</example>
  </examples>

</schema>
<schema>
  <name>Digital Agreement</name>
  <description>A document used to support business parties agreeing on a set of digital processes, terms and conditions to
ensure interoperability.</description>
  <processes>
    <process>Business Directory and Agreements</process>
  </processes>
  <submitterRole>Agreement Participant</submitterRole>
  <receiverRole>Agreement Participant</receiverRole>
  <examples>
    <example>UBL-DigitalAgreement-2.2-Example.xml</example>
    <example>UBL-DigitalAgreement-2.2-Example-Multilateral.xml</example>
  </examples>

</schema>

<!-- new transport documents-->

<schema>
  <name>Weight Statement</name>
  <description>A document used to report weight or verified mass measurements in the transport chain. </description>
  <processes>
    <process>Transport</process>
  </processes>
  <submitterRole>Sender</submitterRole>
  <receiverRole>Receiver</receiverRole>
  <examples>
    <example>UBL-WeightStatement-2.2-Example.xml</example>
  </examples>
</schema>

<!-- new miscellaneous documents-->

<schema>

```

```
<name>Enquiry</name>
  <description>A document sent by a requestor to a responder requesting information about a particular business process.
</description>
  <processes/>
  <submitterRole>Requestor</submitterRole>
  <receiverRole>Responder</receiverRole>
  <examples/>
</schema>

<schema>
  <name>Enquiry Response</name>
  <description>A document sent by a responder to a requester answering a particular enquiry.</description>
  <processes/>
  <submitterRole>Responder</submitterRole>
  <receiverRole>Requestor</receiverRole>
  <examples/>
</schema>

</schemadocs>
```