

$$5. \left[\quad \right]^x \cdot 2^{6 \cdot 2} = 2^{4 \cdot 2}$$

$$2^{-3x} \cdot 2^{12} = 2^8$$

$$12 - 3x = 8$$

$$x = \frac{4}{3}$$

$$= 1 \frac{1}{3}$$

M1

for writing in index form

M1

3

6.	No.	std form	log																						
	0.6845 ²	6.845x10 ⁻¹	□1.8354x2 □1.6708 □1.6708																						
	0.08416	8.416x10 ⁻²	□ <u>2.9252</u> 3																						
			□1.6417 □ <u>1.6417</u> +	M1																					
			□1.3125																						
	0.005937	5.937x10 ⁻³	-□ <u>3.7736</u>	M1																					
		3.459x10 ⁻¹	← □1.5389	M1																					
	0.3459			A1																					
				04																					
7	<table border="1"> <thead> <tr> <th>Number</th> <th>log</th> </tr> </thead> <tbody> <tr> <td>8.694</td> <td>0.9392</td> </tr> <tr> <td>0.1267</td> <td>$\bar{1}.1028 \times \frac{1}{3} = \bar{1}.7009$</td> </tr> <tr> <td>0.006974</td> <td>$\bar{3}.8434$</td> </tr> <tr> <td></td> <td>$\bar{3}.5443 \times \frac{3}{4}$</td> </tr> <tr> <td></td> <td>$\bar{1}.3861 \times 3 = \bar{2}.1583$</td> </tr> <tr> <td></td> <td>0.9392</td> </tr> <tr> <td></td> <td>$\bar{2}.1583$</td> </tr> <tr> <td>6.039 × 10²</td> <td>$\bar{2}.7809$</td> </tr> <tr> <td>602.9</td> <td></td> </tr> </tbody> </table>		Number	log	8.694	0.9392	0.1267	$\bar{1}.1028 \times \frac{1}{3} = \bar{1}.7009$	0.006974	$\bar{3}.8434$		$\bar{3}.5443 \times \frac{3}{4}$		$\bar{1}.3861 \times 3 = \bar{2}.1583$		0.9392		$\bar{2}.1583$	6.039 × 10 ²	$\bar{2}.7809$	602.9				
	Number	log																							
8.694	0.9392																								
0.1267	$\bar{1}.1028 \times \frac{1}{3} = \bar{1}.7009$																								
0.006974	$\bar{3}.8434$																								
	$\bar{3}.5443 \times \frac{3}{4}$																								
	$\bar{1}.3861 \times 3 = \bar{2}.1583$																								
	0.9392																								
	$\bar{2}.1583$																								
6.039 × 10 ²	$\bar{2}.7809$																								
602.9																									
				M1	All logs																				
				M1	+ - x of logs																				
				M1	÷ × of logs																				
				A1																					
				4 marks																					

8.

No.	Log
2849	3.4547
-	
0.00574	3.7589
<u>1.2136</u>	
-	
36.8911	1.5669
<u>0.023</u>	<u>2.3617</u>
-	
	3.2052
-	

All logs read correctly

Correct Addn /subst. of logs.

Attempt to divide by 4

- C.A.O

$$2.0084 \times 10^{-1/4}$$

$$3.178 \times 10^{-1} \rightarrow 1.5021$$

$$\rightarrow 0.3178$$

9. $\log y = \log B + n \log x$
 $n \log x = \log y - \log B$
 $n = \frac{\log (y/B)}{\log x}$

10. $= 6 \log_2 4 + 10 \log_3 3$
 $= 12 \log_2 2 + 10 \log_3 3$
 $= 12 + 10$

11. $\log \frac{2x-11}{2} = \frac{\log 3}{x}$

$$(2x-11) = \frac{3}{x}$$

$$2x^2 - 11x - 6 = 0$$

$$(2x+1)(x-6) = 0$$

$$x = -\frac{1}{2} \text{ or } 6$$

$$x = 6$$

12.

No.	Log
0.5241	T.7194
$(0.5241)^2$	T.7194x2
	<u>T.4388</u> +
83.59	1.9222
	1.3610
0.3563	T.5518
$3\sqrt{0.3563}$	$(3+2.5518) \div 3$
	T.8506
	0.3610 -
	1.8506
3.239×10^1	1.5104
= 32.4	

13.

No.	Log
38.32	1.5834
12.964	<u>1.1127</u>
	2.6961
86.37	1.9364
6.285	<u>0.7783</u>
-	<u>2.7347</u>
	1.9587

$$\frac{-3 + 2.9587}{3} = 1.9866$$

$$\frac{3}{3} = 0.9695$$

$$14. \quad H^3 = \frac{3d(L-d)}{10L}$$

$$\sim 3dL - 10H^3L = 3d^2$$

$$\sim L(3d - 10H^3) = 3d^2$$

$$\sim L = \frac{3d^2}{3d - 10H^3}$$

$$15. \quad \begin{array}{r} \text{No.} \\ 6.195 \\ 11.82 \\ 83.52 \\ \hline 1.9428 \times \frac{1}{4} \\ 4. + 3.9428 \\ \hline 0.9676 \end{array} \quad \begin{array}{r} \text{Log} \\ 0.7920 \\ \underline{1.0726} \\ 1.8646 \\ \underline{1.9218} \\ 1.9428 \times \frac{1}{4} \\ 4. + 3.9428 \\ \hline \frac{4}{1.9857} \end{array}$$

$$16. \quad \begin{aligned} \log y^2 (x-1) &= \log 9 y^2 (x-1) = 9 \dots (1) \\ \log (xy) \log 6 & \quad xy = 6 \dots (2) \\ \text{from (2)} \quad x &= \frac{6}{y} \\ \text{substitute in (1)} \quad y \frac{6-1}{y} &= 9 \\ 6y - y^2 &= 9 \\ y^2 - 6y + 9 &= 0 \\ (y-3)^2 &= 0 \\ y &= 3 \\ \therefore x &= 2 \end{aligned}$$

$$17. \quad \begin{aligned} \frac{4}{5} \log_{10} 25 + \log_{10} 25x^2 - \log 10 \\ 4 \log 2 = \log_{10} 25x^2 - 3 \log 2 \\ 2 \log 10 + 2 \log 5 \\ \text{Log } 10 \times 100 \end{aligned}$$

18.

NO	LOG
	-
0.9895 \longrightarrow	1.9954
$(0.9895)^2 \longrightarrow$	1.9954 $\times 2$
	1.9908
	-
0.004974 \longrightarrow	3.6968
	$\overline{3.6876} \div 4$
	1.4219 $\times 3$
6.598	2.2657
	0.8195 -

Use sine rule

$$8^{2/3} = \frac{x-3}{x+5}$$

$$2^3(2/3) = \frac{x-3}{x+5}$$

$$2^2 = \frac{x-3}{x+5} \Rightarrow 4 = \frac{x-3}{x+5}$$

$$4x - 12 = x + 5 \Rightarrow 3x = 17$$

$$x = \frac{17}{3} = 5\frac{2}{3}$$

24.

<p>No</p> <p>6.57^2</p> <p>4.317×10^1 $43.17 + 6.57$</p> <p>49.74 $(7.92)^2$</p> <p><u>30.08</u> 2.636×10^{-2}</p>	<p>Log</p> <p>0.8176</p> <p><u>2x</u></p> <p><u>1.6352</u></p> <p>1.6967</p> <p>0.8987</p> <p><u>X2</u></p> <p>1.7974</p> <p>1.4783 + <u>3.2757</u></p> <p>2.4210</p> <p>= 0.02636</p> <p>= 0.0264 (4 d.p)</p>
<p>No</p> <p>6.57^2</p> <p>4.317×10^1 $43.17 + 6.57$</p> <p>49.74 $(7.92)^2$</p> <p><u>30.08</u> 2.636×10^{-2}</p>	<p>Log</p> <p>0.8176</p> <p><u>2x</u></p> <p><u>1.6352</u></p> <p>1.6967</p> <p>0.8987</p> <p><u>X2</u></p> <p>1.7974</p> <p>1.4783 + <u>3.2757</u></p> <p>2.4210</p> <p>= 0.02636</p> <p>= 0.0264 (4 d.p)</p>

$$\begin{aligned}
25. \quad \text{Log } 120 &= \log 4 + \log 3 + \log 10 \\
&= \log 2^2 + \log 3 + \log 10 \\
&= 2\log 2 + \log 3 + \log 10 \\
&= 2(0.30103) + 0.47712 + 1 \\
&= 2.07918
\end{aligned}$$

$$\begin{aligned}
26. \quad \text{Log}_2(3x-4) &= \frac{1}{3} \log_2 8x^6 - \log_2 4 \\
\text{Log}_2(3x-4) &= \log_2(2^3x^6) - \log_2 4 \\
\text{Log}_2(3x-4) &= \log_2 2x^2 - \log_2 4 \\
\text{Log}_2(3x-4) - \log_2 \left[\quad \right] \\
&= 3x - 4 = \frac{2x^2}{4} \\
2x^2 - 12x + 16 &= 0 \\
x^2 - 6x + 8 &= 0 \\
x - 2x - 4x + 8 &= 0 \\
(x-2)(x-4) &= 0 \\
x = 2 \text{ or } x = 4
\end{aligned}$$

27.

No	Log
5.627	0.7503
$(0.234)^3$	T. 3692
	<u> x 3</u>
	2.8579
8.237	0.4779
	<u> 0.9158</u>
	2
2.399×10^{-3}	3.3800
	= 0.002399

$$\begin{aligned}
28. \quad \text{Det } 2 - -3 &= 5 \\
\text{Area of } A^1B^1C^1 &= 5 \times 15 \\
&= 75 \text{ cm}^2
\end{aligned}$$

$$\begin{aligned}
29. \quad \text{Log}_{10}(6x-2) - \log_{10} 10 &= \log_{10}(x-3) \\
\text{Log } \frac{6x-2}{10} &= \log(x-3) \\
\frac{6x-2}{10} &= x-3 \\
6x-2 &= 10x-30 \\
x &= 7
\end{aligned}$$

$$\begin{aligned}
30. \quad \text{No.} & \quad \text{Log} \\
0.07526^2 & \quad 2.8766 \times 2 = 3.7532 \\
6.652 & \quad 0.8230 = 0.8230
\end{aligned}$$

4.9302

$$\begin{aligned}\frac{4.9302}{3} &= 6 + \frac{2.9302}{3} \\ &= 2.9767 \\ \text{Antilog} &= 9.4776 \times 10^{-2} \\ &= 0.094776 (\text{accept } 0.09478)\end{aligned}$$

<i>No.</i>	<i>Log</i>
4.283	<u>0.6317</u>
0.009478^2	<u>3.9767</u> X 2 +
	<u>5.9534</u>
	<u>4.5851</u> -
Log 9.814	<u>1.9964</u>
	<u>4.5887</u> ÷ 5
2.0785×10^{-1}	<u>1.3177</u>
= 0.20785	