
Notes

- Javascript thingies
 - Arrow functions
 - ES6+
 - Const funcName = (params) => {
 Function body
 - Function funcName(params) {Function body
 - function(param , callback)
 - o Async / await + promises
 - Fetching api
- React resources
 - o https://www.youtube.com/@WebDevJunkie
 - Codepen resources
 - https://www.youtube.com/watch?v=hQAHSITtcmY
 - o https://www.youtube.com/@KevinPowell



For next meeting → next fri 12/9 2pm

- Lee
 - Get register/login functionality
 - Next-auth research
 - Social website
 - Google
 - discord
 - Twitter
 - Start frontend work based off of preliminary wireframes
 - Respond to comments on figma wireframes

respond_to is a method on the superclass ActionController . it takes a block, which is like a delegate. The block is from do until end , with |format| as an argument to the block. respond_to executes your block, passing a Responder into the format argument. Feb 29, 2012

https://stackoverflow.com > questions > rails-how-does-th... :

Rails: How does the respond_to block work? - Stack Overflow

• Lindsey

figma wire frames:
 https://www.figma.com/file/cUuW7ieBTjxstr4eQa7KrD/Low-Fidelity-Wireframe?no
 de-id=0%3A1&t=dRXY7QoelNqLBOrz-1

- o to do:
 - lacktriangledown rework wireframes with schedule ightarrow events notation/grouping
 - check in with lee
 - finalize clickable prototype
 - create discussion guide for user testing