



**COLLEGE READY.
CAREER READY.
LIFE READY.**

ADMINISTRATIVE OFFICES

Jorge E. Diaz, *Superintendent*

June 27, 2025 - Original
October 20, 2025 - Updated

Piscataway Campus
Middlesex County Magnet Schools
21 Suttons Lane
Piscataway, NJ 08854

Dear Piscataway Campus Community,

Our school system is committed to protecting student, teacher, and staff health. To protect our community and be in compliance with the Department of Education regulations, Middlesex County Magnet Schools tested our schools' drinking water for lead.

In accordance with the Department of Education regulations, The Piscataway Campus will implement immediate remedial measures for any drinking water outlet with a result greater than the action level of 15 µg/l (parts per billion [ppb]). This includes turning off the outlet unless it is determined the location must remain on for non-drinking purposes. In these cases, a "DO NOT DRINK – SAFE FOR HANDWASHING ONLY" sign will be posted.

Testing Results

Following instructions given in technical guidance developed by the New Jersey Department of Environmental Protection, we completed a plumbing profile for each of the buildings within Middlesex County Magnet Schools. Through this effort, we identified and tested all drinking water and food preparation outlets ([see attached results](#)). Of the 34 samples taken, all but 1 tested below the lead action level established by the US Environmental Protection Agency for lead in drinking water (15 µg/l [ppb]).

The table below identifies the drinking water outlets that tested above the 15 µg/l for lead, the actual lead level, and what temporary remedial action Middlesex County Magnet Schools *has taken to reduce the levels of lead at these locations*.

Sample Location	First Draw Result in µg/l (ppb)	Remedial Action
PI-1048 Sink Room A142	17.8	Shut off water supply

Sample Location	First Draw Result in µg/l (ppb)	Remedial Action
PI-1002 F115 Water Fountain	688	Shut off water supply to vacated water fountain
PI-1003 F166 Water Fountain	23.7	Shut off water supply to vacated water fountain
PI-1006 F171 Ice Machine	19.4	Shut off water supply
PI-1012 F117 Water Fountain	298	Shut off water supply to vacated water fountain
PI-1014 D138 Water Fountain	276	Shut off water supply to vacated water fountain
PI-1016 B131 Water Fountain	103	Shut off water supply to vacated water fountain
PI-1022 C115 Water Fountain	286	Shut off water supply to vacated water fountain
PI-1045 Water Fountain Across From B174	17.0	Shut off water supply to vacated water fountain
PI-1057 A150 Sink	19.4	Shut off water supply

Health Effects of Lead

High levels of lead in drinking water can cause health problems. Lead is most dangerous for pregnant women, infants, and children under 6 years of age. It can cause damage to the brain and kidneys, and can interfere with the production of red blood cells that carry oxygen to all parts of your body. Exposure to high levels of lead during pregnancy contributes to low birth weight and developmental delays in infants. In young children, lead exposure can lower IQ levels, affect hearing, reduce attention span, and hurt school performance. At *very* high levels, lead can even cause brain damage. Adults with kidney problems and high blood pressure can be affected by low levels of lead more than healthy adults.

How Lead Enters our Water

Lead is unusual among drinking water contaminants in that it seldom occurs naturally in water supplies like groundwater, rivers and lakes. Lead enters drinking water primarily as a result of the corrosion, or wearing away, of materials containing lead in the water distribution system and in building plumbing. These materials include lead-based solder used to join copper pipe, brass, and chrome-plated brass faucets. In 1986, Congress banned the use of lead solder containing greater than 0.2% lead, and restricted the lead content of faucets, pipes and other plumbing materials. However, even the lead in plumbing materials meeting these new

requirements are subject to corrosion. When water stands in lead pipes or plumbing systems containing lead for several hours or more, the lead may dissolve into the drinking water. This means the first water drawn from the tap in the morning *may* contain fairly high levels of lead.

Lead in Drinking Water

Lead in drinking water, although rarely the sole cause of lead poisoning, can significantly increase a person's total lead exposure, particularly the exposure of children under the age of 6. EPA estimates that drinking water can make up 20% or more of a person's total exposure to lead.

For More Information

A copy of the test results is available in our central office for inspection by the public, including students, teachers, other school personnel, and parents, and can be viewed between the hours of 8:30 a.m. and 4:00 p.m. and are also available on our website at mcmsnj.net. For more information about water quality in our schools, contact Satchell Haughton, MCMS Facilities at the BOE Offices, 732-257-3300 x 1926.

For more information on reducing lead exposure around your home and the health effects of lead, visit EPA's Web site at **www.epa.gov/lead**, call the National Lead Information Center at 800-424-LEAD, or contact your healthcare provider.

If you are concerned about lead exposure at this facility or in your home, you may want to ask your health care providers about testing children to determine levels of lead in their blood.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Karl J. Knehr', with a long horizontal flourish extending to the right.

Karl J. Knehr
Business Administrator - Facilities