

TNF H-K

Iaconi A, Feldman SR, Balkrishnan R.

[Psoriasis and its treatment with adalimumab.](#)

Expert Opin Biol Ther. 2010 Jan;10(1):133-52. Review. ei ole M

ei ole vapaana netissä

PMID: 20078231 [PubMed - indexed for MEDLINE][Related citations](#)

[Power Doppler ultrasound monitoring of response to anti-tumour necrosis factor alpha treatment in patients with rheumatoid arthritis.](#)

Iagnocco A, Finucci A, Ceccarelli F, Perricone C, Iorgoveanu V, Valesini G.

Rheumatology (Oxford). 2015 Oct;54(10):1890-6. doi: 10.1093/rheumatology/kev211.

PMID:

26070937 Otettu 28.10.16

[Free Article](#)

[Similar articles](#)

[Long-term treatment response in rheumatoid arthritis patients starting adalimumab or etanercept with or without concomitant methotrexate.](#)

I'Ami MJ, Kneepkens EL, Nurmohamed MT, Krieckaert CLM, Visman IM, Wolbink GJ.

Clin Exp Rheumatol. 2017 May-Jun;35(3):431-437. Epub 2017 Jan 5.

PMID:

28079512 Otettu 12.6.18

[Similar articles](#)

Iannone F, Trotta F, Montecucco C et al

Etanercept maintains the clinical benefit achieved by infliximab in patients with rheumatoid arthritis who discontinued infliximab because of side effects

Ann Rheum Dis 2007; 66: 249 - 52. [Kokotekstinä](#)

Sitaatit tarkistettu 15.5.08 **Ei oteta**

[Longterm retention of tumor necrosis factor- \$\alpha\$ inhibitor therapy in a large italian cohort of patients with rheumatoid arthritis from the GISEA registry: an appraisal of predictors.](#)

Iannone F, Gremese E, Atzeni F, Biasi D, Botsios C, Cipriani P, Ferri C, Foschi V, Galeazzi M, Gerli R, Giardina A, Marchesoni A, Salaffi F, Ziglioli T, Lapadula G; Gruppo Italiano di Studio sulle Early Arthritides (GISEA).

J Rheumatol. 2012 Jun;39(6):1179-84. Epub 2012 Apr 1.

PMID:

Otettu 6.9.13

22467933

[PubMed - in process]

[Related citations](#)

274.

[Safety of **etanercept** and methotrexate in patients with rheumatoid arthritis and hepatitis C virus infection: a multicenter randomized clinical trial.](#)

Iannone F, La Montagna G, Bagnato G, Gremese E, Giardina A, Lapadula G.

J Rheumatol. 2014 Feb;41(2):286-92. doi: 10.3899/jrheum.130658. Epub

2014 Jan 15.

PMID:

24429167

[PubMed - in process] Otettu 15.6.18

[Related citations](#)

[Acrodermatitis continua of hallopeau successfully treated withadalimumab.](#)

Sopkovich JA, Anetakis Poulos G, Wong HK.

J Clin Aesthet Dermatol. 2012 Feb;5(2):60-2. [Kokotekstinä](#)

PMID:

22468174

[PubMed - in process]

Free PMC Article

[Related citations](#)

Ibanez TC, Tayel MY, Criado AB et al

Safety and efficacy of leflunomide and infliximab versus methotrexate and infliximab combination therapy in rheumatoid arthritis

Rheumatology 2005; 44: 1467 - 8. [Kokotekstinä](#) **OK***

385.

[Late Recurrence of Low-Risk Stage II Colorectal Cancer Shortly After Etanercept.](#)

Ibrahim T, Saleh K, Track-Smayra V, Ziade N, Sarraf D, Yazbeck C, Khalife N, Nasr F.

J Gastrointest Cancer. 2015 Dec 21. No abstract available.

PMID:

26691174 ei ole M

[Similar articles](#)

Ichikawa T, Kageyama Y, Kobayashi H, Kato N, Tsujimura K, Koide Y.

[Etanercept treatment reduces the serum levels of interleukin-15 and interferon-gamma inducible protein-10 in patients with rheumatoid arthritis.](#)

Rheumatol Int. 2010 Apr;30(6):725-30. Epub 2010 Jan 10.

Otettu 9.3.11 [Kokotekstinä](#)

100.

[Case of disseminated cutaneous Mycobacterium chelonae infection mimicking cutaneous vasculitis.](#)

Ichihara A, Jinnin M, Fukushima S, Inoue Y, Ihn H.

J Dermatol. 2014 May;41(5):414-7. doi: 10.1111/1346-8138.12459.

PMID:

24801916

[PubMed - in process] Otettu 15.6.18

[Related citations](#)

Ideguchi H, Ohno S, Takase K et al
Successful treatment of refractory lupus-associated haemophagocytic
lymphohistiocytosis with infliximab
Rheumatology 2007; 46: 1621 - 2. [Kokotekstinä](#) OK*

[Rheumatoid arthritis complicated with immunodeficiency-associated
lymphoproliferative disorders during treatment with adalimumab.](#)

Ikeda T, Toyama S, Ogasawara M, Amano H, Takasaki Y, Morita H, Ishizuka T.
Mod Rheumatol. 2012 Jun;22(3):458-62. Epub 2011 Aug 10.

Otettu 14.9.12
21830047

[PubMed - in process]

[Related citations](#)

68.

[Staphylococcus aureus sepsis after etanercept induction in a hemodialysis patient.](#)

Ikumi N, Matsukawa Y, Kuwana Y, Kodaira H, Tanaka T, Maruyama N, Nozawa S,
Horikoshi A, Takeuchi J.

Hemodial Int. 2012 Jun 29. doi: 10.1111/j.1542-4758.2012.00723.x. [Epub ahead of
print] No abstract available.

PMID:

Otettu 7.9.13

22742581

[PubMed - as supplied by publisher]

[Related citations](#)

Select item 235755761.

[Clinical utility of newly developed immunoassays for serum concentrations of **adalimumab** and anti-**adalimumab** antibodies in patients with Crohn's disease.](#)

Imaeda H, Takahashi K, Fujimoto T, Bamba S, Tsujikawa T, Sasaki M, Fujiyama Y, Andoh A.

J Gastroenterol. 2013 Apr 11. [Epub ahead of print]

PMID:

23575576

[PubMed - as supplied by publisher] Otettu 21.9.13

[Related citations](#)

[Cutaneous pseudolymphoma induced by **adalimumab** and reproduced by **infliximab** in a patient with arthropathic psoriasis.](#)

Imafuku S, Ito K, Nakayama J.

Br J Dermatol. 2012 Mar;166(3):675-8. doi: 10.1111/j.1365-2133.2011.10607.x.

Epub 2011 Nov 8. No abstract available. Otettu 14.9.12

PMID:

21910704

[PubMed - indexed for MEDLINE]

[Related citations](#)

Imaizumi K, Sugishita M, Usui M et al
Pulmonary infectious complications associated with anti-TNF alpha therapy
(infliximab) for rheumatoid arthritis.
Intern Med 2006; 45:685–688 OK
Otettu 14.2.11

[Experiences on the use of biological drugs in psoriatic arthritis-associated amyloidosis.](#)

Immonen K, Kauppi M, Hakala M.

Scand J Rheumatol. 2011 May;40(3):236-8. Epub 2011 Jan 13. No abstract available.

PMID:

Otettu 7.9.13

21231814

[PubMed - indexed for MEDLINE]

[Related citations](#)

Imperato AK.

Long-term risks associated with biologic response
modifiers used in rheumatic diseases. Curr Opin Rheumatol
2004;16:199–205. Otettu 14.9.12

Ei ole vapaana netissä

Imundo L.

[Hodgkin's lymphoma associated with anti-TNF use in juvenile idiopathic arthritis: supplemental case report.](#)

J Rheumatol. 2008 Aug;35(8):1681. No abstract available.

PMID: 18671329 [PubMed - indexed for MEDLINE] Otettu 14.2.11 OK

[Related Articles](#) [Free article at journal site](#)

Inanc N, Direskeneli H.

Serious infections under treatment with TNF-alpha antagonists compared to traditional DMARDs in patients with rheumatoid arthritis. Rheumatol Int 2006;27:67-71. M Ei oteta

Otettu 9.3.11 [Kokotekstinä](#)

Ingraffea A, Pedvis-Leftick A.

[Proteinuria in a patient using adalimumab for psoriasis.](#)

Ei oteta

J Dermatol. 2009 Apr;36(4):249-50. No abstract available. Otettu 14.9.12

Ei ole vapana netissä

PMID: 19348667 [PubMed - indexed for MEDLINE][Related citations](#)

Inman RD, Clegg DO, Davis JC et al

Etanercept may benefit early-onset ankylosing spondylitis.

J Rheum 2006; 33:1634-36. [Kokotekstinä](#) OK*

[Efficacy and safety of golimumab in patients with ankylosing spondylitis: results of a randomized, double-blind, placebo-controlled, phase III trial.](#)

Inman RD, Davis JC Jr, Heijde D, Diekmann L, Sieper J, Kim SI, Mack M, Han J,

Visvanathan S, Xu Z, Hsu B, Beutler A, Braun J.
Arthritis Rheum. 2008 Nov;58(11):3402-12. [Kokotekstinä](#)
PMID:

18975305

[PubMed - indexed for MEDLINE]

Free Article

[Related citations](#)

Inoue K-i, Takano H, Yanagisawa R et al
Effects of Tumor Necrosis Factor- α Inhibitors on Lung Lesions With
Rheumatoid Arthritis.
Chest 2003;124: 413-4 [Kokotekstinä](#) OK*

[Refractory cutaneous polyarteritis nodosa: Successful treatment with etanercept.](#)

Inoue N, Shimizu M, Mizuta M, Ikawa Y, Yachie A.

Pediatr Int. 2017 Jun;59(6):751-752. doi: 10.1111/ped.13283. No abstract available.

PMID:

28626974 ei ole M

[Similar articles](#)

[Lichenoid drug eruption caused by **adalimumab**: a case report and literature review.](#)

Inoue A, Sawada Y, Yamaguchi T, Ohmori S, Omoto D, Haruyama S, Yoshioka M, Okada E, Nakamura M.

Eur J Dermatol. 2017 Feb 1;27(1):69-70. doi: 10.1684/ejd.2016.2898. Review. No abstract available.

PMID:

27777187 ei ole M

[Similar articles](#)

[**Adalimumab** for treatment of severe Behçet's uveitis: a retrospective long-term follow-up study.](#)

Interlandi E, Leccese P, Olivieri I, Latanza L.

Clin Exp Rheumatol. 2014 Jul 8. [Epub ahead of print]

PMID:

25005224

[PubMed - as supplied by publisher] Otettu 12.6.18

[Regression of unusual optic disk neovascularization after **adalimumab** in a case of juvenile idiopathic arthritis-related uveitis.](#)

Interlandi E, Latanza L, Pellegrini F, Pavesio C.

J AAPOS. 2017 Oct;21(5):412-414. doi: 10.1016/j.jaapos.2017.05.028. Epub 2017 Jul 13.

PMID:

[Similar articles](#)

Iqbal M, Kolodney MS.

Acne fulminans with synovitis-acne-pustulosis-hyperostosis-osteitis (SAPHO) syndrome treated with infliximab.

J Am Acad Dermatol 2005;52(5 Suppl 1):S118-20. Otettu 14.9.12 OK

Ei ole vapaana netissä

Irace C, Mancuso G, Fiaschi E et al

Effect of anti TNFalpha therapy on arterial diameter and wall shear stress and HDL cholesterol.

Atherosclerosis 2004;177:113-8. Otettu M 14.11.09 Ei oteta

[\[CrossRef\]](#)[\[Medline\]](#)

Irla N, Yawalkar N.

[Marked improvement in nail psoriasis during treatment with adalimumab.](#)

Dermatology. 2009;219(4):353-6. Epub 2009 Oct 23. Otettu 14.2.11 OK

MID: 19851059 [PubMed - indexed for MEDLINE][Related citations](#)

Irla N, Schneider T, Haneke E, Yawalkar N.

[Nail Lichen Planus: Successful Treatment with Etanercept.](#)

Case Rep Dermatol. 2010 Oct 21;2(3):173-176.

Otettu 9.3.11 [Kokotekstinä](#) [Ei oteta](#)

PMID:

21113341

[PubMed]

Free PMC Article

[Free full text](#) [Related citations](#)

[Related citations](#)

Select item 24574949214.

[Suspected de novo Hepatitis B in a Patient Receiving Anti-Tumor Necrosis Factor Alpha Therapy for the Treatment of Crohn's Disease.](#)

Ishida T, Nagamatsu H, Ueo T, Narita R, Takahashi K, Urabe M, Yanai Y, Togo K.

Case Rep Gastroenterol. 2014 Jan 25;8(1):44-50. doi: 10.1159/000358554.

eCollection 2014 Jan.

PMID:

24574949 Otettu 28.10.16

[PubMed]

[Free PMC Article](#)

[Related citations](#)

[Development of sarcoidosis during etanercept therapy.](#)

Ishiguro T, Takayanagi N, Kurashima K, Matsushita A, Harasawa K, Yoneda K, Tsuchiya N, Miyahara Y, Yamaguchi S, Yano R, Tokunaga D, Saito H, Ubukata M, Yanagisawa T, Sugita Y, Kawabata Y.

Intern Med. 2008;47(11):1021-5. Epub 2008 Jun 2. Review.

PMID: 18520114 [PubMed - indexed for MEDLINE] Otettu 14.2.11 OK*
[Related Articles](#) [Free article at journal site](#)

Ishii W, Kishida D, Suzuki A, Shimojima Y, Matsuda M, Hoshii Y, Ikeda S.
[A case with rheumatoid arthritis and systemic reactive AA amyloidosis showing rapid regression of amyloid deposition on gastroduodenal mucosa after a combined therapy of corticosteroid and etanercept.](#)
Rheumatol Int. 2011 Feb;31(2):247-50. Epub 2009 Oct 10.
Otettu 9.3.11 [Kokotekstinä](#) OK
PMID:

19820941

[PubMed - in process]
[Related citations](#)

Ishikawa Y, Yukawa N, Ohmura K, Hosono Y, Imura Y, Kawabata D, Nojima T, Fujii T, Usui T, Mimori T.
[Etanercept-induced anti-Jo-1-antibody-positive polymyositis in a patient with rheumatoid arthritis: a case report and review of the literature.](#)
Clin Rheumatol. 2010 May;29(5):563-6. Epub 2010 Feb 9.
Otettu 9.3.11 [Kokotekstinä](#) OK
PMID:

20143116

[PubMed - indexed for MEDLINE]
[Related citations](#)

[A case of antisynthetase syndrome in a rheumatoid arthritis patient with anti-PL-12 antibody following treatment with etanercept.](#)

Ishikawa Y, Yukawa N, Kawabata D, Ohmura K, Fujii T, Usui T, Mimori T.

Clin Rheumatol. 2011 Jan 11. [Epub ahead of print]

Otettu 9.3.11 [Kokotekstinä](#)

PMID:

21221686

[PubMed - as supplied by publisher]

[Related citations](#)

[Tuberculosis Cutis Orificialis in Adalimumab Related Immunosuppressive Patient.](#)

Iskandarli M, Gerceker Turk B, Yaman B, Ceylan N, Ceylan C.

Ann Dermatol. 2017 Feb;29(1):114-116. doi: 10.5021/ad.2017.29.1.114. Epub 2017 Feb 3. No abstract available.

PMID:

28223762 Otettu 16.6.18

[Free PMC Article](#)

[Similar articles](#)

Ito S, Tsutsumi A, Harada T, Inaba A, Fujinaga S, Kamei K.

[Long-term remission of nephrotic syndrome with etanercept for concomitant juvenile idiopathic arthritis.](#)

Pediatr Nephrol. 2010 Oct;25(10):2175-7. Epub 2010 Jun 9.

Otettu 9.3.11 [Kokotekstinä](#) OK

PMID:

20532801

[PubMed - indexed for MEDLINE]

[Related citations](#)

[Adalimumab with Methotrexate in Treatment-Naïve Japanese Patients with Rheumatoid Arthritis at Risk of Progressive Structural Joint Damage: A Postmarketing Observational Study.](#)

Ito Y, Hozumi K, Okada Y, Kurimoto S.

Rheumatol Ther. 2017 Jun;4(1):151-166. doi: 10.1007/s40744-017-0059-1. Epub 2017 Mar 31.

PMID:

28364381 Otettu 16.6.18

[Free PMC Article](#)

[Similar articles](#)

Iwamoto N, Kawakami A, Fujikawa K, Aramaki T, Kawashiri SY, Tamai M, Arima K, Ichinose K, Kamachi M, Yamasaki S, Nakamura H, Nakashima M, Mizokami A, Goto A, Fukuda T, Matsuoka N, Ueki Y, Tsukada T, Migita K, Shoumura F, Kawabe Y, Shibatomi K, Mine M, Ida H, Origuchi T, Aoyagi K, Eguchi K.

[Prediction of DAS28-ESR remission at 6 months by baseline variables in patients with rheumatoid arthritis treated with etanercept in Japanese population.](#)

Mod Rheumatol. 2009 Jul 4. [Epub ahead of print]

PMID: 19578932 [PubMed - as supplied by publisher]

Otettu 9.3.11

[Kokotekstinä](#)

[Related Articles](#)

Iwamoto M, Minota S.

[Successful treatment with very low-dose etanercept in a patient with etanercept-induced liver dysfunction.](#)

Rheumatol Int. 2010 Mar 27. [Epub ahead of print] No abstract available.

Otettu 9.3.11

[Kokotekstinä](#) **Ei oteta**

PMID:

20349067

[PubMed - as supplied by publisher]

[Related citations](#)

[Adalimumab-associated pulmonary cryptococcosis.](#)

Iwata T, Nagano T, Tomita M, Suehiro Y, Nakatsuka S, Kimura H, Sakaki M.

Ann Thorac Cardiovasc Surg. 2011;17(4):390-3.

Ei ole M

2188132

[PubMed - indexed for MEDLINE] Otettu 28.10.16

Free Article

[Related citations](#)

Izumi A.

[Varicella zoster virus infection in patients taking the TNF-alpha inhibitor, etanercept:](#)

[coincidence or causal?](#)

Hawaii Med J. 2009 Dec;68(11):277-8. ei ole M

PMID:

20034255

[PubMed - indexed for MEDLINE]

[Related citations](#)

Jacob SE, Sergay A, Kerdel FA. Etanercept and psoriasis, from clinical studies to real life. Int J Dermatol 2005; 44:688–91 Otettu 7.9.13

[Jacobsson LTH](#), Turesson C, Gulfe A, ym. Treatment with tumor necrosis factor blockers is associated with a lower incidence of first cardiovascular events in patients with rheumatoid arthritis.

J Rheumatol 2005;32:1213-8. OK *

Jain A, Harley O, Patel RM et al

Survey on the Perioperative Use of TNF{alpha} Inhibitors in Rheumatoid Hand Surgery

J Hand Surg Eur Vol. 2006; 31: 463 - 4. Otettu M 14.11.09 Ei oteta

[\[Full Text\]](#) [\[PDF\]](#)

Jackson RM, Fell CD.

[Etanercept for idiopathic pulmonary fibrosis: lessons on clinical trial design.](#)

Am J Respir Crit Care Med. 2008 Nov 1;178(9):889-91. No abstract

available.

PMID: 18945868 [PubMed - indexed for MEDLINE] Otettu 14.2.11

Ei oteta

[Related Articles](#)

Jacobsson LTH, Turesson C, Nilsson JA et al

Treatment with TNF blockers and mortality risk in patients with rheumatoid arthritis.

Ann Rheum Dis 2007; 66: 670-5 Otettu 14.9.12

[Etanercept treatment to enable successful hepatitis C virus clearance in a patient with rheumatoid arthritis.](#)

Jazwinski AB, Jezsik J, Ardoin SP, McCallum RM, Tillmann HL.

Gastroenterol Hepatol (N Y). 2011 Nov;7(11):772-4. No abstract available.

PMID:

ei ole M

22298976

[PubMed - in process]

Free PMC Article

[Related citations](#)

Iseli A, Hullstrung HD, Rodenhausen S et al

Detection of tuberculosis by extensive screening in a patient with rheumatoid arthritis prior to anti-TNF- α therapy.

Rheumatology (Oxford) 2006; 45: 1049-50 OK*

[Kokotekstinä](#)

[Rapid deterioration in a patient with primary aggressive cutaneous epidermotropic CD8+ cytotoxic T-cell \('Berti'\) lymphoma after administration of **adalimumab**.](#)

Jacks SM, Taylor BR, Rogers RP 3rd, Ralston JS, Metcalf JS, Lazarchick J.

J Am Acad Dermatol. 2014 Sep;71(3):e86-7. doi: 10.1016/j.jaad.2014.03.022. No abstract available.

PMID:

25128139

[PubMed - in process] Otettu 28.10.16

[Free Article](#)

[Related citations](#)

Select item 2512338756.

Jackson JM. TNF-alpha inhibitors. Dermatol Ther. 2007;20(4):251-264.

Otettu 14.9.12

Ei ole vapaana netissä

Jacobstein DA, Markowitz JE, Kirschner BS, Ferry G, Cohen SA, Gold BD, et al.

Premedication and infusion reactions with infliximab: results from a pediatric inflammatory bowel disease consortium.

Inflamm Bowel Dis 2005;11:442-6 Otettu 14.2.11

Jafari C, Ernst M, Kalsdorf B et al

Rapid Diagnosis of Smear-negative Tuberculosis by Bronchoalveolar Lavage

Enzyme-linked Immunospot

Am. J. Respir. Crit. Care Med. 2006; 174: 1048 - 54.

[Kokotekstinä](#)

Jafari C, Ernst M, Strassburg A

Local immunodiagnosis of pulmonary tuberculosis by enzyme-linked immunospot

Eur. Respir. J. 2008; 31: 261 - 5. Otettu m1 4.11.09

[\[Abstract\]](#) [\[Full Text\]](#) [\[PDF\]](#)

[Adalimumab in Patients with Active Noninfectious Uveitis.](#)

Jaffe GJ, Dick AD, Brézin AP, Nguyen QD, Thorne JE, Kestelyn P, Barisani-Asenbauer T, Franco P, Heiligenhaus A, Scales D, Chu DS, Camez A, Kwatra NV, Song AP, Kron M, Tari S, Suhler EB.

N Engl J Med. 2016 Sep 8;375(10):932-43. doi: 10.1056/NEJMoa1509852.

PMID:

27602665 Otettu 16.6.18

[Free Article](#)

[Similar articles](#)

Jain VV, Evans T, Peterson MW.

Reactivation histoplasmosis after treatment with anti-tumor necrosis factor alpha in a patient from a nonendemic area.

Respir Med 2006;100:1291-3. Otettu 7.9.13

Ei ole vapaana netissä

63.

[Harms of TNF inhibitors in rheumatic diseases: a focused review of the literature.](#)

Jain A, Singh JA.

Immunotherapy. 2013 Mar;5(3):265-99. doi: 10.2217/imt.13.10.

PMID:

23444956

[PubMed - in process] Otettu 15.6.18

[Related citations](#)

628.

[Treatment of Pediatric IgG4-Related Orbital Disease With TNF- \$\alpha\$ Inhibitor.](#)

Jalaj S, Dunbar K, Campbell A, Kazim M.

Ophthalmic Plast Reconstr Surg. 2018 Jan/Feb;34(1):e10-e12. doi: 10.1097/IOP.0000000000000959.

PMID:

28700400 Otettu 15.6.18

[Similar articles](#)

Jalan R, Williams R, Kaser A, et al. Clinical and cytokine response to anti-TNF antibody therapy in severe alcoholic hepatitis. Hepatology 2001;34:A441. ei oel M
Ei ole vapaana netissä

Jamal S, Patra K, Keystone EC.
[Adalimumab response in patients with early versus established rheumatoid arthritis: DE019 randomized controlled trial subanalysis.](#)
Clin Rheumatol. 2009 Apr;28(4):413-9. Epub 2008 Dec 9. Otettu
7.9.13 Ei oteta
PMID: 19067101 [PubMed - indexed for MEDLINE][Related citations](#)

[Beneficial effect of 1-year etanercept treatment on the lipid profile in responding patients with rheumatoid arthritis: the ETRA study.](#)

Jamnitski A, Visman IM, Peters MJ, Dijkmans BA, Voskuyl AE, Nurmohamed MT.
Ann Rheum Dis. 2010 Nov;69(11):1929-33. Epub 2010 May 24. Otettu 14.9.12
PMID:

20498216

[PubMed - indexed for MEDLINE]
[Related citations](#)

[The presence or absence of antibodies to infliximab or adalimumab determines the outcome of switching to etanercept.](#)

Jamnitski A, Bartelds GM, Nurmohamed MT, van Schouwenburg PA, van Schaardenburg D, Stapel SO, Dijkmans BA, Aarden L, Wolbink GJ.

Ann Rheum Dis. 2011 Feb;70(2):284-8. Epub 2010 Nov 10. Otettu 21.9.13

PMID:

21068090

[PubMed - indexed for MEDLINE]

[Related citations](#)

[Patients non-responding to etanercept obtain lower etanercept concentrations compared with responding patients.](#)

Jamnitski A, Krieckaert CL, Nurmohamed MT, Hart MH, Dijkmans BA, Aarden L, Voskuyl AE, Wolbink GJ.

Ann Rheum Dis. 2012 Jan;71(1):88-91. Epub 2011 Sep 12.

PMID:

21914626 Otettu 14.9.12 OK

[PubMed - indexed for MEDLINE]

[Related citations](#)

75.

[High-density Lipoprotein Profiling Changes in Patients with Rheumatoid Arthritis Treated with Tumor Necrosis Factor Inhibitors: A Cohort Study.](#)

Jamnitski A, Levels JH, van den Oever IA, Nurmohamed MT.

J Rheumatol. 2013 Jun;40(6):825-30. doi: 10.3899/jrheum.121358.

Epub 2013 May 1.

PMID:

23637327

[PubMed - in process] Otettu 7.9.13

[Related citations](#)

Jang CH, Choi JH, Byun MS et al

Chloroquine inhibits production of TNF- α , IL-1 β and IL-6 from lipopolysaccharide-stimulated human monocytes/macrophages by different modes.

[Kokotekstinä](#)

[Clinical utility of random anti-tumor necrosis factor drug-level testing and measurement of antidrug antibodies on the long-term treatment response in rheumatoid arthritis.](#)

Jani M, Chinoy H, Warren RB, Griffiths CE, Plant D, Fu B, Morgan AW, Wilson AG, Isaacs JD, Hyrich K, Barton A; Biologics in Rheumatoid Arthritis Genetics and Genomics Study Syndicate Collaborators..

Arthritis Rheumatol. 2015 May;67(8):2011-9. doi: 10.1002/art.39169.

Erratum in: [Arthritis Rheumatol. 2015 Nov;67\(11\):3096.](#)

PMID:

26109489 Otettu 28.10.16

[Free PMC Article](#)

[Similar articles](#)

[Comparative efficacy of biologics as monotherapy and in combination with methotrexate on patient reported outcomes \(PROs\) in rheumatoid arthritis patients with an inadequate response to conventional DMARDs - a systematic review and network meta-analysis.](#)

Jansen JP, Buckley F, Dejonckheere F, Ogale S.

Health Qual Life Outcomes. 2014 Jul 3;12(1):102. [Epub ahead of print]

PMID:

24988902

[PubMed - as supplied by publisher]

[Free Article](#)

[Related citations](#)

Select item 249847579.

[Adalimumab-induced bronchospasm: not a class effect.](#)

Janssen R, Krivokuca I, Kruize AA, Koenderman L, Lammers JW.

Thorax. 2008 May;63(5):472-3. No abstract available.

PMID: 18443165 [PubMed - indexed for MEDLINE] Ei oteta

[Related Articles](#)

Janssens JP, Roux-Lombard P, Perneger T et al

Quantitative scoring of an interferon- γ assay for differentiating active from latent tuberculosis

Eur. Respir. J. 2007; 30: 722 - 8. Otettu m 14.11.09

[\[Abstract\]](#) [\[Full Text\]](#) [\[PDF\]](#)

Jarand J, Zochodone DW, Martin LO, Voll C.
Neurological complications of infliximab.
J Rheumatol 2006;33:1018-20 Otettu 14.2.11 OK

[Jarrett S J](#), Cunnane G, Conaghan P G, et.al.
Anti-tumor necrosis factor-alpha therapy-induced vasculitis: case series.
[J Rheumatol](#) 2003;30:2287-91. OK*

Jarvis B, Faulds D.
Etanercept: a review of its use in rheumatoid arthritis.
Drugs 1999; 57: 945-66. Otettu 14.9.12 Ei oteta
Ei ole vapaana netissä
[Links](#)

425.

[Possible association of lower rate of postherpetic neuralgia in patients on anti-tumor necrosis factor- \$\alpha\$.](#)

Javed S, Kamili QU, Mendoza N, Tying SK.
J Med Virol. 2011 Nov;83(11):2051-5. doi: 10.1002/jmv.22182.
Otettu 21.9.13

21915882

[PubMed - indexed for MEDLINE]

Related citations

Therapeutic potential of tumour necrosis factor-alpha antagonists in patients with chronic heart failure.

Javed Q, Murtaza I.

Heart Lung Circ. 2013 Jan 18. doi:pii: S1443-9506(12)01397-2.

10.1016/j.hlc.2012.12.002. [Epub ahead of print]

PMID:

23337264

[PubMed - as supplied by publisher] ei ole M

[Related citations](#)

Jayne D.

What place for the new biologics in the treatment of necrotising vasculitides.

Clin Exp Rheumatol. 2006;24(2)(suppl 41):S1-S5. [Kokotekstinä](#) (PDF)

Poimittu koneelle 1.10.09 Ei oteta

S. Jerram, S. Butt, K. Gadsby, and C. Deighton

Discrepancies between the EULAR response criteria and the NICE guidelines for continuation of anti-TNF therapy in RA: a cause for concern?

Rheumatology, February 1, 2008; 47(2): 180 - 182. Otettu 14.2.11

[\[Abstract\]](#) [\[Full Text\]](#) [\[PDF\]](#)

First successful pregnancy after addition of enoxaparin to sildenafil and etanercept immunotherapy in woman with fifteen failed IVF cycles - case report.

Jerzak M, Niemiec T, Nowakowska A, Klochowicz M, Górski A, Baranowski W.

Am J Reprod Immunol. 2010 Aug 1;64(2):93-6. Epub 2010 Mar 17. Otettu 14.9.12

On maksullinen netissä Ei oteta

PMID:

20236261

[PubMed - indexed for MEDLINE]

[Related citations](#)

[Etanercept immunotherapy in women with a history of recurrent reproductive failure.](#)

Jerzak M, Ohams M, Górski A, Baranowski W.

Ginekol Pol. 2012 Apr;83(4):260-4.

PMID:

22712257

[PubMed - indexed for MEDLINE]

[Related citations](#)

[Crohn's disease unmasked following etanercept treatment for ankylosing spondylitis.](#)

Jethwa H, Mann S.

BMJ Case Rep. 2013 Jun 21;2013(jun21_1). doi:pii: bcr2013009166.

10.1136/bcr-2013-009166.

PMID:

23813506

[PubMed - as supplied by publisher] Otettu 15.6.18

[Related citations](#)

[Ji H](#), Pettit A, Ohmura K, ym.

Critical Roles for Interleukin 1 and Tumor Necrosis Factor alpha in Antibody-induced Arthritis.

J Exp Med 2002; 196:1098-104. [KOKOTEKSTINÄ](#)

[Neutralization of ocular surface TNF- \$\alpha\$ reduces ocular surface and lacrimal gland inflammation induced by in vivo dry eye.](#)

Ji YW, Byun YJ, Choi W, Jeong E, Kim JS, Noh H, Kim ES, Song YJ, Park SK, Lee HK. Invest Ophthalmol Vis Sci. 2013 Nov 15;54(12):7557-66. doi: 10.1167/iov.12-11515.

PMID:

24052636

[PubMed - indexed for MEDLINE] Otettu 15.6.18

[Related citations](#)

[Etanercept: efficacy and safety.](#)

Jiménez-Puya R, Gómez-García F, Amorrich-Campos V, Moreno-Giménez JC. J Eur Acad Dermatol Venereol. 2009 Apr;23(4):402-5.

PMID: 19210697 [PubMed - indexed for MEDLINE] Otettu 7.9.13

Ei ole vapaana netissä

[Related Articles](#)

Jimenez FG, Colmenero JD, Irigoyen MV. Reactivation of brucellosis after treatment with infliximab in a patient with rheumatoid arthritis. J Infect 2005;50:370-1 Otettu 14.9.12

Ei ole vapaana netissä

322.

[Effects of adalimumab on T-helper-17 lymphocyte- and neutrophil-related inflammatory](#)

[serum markers in patients with moderate-to-severe hidradenitis suppurativa.](#)

Jiménez-Gallo D, de la Varga-Martínez R, Ossorio-García L, Collantes-Rodríguez C, Rodríguez C, Linares-Barrios M.

Cytokine. 2018 Mar;103:20-24. doi: 10.1016/j.cyto.2017.12.020. Epub 2017 Dec 28.

PMID:

29289722 Otettu 15.6.18

[Similar articles](#)

[Primary thyroid marginal zone B-cell lymphoma in a patient with psoriatic arthritis treated with **etanercept**.](#)

Jin H, Cho HH, Kim WJ, Mun JH, Song M, Kim HS, Ko HC, Kim MB, Kim BS. J Am Acad Dermatol. 2014 Oct;71(4):e152-3. doi: 10.1016/j.jaad.2014.05.068. No abstract available.

PMID:

25219743 Otettu 28.10.16

[Free Article](#)

[Similar articles](#)

[Pharmaceutical aspects of anti-inflammatory TNF-blocking drugs.](#)

Jinesh S.

Inflammopharmacology. 2015 Jun;23(2-3):71-7. doi:

10.1007/s10787-015-0229-0. Review.

PMID:

25687751 ei ole M

[Similar articles](#)

Jobanputra P, Barton P, Bryan S, Burls A. The effectiveness of infliximab and etanercept for the treatment of rheumatoid arthritis: a systematic review and economic evaluation. Health Technol Assess 2002;6:1–110 ei oteta

[A randomised efficacy and discontinuation study of etanercept versus **adalimumab** \(RED SEA\) for rheumatoid arthritis: a pragmatic, unblinded, non-inferiority study of first TNF inhibitor use: outcomes over 2 years.](#)

Jobanputra P, Maggs F, Deeming A, Carruthers D, Rankin E, Jordan AC, Faizal A, Goddard C, Pugh M, Bowman SJ, Brailsford S, Nightingale P.

BMJ Open. 2012 Nov 12;2(6). doi:pil: e001395.

10.1136/bmjopen-2012-001395. Print 2012.

PMID:

23148339

[PubMed]

[Free PMC Article Otettu 12.6.18](#)

[Related citations](#)

Select item 23148309196. Otettu 15.6.18

[The Use and Safety of TNF Inhibitors during Pregnancy in Women with Psoriasis: A Review.](#)

Johansen CB, Jimenez-Solem E, Haerskjold A, Sand FL, Thomsen SF.

Int J Mol Sci. 2018 May 3;19(5). pii: E1349. doi: 10.3390/ijms19051349. Review.

PMID:

29751529 Otettu 16.6.18

Free PMC Article

[Similar articles](#)

Johnson CJ, Reilly KM, Murria KM. Etanercept in juvenile rheumatoid arthritis. Ann Pharmacother 2001;35:464-71. Otettu 14.9.12
Ei ole M netissä

[Should all patients undergoing treatment with biologic agents be screened annually for latent tuberculosis infection with an interferon gamma release assay?](#)

Johnson MG, Bialas RW, Hall RP, Stout JE.

J Dermatolog Treat. 2016 Aug;27(4):378-80. doi: 10.3109/09546634.2015.1115815. Epub 2015 Dec 10.

PMID:

26652171 Otettu 15.6.18

[Similar articles](#)

[Chicken pox infection in a three months old infant exposed in utero toAdalimumab.](#)

Johnsson A, Avlund S, Grosen A, Julsgaard M.

J Crohns Colitis. 2012 Aug 7. [Epub ahead of print] No abstract available. Otettu 7.9.13PMID:

22883441 Ei oteta

[PubMed - as supplied by publisher]

[Related citations](#)

Johnston, S. L

Biologic therapies: what and when?.

J. Clin. Pathol. 2007; 60: 8-17 Otettu M 14.11.09 Ei oteta

- [\[Abstract\]](#) [\[Full Text\]](#)

Jois RN, Leeder J, Gibb A et al

Low-dose infliximab treatment for ankylosing spondylitis--clinically- and cost-effective.

Rheumatology (Oxford) 2006; 45: 1566-9 [Kokotekstinä](#) OK*

Jois RN, Gaffney K, Keat A

Anti-tumour necrosis factor therapy for ankylosing spondylitis--unresolved issues

Rheumatology 2007; 46: 899 - 901. [Kokotekstinä](#) OK*

Ref. ja Sit. tarkistettu 16.4.08

[Effect of biologic therapy on radiological progression in rheumatoid arthritis: what does it add to methotrexate?](#)

Jones G, Darian-Smith E, Kwok M, Winzenberg T.

Biologics. 2012;6:155-161. Epub 2012 Jul 2. Otettu 15.6.18

PMID:

22848148

[PubMed - as supplied by publisher]

Free PMC Article

[Related citations](#)

Jones-Caballero et al

Use of Biological Agents in Patients With Moderate to Severe Psoriasis: A Cohort-Based Perspective

Arch Dermatol 2007;143:846-50. [Kokotekstinä](#) Ei oteta

Jonsdottir T, Hariu A, van Vollenhoven A, et al. Treatment with TNF-antagonists is associated with an increasing frequency of anticardiolipin antibodies (ACLA)—ACLA positivity predicts worse clinical outcomes. *Arthritis Rheum.* 2002;46:9:S573. Ei oteta

Jonsdottir T, Forslid J, van Vollenhoven A et al
Treatment with tumour necrosis factor {alpha} antagonists in patients with
rheumatoid arthritis induces anticardiolipin antibodies.
Ann Rheum Dis 2004; 63: 1075-8 [Kokotekstinä](#) OK*

[Joosten LAB](#), Helsen MMA, Saxne T,ym.
IL-1 β Blockade Prevents Cartilage and Bone Destruction in Murine Type II
Collagen-Induced Arthritis, Whereas TNF-alpha Blockade Only Ameliorates
Joint Inflammation.
J Immunol 1999; 163:5049-55. [Kokotekstinä](#)
Hiirityö

[Rapid remission of psoriasis with reversible leucopenia after two injections
with adalimumab.](#)

Jordan J, Bieber T, Wilsmann-Theis D.
Clin Exp Dermatol. 2009 Dec;34(8):e1004-5. No abstract available.
Otettu 14.9.12 OK
ei ole vapaana netissä
PMID: 20055818 [PubMed - indexed for MEDLINE][Related citation](#)

[Adalimumab: safe and successful in severe pustular psoriasis.](#)

Jordan J, Bieber T, Wilsmann-Theis D.
J Eur Acad Dermatol Venereol. 2009 May;23(5):592-3. Epub 2009 Aug
29. No abstract available. Otettu 7.9.13
Ei ole vapaana netissä
PMID: 18761550 [PubMed - indexed for MEDLINE][Related citations](#)

Joseph A , Raj D, Dua HS et al

Infliximab in the treatment of refractory posterior uveitis.
Ophthalmology 2003;**110**:1449–53. Otettu M 14.11.09 Ei oteta
[\[CrossRef\]](#)[\[Medline\]](#)

L Josselin, A Mahr, P Cohen, C Pagnoux, G Guaydier-Souquieres, G Hayem, C Job-Deslandre, F Liferman, J Pourrat, and L Guillevin

Infliximab efficacy and safety against refractory systemic necrotising vasculitides: long-term follow-up of 15 patients

Ann Rheum Dis, September 1, 2008; 67(9): 1343 - 1346. Otettu 14.9.12

Ei ole vapaana netissä

[\[Abstract\]](#) [\[Full Text\]](#) [\[PDF\]](#)

Joven BE, Almodovar R, Galindo M et al (2006) Does anti-tumour necrosis factor alpha treatment modify the tuberculin PPD response? *Ann Rheum Dis* 65:699 Otettu 14.2.11

[Phase 1 trial of adalimumab in Focal Segmental Glomerulosclerosis \(FSGS\): II. Report of the FONT \(Novel Therapies for Resistant FSGS\) study group.](#)

Joy MS, Gipson DS, Powell L, MacHardy J, Jennette JC, Vento S, Pan C, Savin V, Eddy A, Fogo AB, Kopp JB, Cattran D, Trachtman H.

Am J Kidney Dis. 2010 Jan;55(1):50-60. Epub 2009 Nov 22. Otettu 14.2.11 Ei oteta

PMID: 19932542 [PubMed - indexed for MEDLINE]**Free PMC**

Article[Free text](#)[Related citations](#)

[Transaminase elevation secondary to the use of adalimumab.](#)

Juan-Guardela ML, Marín-Carrillo LF, Kattah-Martínez LX, Fernández-Ávila DG.
Reumatol Clin. 2014 July - August;10(4):265-266. doi: 10.1016/j.reuma.2013.11.010.
Epub 2014 Jan 29. English, Spanish. No abstract available.

PMID:

24485042

[PubMed - as supplied by publisher] Otettu 28.10.16

[Free Article](#)

[Related citations](#)

Judson MA, Costabel U, Drent M et al

Assessment of infliximab efficacy in extrapulmonary sarcoidosis using a novel assessment tool: results from a randomized trial.

Chest 2005;128:202S–203S. Kyseessä on pelkkä kongressiabstrakti. Ei oteta.

[\[Abstract\]](#)

Judson MA, Baughman RP, Costabel U, et al.

Efficacy of infliximab in extrapulmonary sarcoidosis: results from a randomised trial.

Eur Respir J 2008;31 (6):1189-96. Otettu 14.2.11 OK

[Successful treatment of lupus pernio with adalimumab.](#)

Judson MA.

Arch Dermatol. 2011 Nov;147(11):1332-3. No abstract available. Otettu 15.6.18

PMID:

22106129

[PubMed - indexed for MEDLINE]

[Related citations](#)

217.

[Adalimumab levels in an infant.](#)

Julsgaard M, Brown S, Gibson P, Bell S.

J Crohns Colitis. 2012 Oct 25. doi:pii: S1873-9946(12)00431-X.

10.1016/j.crohns.2012.10.009. [Epub ahead of print] No abstract available.

PMID:

23102835 Otettu 7.9.13

[PubMed - as supplied by publisher]

[Related citations](#)

1533.

[Concentrations of Adalimumab and Infliximab in Mothers and Newborns, and Effects on Infection.](#)

Julsgaard M, Christensen LA, Gibson PR, Gearry RB, Fallingborg J, Hvas CL, Bibby BM, Uldbjerg N, Connell WR, Rosella O, Grosen A, Brown SJ, Kjeldsen J, Wildt S, Svenningsen L, Sparrow MP, Walsh A, Connor SJ, Radford-Smith G, Lawrance IC, Andrews JM, Ellard K, Bell SJ.

Gastroenterology. 2016 Jul;151(1):110-9. doi: 10.1053/j.gastro.2016.04.002. Epub 2016 Apr 8.

PMID:

27063728 Otettu 15.6.18

[Similar articles](#)

[Angioimmunoblastic T cell lymphoma in an ankylosing spondylitis patient treated with etanercept.](#)

Jung KH, Lim MJ, Kwon SR, Joo KW, Yi HG, Choi SJ, Park W.
Mod Rheumatol. 2012 Jul 12. [Epub ahead of print]

PMID:

Otettu 14.9.12

22791222

[PubMed - as supplied by publisher]

[Related citations](#)

947.

[Adalimumab-induced pulmonary sarcoidosis not progressing upon treatment with etanercept.](#)

Jung JH, Kim JH, Song GG.

Z Rheumatol. 2017 May;76(4):372-374. doi: 10.1007/s00393-016-0262-4.

PMID:

28124746 Otettu 15.6.18

[Similar articles](#)

Justice EA, Khan SY, Logan S, Jobanputra P.

[Disseminated cutaneous Herpes Simplex Virus-1 in a woman with](#)

[rheumatoid arthritis receiving Infliximab: A case report.](#)

J Med Case Reports. 2008 Aug 26;2:282.

PMID: 18727822 [PubMed - in process] Otettu 14.2.11 OK

[Related Articles](#) [Free article in PMC](#)

Järnerot G, Hertervig E, Friis-Liby I, et al.

Infliximab as rescue therapy in severe to moderately severe ulcerative colitis: A randomized, placebo-controlled study.

Gastroenterology 2005;128:1805–11. Otettu M 3.12.09 OK