

Swiped from *The Audubon Society Encyclopedia of North American Birds* (Fifth Printing, 1987) by John K. Terres

- Black-bellied Whistling-Duck (*Dendrocygna autumnalis*): den-droh-SIG-nah aw-tum-NAY-liss
- Fulvous Whistling-Duck (*Dendrocygna bicolor*): den-droh-SIG-nah BYE-color
- Greater White-fronted Goose (*Anser albifrons*): AN-ser AL-bih-frons
- Snow Goose (*Chen caerulescens*): KEN see-rue-LES-enz
- Ross's Goose (*Chen rossii*): KEN ROSS-ih-eye
- Brant (*Branta bernicla*): BRAN-tah BER-nih-klah
- Canada Goose (*Branta canadensis*): BRAN-tah can-ah-DEN-sis
- Tundra Swan (*Cygnus columbianus*): SIG-nus koh-lum-bih-AY-nus
- Muscovy Duck (*Cairina moschata*): KAY-rye-nah mos-KAY-tah
- Wood Duck (*Aix sponsa*): AIKS SPON-sah
- Gadwall (*Anas strepera*): AY-nas STREP-eh-rah
- Eurasian Wigeon (*Anas penelope*): AY-nas pee-NEL-oh-pee
- American Wigeon (*Anas americana*): AY-nas ah-mer-ih-CANE-ah
- American Black Duck (*Anas rubripes*): AY-nas RUBE-rih-peeZ
- Mallard (*Anas platyrhynchos*): AY-nas plah-tih-RING-koss
- Mottled Duck (*Anas fulvigula*): AY-nas ful-VIG-you-lah
- Blue-winged Teal (*Anas discors*): AY-nas DIS-cors
- Cinnamon Teal (*Anas cyanoptera*): AY-nas sigh-an-OP-ter-ah
- Northern Shoveler (*Anas clypeata*): AY-nas clip-ee-AY-tah
- Northern Pintail (*Anas acuta*): AY-nas ack-YOU-tah
- Green-winged Teal (*Anas crecca*): AY-nas KREK-ah
- Canvasback (*Aythya valisineria*): AY-thih-ah val-is-ih-NEE-rih-ah
- Redhead (*Aythya americana*): AY-thih-ah ah-mer-ih-CANE-ah
- Ring-necked Duck (*Aythya collaris*): AY-thih-ah col-AY-ris
- Greater Scaup (*Aythya marila*): AY-thih-ah mah-RYE-lah
- Lesser Scaup (*Aythya affinis*): AY-thih-ah aff-EYE-nis
- Surf Scoter (*Melanitta perspicillata*): mel-ah-NIT-ah per-spick-ill-AY-tah
- White-winged Scoter (*Melanitta fusca*): mel-ah-NIT-ah FUSS-kah
- Black Scoter (*Melanitta americana*): mel-ah-NIT-ah ah-mer-ih-CANE-ah
- Bufflehead (*Bucephala albeola*): bue-SEF-ah-lah al-BEE-oh-lah
- Common Goldeneye (*Bucephala clangula*): bue-SEF-ah-lah CLANG-you-lah
- Hooded Merganser (*Lophodytes cucullatus*): low-FOD-ih-teeZ kuk-ull-AY-tus
- Common Merganser (*Mergus merganser*): MER-gus mer-GAN-ser
- Red-breasted Merganser (*Mergus serrator*): MER-gus ser-AY-tor
- Ruddy Duck (*Oxyura jamaicensis*): OCK-sih-YOU-rah jah-may-ih-SEN-sis
- Northern Bobwhite (*Colinus virginianus*): koh-LINE-us ver-jin-ih-AY-nus
- Wild Turkey (*Meleagris gallopavo*): mel-e-AY-gris gal-low-PAY-voe
- Red-throated Loon (*Gavia stellata*): GAY-vih-ah stel-AY-tah
- Pacific Loon (*Gavia pacifica*): GAY-vih-ah [pah-SIF-ick-ah? not split from Arctic when Terres was published]
- Common Loon (*Gavia immer*): GAY-vih-ah IM-mer
- Pied-billed Grebe (*Podilymbus podiceps*): pod-ih-LIM-bus POD-ih-seps
- Horned Grebe (*Podiceps auritus*): POD-ih-seps aw-REE-tus
- Eared Grebe (*Podiceps nigricollis*): POD-ih-seps nig-rih-COL-liss

- Black-capped Petrel (*Pterodroma hasitata*): ter-OD-roh-mah hass-ih-TAY-tah
- Wilson's Storm-Petrel (*Oceanites oceanicus*): oh-see-ah-NIGH-teez oh-see-AN-ih-cus
- Leach's Storm-Petrel (*Oceanodroma leucorhoa*): oh-see-ah-NOD-roh-mah lew-CORE-oh-ah
- White-tailed Tropicbird (*Phaethon lepturus*): FAY-eh-thon lep-TYOU-rus
- Wood Stork (*Mycteria americana*): mick-TEE-rih-ah ah-mer-ih-CANE-ah
- Magnificent Frigatebird (*Fregata magnificens*): freh-GAY-tah mag-NIF-ih-senz
- Double-crested Cormorant (*Phalacrocorax auritus*): fal-ah-CROW-koh-racks aw-RI-tus
- Anhinga (*Anhinga anhinga*): an-HING-gah an-HING-gah
- American White Pelican (*Pelecanus erythrorhynchos*): pel-ee-KAY-nus er-ith-roh-RING-koss
- Brown Pelican (*Pelecanus occidentalis*): pel-ee-KAY-nus ock-sih-den-TAY-liss
- American Bittern (*Botaurus lentiginosus*): boh-TAW-rus len-tih-jih-NO-sus
- Least Bittern (*Ixobrychus exilis*): icks-oh-BRYE-kus ex-EYE-liss
- Great Blue Heron (*Ardea herodias*): ARE-dee-ah her-ODE-ih-as
- Great Egret (*Ardea alba*): ARE-dee-ah AL-bah
- Snowy Egret (*Egretta thula*): ee-GRET-ah THOO-lah
- Little Blue Heron (*Egretta caerulea*): ee-GRET-ah see-RULE-ee-ah
- Tricolored Heron (*Egretta tricolor*): ee-GRET-ah TRI-color
- Reddish Egret (*Egretta rufescens*): ee-GRET-ah roof-ESS-enz
- Cattle Egret (*Bubulcus ibis*): BUE-bul-kus EYE-bis
- Green Heron (*Butorides virescens*): bew-tore-EYE-deez vie-RES-enz
- Black-crowned Night-Heron (*Nycticorax nycticorax*): nick-TICK-oh-racks nick-TICK-oh-racks
- Yellow-crowned Night-Heron (*Nyctanassa violacea*): nick-tan-AS-ah vie-oh-LAY-see-ah
- White Ibis (*Eudocimus albus*): you-DOSS-ih-mus AL-bus
- Glossy Ibis (*Plegadis falcinellus*): PLEA-gah-dis fal-sin-EE-lus
- White-faced Ibis (*Plegadis chihi*): PLEA-gah-dis [pronunciation of *chihi* not given by Terres]
- Roseate Spoonbill (*Platalea ajaja*): plah-TAY-lee-ah ah-YAH-hah
- Black Vulture (*Coragyps atratus*): CORE-ah-jips ah-TRAY-tus
- Turkey Vulture (*Cathartes aura*): kath-ARE-teez OW-rah
- Osprey (*Pandion haliaetus*): pan-DIE-on hal-ih-ay-EE-tus
- Swallow-tailed Kite (*Elanoides forficatus*): el-ah-no-EYE-deez for-fick-AY-tus
- White-tailed Kite (*Elanus leucurus*): EL-an-us lew-CUE-rus
- Snail Kite (*Rostrhamus sociabilis*): rostr-HAME-us so-sih-AY-bil-us
- Mississippi Kite (*Ictinia mississippiensis*): ick-TIN-ih-ah mis-ih-sip-ih-EN-sis
- Bald Eagle (*Haliaeetus leucocephalus*): hal-ih-ay-EE-tus lew-koh-SEFF-ah-lus
- Northern Harrier (*Circus cyaneus*): SIR-kus sigh-ANE-ee-us
- Sharp-shinned Hawk (*Accipiter striatus*): ack-SIP-ih-ter strih-AY-tus
- Cooper's Hawk (*Accipiter cooperii*): ack-SIP-ih-ter COOP-er-ih-eye
- Red-shouldered Hawk (*Buteo lineatus*): BEW-tee-oh lin-eh-AY-tus
- Broad-winged Hawk (*Buteo platypterus*): BEW-tee-oh plah-TIP-teh-rus
- Short-tailed Hawk (*Buteo brachyurus*): BEW-tee-oh brah-kih-YOU-rus
- Swainson's Hawk (*Buteo swainsoni*): BEW-tee-oh SWAIN-son-eye
- Red-tailed Hawk (*Buteo jamaicensis*): BEW-tee-oh jah-may-ih-SEN-sis
- Rough-legged Hawk (*Buteo lagopus*): BEW-tee-oh lag-OH-pus
- Golden Eagle (*Aquila chrysaetos*): AK-wih-lah kris-AY-ee-tos
- Yellow Rail (*Coturnicops noveboracensis*): coe-TURE-nih-cops no-veh-boh-rah-SEN-sis
- Black Rail (*Laterallus jamaicensis*): lat-eh-RAL-us jah-may-ih-SEN-sis
- Clapper Rail (*Rallus longirostris*): RAL-lus lonj-ih-ROS-tris
- King Rail (*Rallus elegans*): RAL-lus EL-ee-ganz

- Virginia Rail (*Rallus limicola*): RAL-lus lie-MIK-oh-lah
- Sora (*Porzana carolina*): por-ZANE-ah car-oh-LINE-ah
- Purple Gallinule (*Porphyrio martinicus*): [different generic name when Terres was published] mar-TIN-ih-cus
- Common Gallinule (*Gallinula galeata*): gal-IN-you-lah [different specific name when Terres was published]
- American Coot (*Fulica americana*): FEW-lih-kah ah-mer-ih-CANE-ah
- Limpkin (*Aramus guarauna*): ARE-ah-mus gwah-ROU-nah [? - seems like it should be gwah-RAH-nah]
- Sandhill Crane (*Grus canadensis*): GROOSE can-ah-DEN-sis
- Whooping Crane (*Grus americanan*): GROOSE ah-mer-ih-CANE-ah
- Black-bellied Plover (*Pluvialis squatarola*): ploo-vih-AIL-iss squah-TAR-oh-lah
- American Golden-Plover (*Pluvialis dominica*): ploo-vih-AIL-iss dom-IN-ih-kah
- Wilson's Plover (*Charadrius wilsonia*): cah-RAD-rih-us will-SON-ih-ah
- Semipalmated Plover (*Charadrius semipalmatus*): cah-RAD-rih-us sem-ih-pal-MAY-tus
- Killdeer (*Charadrius vociferus*): cah-RAD-rih-us voh-SIFF-er-us
- American Oystercatcher (*Haematopus palliatus*): he-MAT-oh-pus pal-ih-AY-tus
- Black-necked Stilt (*Himantopus mexicanus*): high-MAN-to-pus meks-ih-CANE-us
- American Avocet (*Recurvirostra americana*): ree-curv-ih-ROS-trah ah-mer-ih-CANE-ah
- Spotted Sandpiper (*Actitis macularius*): ack-TIE-tis mack-you-LAY-rih-us
- Solitary Sandpiper (*Tringa solitaria*): TRING-gah sol-ih-TAY-rih-ah
- Greater Yellowlegs (*Tringa melanoleuca*): TRING-gah mel-an-oh-LEW-kay
- Willet (*Tringa semipalmata*): TRING-gah sem-ih-pal-MAY-tus
- Lesser Yellowlegs (*Tringa flavipes*): TRING-gah FLAY-vih-pee-z
- Upland Sandpiper (*Bartramia longicauda*): bar-TRAM-ih-ah lonj-ih-CAW-dah
- Whimbrel (*Numenius phaeopus*): new-MEAN-ih-us FEE-oh-pus
- Hudsonian Godwit (*Limosa haemastica*): lie-MOH-sah he-MAS-tih-kah
- Marbled Godwit (*Limosa fedoa*): lie-MOH-sah FED-oh-ah
- Ruddy Turnstone (*Arenaria interpres*): are-eh-NAY-rih-ah in-TER-pres
- Red Knot (*Calidris canutus*): cal-ID-ris kay-NEW-tus
- Ruff (*Calidris pugnax*): cal-ID-ris PUG-nax
- Stilt Sandpiper (*Calidris himantopus*): cal-ID-ris high-MAN-toh-pus
- Sanderling (*Calidris alba*): cal-ID-ris AL-bah
- Dunlin (*Calidris alpina*): cal-ID-ris al-PIE-nah
- Baird's Sandpiper (*Calidris bairdii*): cal-ID-ris BAIRD-ih-eye
- Least Sandpiper (*Calidris minutilla*): cal-ID-ris min-you-TIL-ah
- White-rumped Sandpiper (*Calidris fuscicollis*): cal-ID-ris fuss-ih-COL-lis
- Buff-breasted Sandpiper (*Calidris subruficollis*): cal-ID-ris sub-roof-ih-COL-lis
- Pectoral Sandpiper (*Calidris melanotos*): cal-ID-ris mel-an-OH-toes
- Semipalmated Sandpiper (*Calidris pusilla*): cal-ID-ris pu-SILL-ah
- Western Sandpiper (*Calidris mauri*): cal-ID-ris MOW-rye
- Short-billed Dowitcher (*Limnodromus griseus*): lim-NOD-roh-mus GRIS-e-us
- Long-billed Dowitcher (*Limnodromus scolopaceus*): lim-NOD-roh-mus skol-oh-PASS-ee-us
- Wilson's Snipe (*Gallinago delicata*): gal-ih-NAY-go [different specific name when Terres was published]
- American Woodcock (*Scolopax minor*): SKOL-oh-pax MY-nor
- Wilson's Phalarope (*Phalaropus tricolor*): fal-AY-row-pus TRY-color
- Red-necked Phalarope (*Phalaropus lobatus*): fal-AY-row-pus low-BAY-tus

- Red Phalarope (*Phalaropus fulicarius*): fal-AY-row-pus few-lick-AY-rih-us
- Black-legged Kittiwake (*Rissa tridactyla*): RISS-ah try-DACK-tih-lah
- Bonaparte's Gull (*Chroicocephalus philadelphia*): [different generic name when Terres was published] fill-ah-DELL-fee-ah
- Black-headed Gull (*Chroicocephalus ridibundus*): [different generic name when Terres was published] rid-ih-BUND-us
- Laughing Gull (*Leucophaeus atricilla*): [different generic name when Terres was published] ay-trih-SILL-ah
- Franklin's Gull (*Leucophaeus pipixcan*): [different generic name when Terres was published] pip-IX-can
- Ring-billed Gull (*Larus delawarensis*): LAR-us del-ah-war-EN-sis
- Herring Gull (*Larus argentatus*): LAR-us are-jen-TAY-tus
- Great Black-backed Gull (*Larus marinus*): LAR-us mah-RYE-nus
- Sooty Tern (*Onychoprion fuscatus*): [different generic name when Terres was published] fuss-KATE-ah
- Least Tern (*Sternula antillarum*): [different generic and specific names when Terres was published]
- Gull-billed Tern (*Gelochelidon nilotica*): jell-oh-KELL-ih-don nih-LOW-tih-kah
- Caspian Tern (*Hydroprogne caspia*): high-drop-ROG-nee CAS-pih-ah
- Black Tern (*Chlidonias niger*): klih-DOAN-ih-as NYE-jer
- Common Tern (*Sterna hirundo*): STIR-nah her-UN-doh
- Forster's Tern (*Sterna forsteri*): STIR-nah FORCE-teh-rye
- Royal Tern (*Thalasseus maximus*): thal-AS-ee-us MAX-ih-mus
- Sandwich Tern (*Thalasseus sandvicensis*): thal-AS-ee-us san-vih-SEN-sis
- Black Skimmer (*Rynchops niger*): RING-kops NYE-jer
- Pomarine Jaeger (*Stercorarius pomarinus*): ster-koh-RAY-rih-us pom-ah-RINE-us
- Parasitic Jaeger (*Stercorarius parasiticus*): ster-koh-RAY-rih-us par-ah-SIT-ih-cus
- Rock Pigeon (*Columba livia*): col-UM-bah LIE-vih-ah
- African Collared-Dove (*Streptopelia roseogrisea*): strep-toe-PEEL-ih-ah [different specific name when Terres was published]
- Eurasian Collared-Dove (*Streptopelia decaocto*): strep-toe-PEEL-ih-ah [not listed by Terres]
- White-winged Dove (*Zenaida asiatica*): zen-AY-ih-dah ay-zhuh-AT-ih-kah
- Mourning Dove (*Zenaida macroura*): zen-AY-ih-dah mah-CROO-rah
- Common Ground-Dove (*Columbina passerina*): col-um-BINE-ah pass-er-EYE-nah
- Yellow-billed Cuckoo (*Coccyzus americanus*): cock-SIGH-zus ah-mer-ih-CANE-us
- Black-billed Cuckoo (*Coccyzus erythrophthalmus*): cock-SIGH-zus er-ith-throf-THALL-mus
- Smooth-billed Ani (*Crotophaga ani*): crow-TOFF-ah-gah AH-nee
- Groove-billed Ani (*Crotophaga sulcirostris*): crow-TOFF-ah-gah sul-sih-ROS-tris
- Barn Owl (*Tyto alba*): TIE-toe AL-bah
- Eastern Screech-Owl (*Megascops asio*): [different generic name when Terres was published] AH-sih-oh
- Great Horned Owl (*Bubo virginianus*): BEW-boh ver-jin-ih-AY-nus
- Burrowing Owl (*Athene cunicularia*): ah-THEEN-ee cue-nik-you-LAH-rih-uh
- Barred Owl (*Strix varia*): STRICKS VAY-rih-ah
- Short-eared Owl (*Asio flammeus*): AH-sih-oh FLAH-me-us
- Lesser Nighthawk (*Chordeiles acutipennis*): core-DIE-leez ah-cute-ih-PEN-is
- Common Nighthawk (*Chordeiles minor*): core-DIE-leez MY-nor
- Chuck-will's-widow (*Antrostomus carolinensis*): [different generic name when Terres was published]

published] cah-row-lin-EN-sis

- Eastern Whip-poor-will (*Antrastomus vociferus*): [different generic name when Terres was published] voh-SIFF-er-us
- Chimney Swift (*Chaetura pelagica*): kee-TOO-rah peh-LADGE-ih-kah
- Vaux's Swift (*Chaetura vauxi*): kee-TOO-rah VAUKS-eye
- Ruby-throated Hummingbird (*Archilochus colubris*): are-KILL-oh-cuss COL-oo-bris
- Black-chinned Hummingbird (*Archilochus alexandri*): are-KILL-oh-cuss al-egg-ZAN-dry
- Calliope Hummingbird (*Selasphorus calliope*): seh-LASS-foe-rus cal-EYE-oh-pee
- Rufous Hummingbird (*Selasphorus rufus*): seh-LASS-foe-rus ROOF-us
- Allen's Hummingbird (*Selasphorus sasin*): seh-LASS-foe-rus SAY-sin
- Broad-billed Hummingbird (*Cyanthus latirostris*): sin-AN-thus lat-ih-ROS-tris
- Buff-breasted Hummingbird (*Amazilia yucatanensis*): am-ah-ZILL-ih-ah you-cah-tan-EN-sis
- Belted Kingfisher (*Megaceryle alcyon*): meg-ah-SER-ih-lee AL-sih-on
- Red-headed Woodpecker (*Melanerpes erythrocephalus*): mel-an-ER-pee-z eh-rith-row-SEF-ah-lus
- Red-bellied Woodpecker (*Melanerpes carolinus*): mel-an-ER-pee-z cah-row-LIN-us
- Yellow-bellied Sapsucker (*Sphyrapicus varius*): sfie-rah-PIE-kus VAY-rih-us
- Downy Woodpecker (*Picoides pubescens*): pick-oh-EYE-deez pew-BEE-senz
- Hairy Woodpecker (*Picoides villosus*): pick-oh-EYE-deez vil-OH-sus
- Red-cockaded Woodpecker (*Picoides borealis*): pick-oh-EYE-deez bow-reh-AY-liss
- Northern Flicker (*Colaptes auratus*): koh-LAP-teez oh-RAY-tus
- Pileated Woodpecker (*Dryocopus pileatus*): dry-OCK-oh-pus pie-lee-AY-tus
- Crested Caracara (*Caracara cheriway*): kah-rah-KAY-rah CHAIR-ih-way
- American Kestrel (*Falco sparverius*): FAL-coh spar-VER-ih-us
- Merlin (*Falco columbarius*): FAL-coh koh-lum-BAY-rih-us
- Peregrine Falcon (*Falco peregrinus*): FAL-coh per-eh-GRY-nus
- Budgerigar (*Melopsittacus undulatus*): mel-oh-SIT-ah-cus un-dul-AY-tus
- Monk Parakeet (*Myiopsitta monachus*): my-oh-SIT-ah MON-ah-cuss
- Olive-sided Flycatcher (*Contopus cooperi*): KON-toh-pus KOO-per-eye
- Eastern Wood-Pewee (*Contopus virens*): KON-toh-pus VIR-enz
- Yellow-bellied Flycatcher (*Empidonax flaviventris*): em-PID-oh-nax flay-vih-VEN-triss
- Acadian Flycatcher (*Empidonax virescens*): em-PID-oh-nax vie-RES-enz
- Alder Flycatcher (*Empidonax alnorum*): em-PID-oh-nax al-NO-rum
- Willow Flycatcher (*Empidonax traillii*): em-PID-oh-nax TRAIL-ih-eye
- Least Flycatcher (*Empidonax minimus*): em-PID-oh-nax MIN-ih-mus
- Eastern Phoebe (*Sayornis phoebe*): say-OR-nis FEE-bee
- Vermilion Flycatcher (*Pyrocephalus rubinus*): pih-roh-SEF-ah-lus rube-EYE-nus
- Ash-throated Flycatcher (*Myiarchus cinerascens*): my-ih-ARE-kus sin-er-AS-enz
- Great Crested Flycatcher (*Myiarchus crinitus*): my-ih-ARE-kus crih-NIGH-tus
- Brown-crested Flycatcher (*Myiarchus tyrannulus*): my-ih-ARE-kus tie-RAN-you-lus
- Western Kingbird (*Tyrannus verticalis*): tih-RAN-us ver-tih-KALE-iss
- Eastern Kingbird (*Tyrannus tyrannus*): tih-RAN-us tih-RAN-us
- Gray Kingbird (*Tyrannus dominicensis*): tih-RAN-us dom-in-ih-SEN-sis
- Scissor-tailed Flycatcher (*Tyrannus forficatus*): tih-RAN-us for-fick-AY-tuss
- Loggerhead Shrike (*Lanius ludovicianus*): LANE-ih-us lewd-oh-VICK-ih-ANE-us
- White-eyed Vireo (*Vireo griseus*): VIH-ree-oh GRIS-ee-us
- Bell's Vireo (*Vireo bellii*): VIH-ree-oh BELL-ih-eye
- Yellow-throated Vireo (*Vireo flavifrons*): VIH-ree-oh FLAY-vih-fronz
- Blue-headed Vireo (*Vireo solitarius*): VIH-ree-oh sol-ih-TAY-rih-us

- Warbling Vireo (*Vireo gilvus*): VIH-ree-oh JILL-vus
- Philadelphia Vireo (*Vireo philadelphicus*): VIH-ree-oh phil-ah-DELL-fih-cuss
- Red-eyed Vireo (*Vireo olivaceus*): VIH-ree-oh ol-ih-VAY-see-us
- Black-whiskered Vireo (*Vireo altiloquus*): VIH-ree-oh al-tih-LOW-qus
- Blue Jay (*Cyanocitta cristata*): sigh-ah-no-SIT-ah kris-TAY-tah
- Florida Scrub-Jay (*Aphelocoma coerulescens*): ah-fel-OCK-oh-mah see-rue-LES-enz
- American Crow (*Corvus brachyrhynchos*): CORE-vus brah-kih-RING-koss
- Fish Crow (*Corvus ossifragus*): CORE-vus oss-IF-rah-gus
- Horned Lark (*Eremophila alpestris*): er-ee-MOE-phil-ah al-PES-tris
- Purple Martin (*Progne subis*): PROG-nee SUE-biss
- Tree Swallow (*Tachycineta bicolor*): tak-ih-sin-EE-tah BYE-color
- Northern Rough-winged Swallow (*Stelgidopteryx serripennis*): stel-jih-DOP-teh-ricks [different specific name when Terres was published]
- Bank Swallow (*Riparia riparia*): rih-PAY-rih-ah rih-PAY-rih-ah
- Cliff Swallow (*Petrochelidon pyrrhonota*): pet-roh-KEL-ih-don pih-row-NO-tah
- Cave Swallow (*Petrochelidon fulva*): pet-roh-KEL-ih-don FULL-vah
- Barn Swallow (*Hirundo rustica*): hir-UN-doh RUS-tih-kah
- Carolina Chickadee (*Poecile carolinensis*): [different generic name when Terres was published] cah-row-lin-EN-sis
- Tufted Titmouse (*Baeolophus bicolor*): [different generic name when Terres was published] BYE-color
- Red-breasted Nuthatch (*Sitta canadensis*): SIT-ah can-ah-DEN-sis
- White-breasted Nuthatch (*Sitta carolinensis*): SIT-ah cah-row-lin-EN-sis
- Brown-headed Nuthatch (*Sitta pusilla*): SIT-ah pew-SILL-ah
- Brown Creeper (*Certhia americana*): SER-thih-ah fam-ill-ih-AY-ris
- Bewick's Wren (*Thryomanes bewickii*): thry-oh-MANE-eez bue-ICK-ih-eye
- House Wren (*Troglodytes aedon*): trog-low-DIE-teez ay-EE-don
- Winter Wren (*Troglodytes hiemalis*): trog-low-DIE-teez high-eh-MAIL-us
- Sedge Wren (*Cistothorus platensis*): sis-TOTH-oh-rus plah-TEN-sis
- Marsh Wren (*Cistothorus palustris*): sis-TOTH-oh-rus pal-US-tris
- Carolina Wren (*Thryothorus ludovicianus*): thry-OTH-oh-rus lewd-oh-VICK-ih-ANE-us
- Blue-gray Gnatcatcher (*Polioptila caerulea*): pol-ih-OP-tih-lah see-RUE-lee-ah
- Golden-crowned Kinglet (*Regulus satrapa*): REG-you-lus SAT-rah-pah
- Ruby-crowned Kinglet (*Regulus calendula*): REG-you-lus cal-EN-dyou-lah
- Eastern Bluebird (*Sialia sialis*): sigh-AY-lih-ah SIGH-ah-liss
- Veery (*Catharus fuscescens*): CATH-ah-rus fuss-KESS-enz
- Gray-cheeked Thrush (*Catharus minimus*): CATH-ah-rus MIN-ih-mus
- Swainson's Thrush (*Catharus ustulatus*): CATH-ah-rus yewst-you-LAY-tus
- Hermit Thrush (*Catharus guttatus*): CATH-ah-rus gut-AY-tus
- Wood Thrush (*Hylocichla mustelina*): high-low-SICK-lah mus-teh-LIN-ah
- American Robin (*Turdus migratorius*): TUR-dus my-grah-TOE-rih-us
- Gray Catbird (*Dumetella carolinensis*): due-meh-TELL-ah cah-row-lin-EN-sis
- Brown Thrasher (*Toxostoma rufum*): tox-OSS-toh-mah ROOF-um
- Northern Mockingbird (*Mimus polyglottos*): MY-mus pol-ih-GLOT-os
- European Starling (*Sturnus vulgaris*): STIR-nus vul-GAY-ris
- American Pipit (*Anthus rubescens*): AN-thus [different specific name when Terres was published]
- Sprague's Pipit (*Anthus spragueii*): AN-thus SPRAIG-ih-eye
- Cedar Waxwing (*Bombycilla cedrorum*): bom-bih-SILL-ah see-DROH-rum

- Ovenbird (*Seiurus aurocapilla*): sigh-YOU-rus aw-roh-kah-PILL-us
- Worm-eating Warbler (*Helmitheros vermivorum*): hell-mih-THEE-roze ver-MIV-oh-rus
- Louisiana Waterthrush (*Parkesia motacilla*): PARKS-ee-ah (?) moh-tah-sill-ah
- Northern Waterthrush (*Parkesia noveboracensis*): PARKS-ee-ah (?) no-veh-bore-ah-SEN-sis
- Golden-winged Warbler (*Vermivora chrysoptera*): ver-MIV-oh-rah kris-OP-ter-ah
- Blue-winged Warbler (*Vermivora cyanoptera*): ver-MIV-oh-rah [different specific name when Terres was published]
- Black-and-white Warbler (*Mniotilta varia*): nye-oh-TILL-tah VAY-rih-ah
- Prothonotary Warbler (*Protonotaria citrea*): pro-tow-no-TAY-rih-ah SIGH-tree-ah
- Swainson's Warbler (*Limnothlypis swainsonii*): lim-no-THLIP-iss swain-SON-ih-eye
- Tennessee Warbler (*Oreothlypis peregrina*): [different generic name when Terres was published] per-reh-GRIN-ah
- Orange-crowned Warbler (*Oreothlypis celata*): [different generic name when Terres was published] see-LAH-tah
- Nashville Warbler (*Oreothlypis ruficapilla*): [different generic name when Terres was published] rue-fih-cap-ILL-ah
- Connecticut Warbler (*Oporornis agilis*): op-or-OR-nis AH-jih-liss
- Mourning Warbler (*Geothlypis philadelphia*): jee-OTH-lip-iss fill-ah-DEL-fih-ah
- Kentucky Warbler (*Geothlypis formosa*): jee-OTH-lip-iss for-MOE-sus
- Common Yellowthroat (*Geothlypis trichas*): jee-OTH-lip-iss TRY-kas
- Hooded Warbler (*Setophaga citrina*): see-TOFF-ah-gah sit-RYE-nah
- American Redstart (*Setophaga ruticilla*): see-TOFF-ah-gah root-ih-SILL-ah
- Kirtland's Warbler (*Setophaga kirtlandii*): see-TOFF-ah-gah kirt-LAND-ih-eye
- Cape May Warbler (*Setophaga tigrina*): see-TOFF-ah-gah tig-RYE-nah
- Cerulean Warbler (*Setophaga cerulea*): see-TOFF-ah-gah see-RULE-ee-ah
- Northern Parula (*Setophaga americana*): see-TOFF-ah-gah ah-mer-ih-CANE-ah
- Magnolia Warbler (*Setophaga magnolia*): see-TOFF-ah-gah mag-NO-lih-ah
- Bay-breasted Warbler (*Setophaga castanea*): see-TOFF-ah-gah cas-TAY-nee-ah
- Blackburnian Warbler (*Setophaga fusca*): see-TOFF-ah-gah FUSS-kah
- Yellow Warbler (*Setophaga petechia*): see-TOFF-ah-gah peh-TEE-chih-ah
- Chestnut-sided Warbler (*Setophaga pensylvanica*): see-TOFF-ah-gah pen-sill-VAY-nih-kah
- Blackpoll Warbler (*Setophaga striata*): see-TOFF-ah-gah stry-AY-tah
- Black-throated Blue Warbler (*Setophaga caerulescens*): see-TOFF-ah-gah see-roo-LESS-enz
- Palm Warbler (*Setophaga palmarum*): see-TOFF-ah-gah palm-AY-rum
- Pine Warbler (*Setophaga pinus*): see-TOFF-ah-gah PIE-nus
- Yellow-rumped Warbler (*Setophaga coronata*): see-TOFF-ah-gah koh-row-NAY-tah
- Yellow-throated Warbler (*Setophaga dominica*): see-TOFF-ah-gah dom-IN-ih-kah
- Prairie Warbler (*Setophaga discolor*): see-TOFF-ah-gah DISS-color
- Black-throated Gray Warbler (*Setophaga nigrescens*): see-TOFF-ah-gah nih-GRES-enz
- Black-throated Green Warbler (*Setophaga virens*): see-TOFF-ah-gah VIR-enz
- Canada Warbler (*Cardellina canadensis*): car-dell-INE-ah can-ah-DEN-sis
- Wilson's Warbler (*Cardellina pusilla*): car-dell-INE-ah pew-SILL-ah
- Yellow-breasted Chat (*Icteria virens*): ick-TER-ih-ah VIR-enz
- Green-tailed Towhee (*Pipilo chlorurus*): PIP-ih-low klow-RUE-rus
- Eastern Towhee (*Pipilo erythrophthalmus*): PIP-ih-low er-ih-throf-THALL-mus
- Bachman's Sparrow (*Peucaea aestivalis*): [different generic name when Terres was published] es-tih-VAY-liss
- Chipping Sparrow (*Spizella passerina*): spy-ZELL-ah pass-er-EYE-nah

- Clay-colored Sparrow (*Spizella pallida*): spy-ZELL-ah PAL-ih-dah
- Field Sparrow (*Spizella pusilla*): spy-ZELL-ah pew-SILL-ah
- Vesper Sparrow (*Pooecetes gramineus*): poe-ee-SEE-teez gray-MIN-ee-us
- Lark Sparrow (*Chondestes grammacus*): con-DESS-teez GRAM-ah-cuss
- Savannah Sparrow (*Passerculus sandwichensis*): pass-ER-cue-lus san-witch-EN-sis
- Grasshopper Sparrow (*Ammodramus savannarum*): am-ODD-rah-mus sah-van-AY-rum
- Henslow's Sparrow (*Ammodramus henslowii*): am-ODD-rah-mus HEN-slow-ih-eye
- Le Conte's Sparrow (*Ammodramus leconteii*): am-ODD-rah-mus lee-KONT-ih-eye
- Nelson's Sparrow (*Ammodramus nelsoni*): am-ODD-rah-mus NELL-son-eye
- Fox Sparrow (*Passerella iliaca*): pass-er-ELL-ah eye-lih-AY-cah
- Song Sparrow (*Melospiza melodia*): mel-oh-SPY-zah mel-ODE-ih-ah
- Lincoln's Sparrow (*Melospiza lincolni*): mel-oh-SPY-zah ling-CONE-ih-eye
- Swamp Sparrow (*Melospiza georgiana*): mel-oh-SPY-zah george-ih-AY-nah
- White-throated Sparrow (*Zonotrichia albicollis*): zoe-no-TRICK-ih-ah al-bih-COLL-iss
- Harris's Sparrow (*Zonotrichia querula*): zoe-no-TRICK-ih-ah KWER-you-lah
- White-crowned Sparrow (*Zonotrichia leucophrys*): zoe-no-TRICK-ih-ah lew-KOFF-ris
- Dark-eyed Junco (*Junco hyemalis*): JUNG-koh high-eh-MAIL-us
- Summer Tanager (*Piranga rubra*): pie-RANG-gah RUBE-rah
- Scarlet Tanager (*Piranga olivacea*): pie-RANG-gah ol-ih-VAY-see-ah
- Western Tanager (*Piranga ludoviciana*): pie-RANG-gah lewd-oh-VICK-ih-ANE-ah
- Northern Cardinal (*Cardinalis cardinalis*): car-din-AY-liss car-din-AY-liss
- Rose-breasted Grosbeak (*Pheucticus ludovicianus*): FEW-tih-cus lewd-oh-VICK-ih-ANE-us
- Black-headed Grosbeak (*Pheucticus melanocephalus*): FEW-tih-cus meh-lan-oh-SEE-fal-us
- Blue Grosbeak (*Passerina caerulea*): pass-er-EYE-nah seh-ROO-lee-ah
- Lazuli Bunting (*Passerina amoena*): pass-er-EYE-nah ah-MEE-nah
- Indigo Bunting (*Passerina cyanea*): pass-er-EYE-nah sigh-ANE-ee-ah
- Painted Bunting (*Passerina ciris*): pass-er-EYE-nah SIGH-ris
- Dickcissel (*Spiza americana*): SPY-zah ah-mer-ih-CANE-ah
- Bobolink (*Dolichonyx oryzivorus*): doll-ih-KOH-nix aw-rih-ZIV-oh-rus
- Red-winged Blackbird (*Agelaius phoeniceus*): ah-jeh-LAY-us fee-NIH-seh-us
- Eastern Meadowlark (*Sturnella magna*): stir-NELL-ah MAG-nah
- Yellow-headed Blackbird (*Xanthocephalus xanthocephalus*): zan-tho-SEFF-ah-lus
zan-tho-SEFF-ah-lus
- Rusty Blackbird (*Euphagus carolinus*): YOU-fah-gus cah-row-LIN-us
- Brewer's Blackbird (*Euphagus cyanocephalus*): YOU-fah-gus sigh-an-oh-SEFF-ah-lus
- Common Grackle (*Quiscalus quiscula*): KWIS-kah-lus KWIS-cue-lah
- Boat-tailed Grackle (*Quiscalus major*): KWIS-kah-lus MAY-ger
- Shiny Cowbird (*Molothrus bonariensis*): moll-OTH-rus [not included in Terres]
- Bronzed Cowbird (*Molothrus aeneus*): moll-OTH-rus EE-nee-us
- Brown-headed Cowbird (*Molothrus ater*): moll-OTH-rus AY-ter
- Orchard Oriole (*Icterus spurius*): ICK-ter-us SPEW-rih-us
- Bullock's Oriole (*Icterus bullockii*): ICK-ter-us bull-OCK-ih-eye
- Baltimore Oriole (*Icterus galbula*): ICK-ter-us GAL-bew-lah
- House Finch (*Haemorhous mexicanus*): [different generic name when Terres was published]
meks-ih-CANE-us
- Purple Finch (*Haemorhous purpureus*): [different generic name when Terres was published]
purr-PUE-ree-us
- Pine Siskin (*Spinus pinus*): [different generic name when Terres was published] PINE-us

- American Goldfinch (*Spinus tristis*): [different generic name when Terres was published] TRIS-tis
- Evening Grosbeak (*Coccothraustes vespertinus*): [different generic name when Terres was published] ves-per-TINE-ah
- House Sparrow (*Passer domesticus*): PASS-er dom-ESS-tih-cuss