

XXXXXXXXXXXX

XXXXXXXXXXXX XXXXXXXXXXXX¹, XXXXXX XXXXXXXX², XXXXXXXXXXXX XXXXXXXXXXXX²,
XXXXXXXXXXXXXXXX XXXXXXXXXXXX², XXXXXX XXXXXXXX², XXXXXX XXXXXXXX²,
XXXXXXXXXXXXXXXX XXXXXXXXXXXX² and XXXXXXXXXXXX XXXXXXXXXXXX^{1,*}

¹ XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX,

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

² XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

* Corresponding author:

Contact name : XXXXXXXXXXXX

Telephone: +66XXXXXXXXXXXX

E-mail: xxxxxxxx@xxxxxxx.ac.th

Abstract

Keywords:

XXXXXXXXXXXX ; XXXXXXXXXXXX ; XXXXXXXXXXXX ; XXXXXXXXXXXX ; XXXXXXXXXXXX

Introduction

Methodology

Results and discussion




Figure 1 XXX.

Table 1 XX

	SCBA	SCBA1	SCBA2	CS
Surface area (m ² /g)	2.17	7.28	27.18	324.38
Total pore volume (cc/g)	0.012	0.023	0.061	2.534
Pore size diameter (nm)	1.2	3.9	2.4	1.2

Conclusion

Acknowledgement

References

- Krishnarao, R. V., Subrahmanyam, J., & Jagadish Kumar, T. (2001). Studies on the formation of black particles in rice husk silica ash. *Journal of the European Ceramic Society*, 21(1), 99–104. [https://doi.org/10.1016/S0955-2219\(00\)00170-9](https://doi.org/10.1016/S0955-2219(00)00170-9)
- Lim, X. X., Low, S. C., & Oh, W. Da. (2023). A critical review of heterogeneous catalyst design for carbon nanotubes synthesis: Functionalities, performances, and prospects. *Fuel Processing Technology*, 241, 107624. <https://doi.org/10.1016/J.FUPROC.2022.107624>
- Xu, Y., Li, Z., Dervishi, E., Saini, V., Cui, J., Biris, A. R., Lupu, D., & Biris, A. S. (2008). Surface area and thermal stability effect of the MgO supported catalysts for the synthesis of carbon nanotubes. *Journal of Materials Chemistry*, 18(47), 5738–5745. <https://doi.org/10.1039/B812630E>