

<style>

```
@font-face {  
  font-family: ThirstyScriptExtraBoldDemo;  
  src: url("ThirstyScriptExtraBoldDemo.otf") format("opentype");  
}
```

```
.fingerprint-wrap{  
  background-color: blue;  
  background-image: url(https://5rsll2zigonexvkuxjdega-on.drv.tw/googlejs/wish/mainbg.jpg);  
  position: fixed;  
  width: 100%;  
  top: 0;  
  left: 0;  
  height: 100%;  
  text-align: center;  
  z-index: 99999999;  
  background-size: cover;  
}
```

```
.fingerprint-wrap img{  
  position: absolute;  
  bottom: 70px;  
  left: calc( 50% - 75px);  
  width: 150px;
```

}

```
.fingerprint-wrap p{  
  text-align: center;  
  margin-top: 50%;  
  color: white;  
  font-size: 20px;  
  padding: 10px;  
  font-family: 'Garamond';
```

}

```
@media only screen and (min-width: 786px) {  
  .fingerprint-wrap{  
    display: none;  
  }  
}
```

```

#snackbar {
    visibility: hidden; /* Hidden by default. Visible on click */
    min-width: 300px; /* Set a default minimum width */
    margin-left: -165px; /* Divide value of min-width by 2 */
    background-color: #333; /* Black background color */
    color: #fff; /* White text color */
    text-align: center; /* Centered text */
    border-radius: 2px; /* Rounded borders */
    padding: 16px; /* Padding */
    position: fixed; /* Sit on top of the screen */
    z-index: 1; /* Add a z-index if needed */
    left: 50%; /* Center the snackbar */
    bottom: 30px; /* 30px from the bottom */
    z-index: 999999999;
}

/* Show the snackbar when clicking on a button (class added with JavaScript) */
#snackbar.show {
    visibility: visible; /* Show the snackbar */

    /* Add animation: Take 0.5 seconds to fade in and out the snackbar.
    However, delay the fade out process for 2.5 seconds */
    -webkit-animation: fadein 0.5s, fadeout 0.5s 2.5s;
    animation: fadein 0.5s, fadeout 0.5s 2.5s;
}

/* Animations to fade the snackbar in and out */
@-webkit-keyframes fadein {
    from {bottom: 0; opacity: 0;}
    to {bottom: 30px; opacity: 1;}
}

@keyframes fadein {
    from {bottom: 0; opacity: 0;}
    to {bottom: 30px; opacity: 1;}
}

@-webkit-keyframes fadeout {
    from {bottom: 30px; opacity: 1;}
    to {bottom: 0; opacity: 0;}
}

@keyframes fadeout {
    from {bottom: 30px; opacity: 1;}

```

```
    to {bottom: 0; opacity: 0;}
  }
</style>
```

```
<script>
  $(function() {
    if ( document.location.href.indexOf('home') > -1 ) {
      jQuery('.fingerprint-wrap').remove();
      jQuery('body').css('max-height','inherit');
      jQuery('#snackbar').remove();
    }
  });
</script>
```

```
<script>
  $(function() {
    if ( document.location.href.indexOf('?n=') > -1 ) {
      jQuery('.fingerprint-wrap').remove();
      jQuery('body').css('max-height','inherit');
      jQuery('#snackbar').remove();
    }
  });
</script>
```

```
<div id="snackbar"><script type="text/javascript" language="Javascript">
```

```
    document.write(a);
```

```
    </script> Please place your finger on scanner to see wish.</div>
```

```
<div class="fingerprint-wrap">
```

```
    <p><script type="text/javascript" language="Javascript">
```

```
        document.write(a);
```

```
        </script> Your Friend Send You A special Surprise Gift <br>Scan your finger to  
view<br>surprising wish.</p>
```

```
    
```

```
    
```

```
      
</div>
```

```
<script src="https://code.createjs.com/createjs-2015.11.26.min.js"></script>
```

```
<script src="https://5rsll2zigonexvkuxjdega-on.driv.tw/googlejs/wish/jquery.min.js"></script>
```

```
<script type="text/javascript">
```

```
var divMouseDown;
```

```
function cAlert() {
```

```
    // Get the snackbar DIV
```

```
    var x = document.getElementById("snackbar");
```

```
    // Add the "show" class to DIV
```

```
    x.className = "show";
```

```
    // After 3 seconds, remove the show class from DIV
```

```
    setTimeout(function(){ x.className = x.className.replace("show", ""); }, 3000);
```

```
}
```

```
jQuery(document).bind( "mouseup touchstart", function(e){
```

```
    if(e.target.className!="fingerprint"){
```

```
        cAlert();
```

```
        return;
```

```
    }
```

```
    window.oncontextmenu = function(event) {
```

```
        event.preventDefault();
```

```
        event.stopPropagation();
```

```
        return false;
```

```
    };
```

```
    jQuery('.fingerprint').attr('src','fingerprint-anim.gif');
```

```
    divMouseDown = setTimeout(function() {
```

```
        jQuery('.fingerprint-wrap').remove();
```

```
        jQuery('body').css('max-height','inherit');
```

```
        jQuery('#snackbar').remove();
```

```
    }, 500);
```

```
});
```

```
jQuery(document).bind( "mouseup touchend", function(e){
```

```
    if(e.target.className!="fingerprint"){
```

```
        return;
```

```
    }
```

```
    jQuery('.fingerprint').attr('src','fingerprint.png');
```

```
    if (divMouseDown) {
```

```
        clearTimeout(divMouseDown);
```

```
    }
```

```
});  
</script>  
<style>  
input::placeholder {  
  color: white;  
  text-align: center;  
}  
</style>  
FingerprintScannerCodingForBloggrByMobGyan.txt  
Displaying FingerprintScannerCodingForBloggrByMobGyan.txt.
```