Smart Home: Blueprint of AI-driven Residential Energy Saving Project

executive summary

Household energy consumption not only constitutes a significant portion of residents' financial expenditures but also exerts profound environmental impacts. A substantial portion of this energy is attributed to unnecessary waste or inefficient usage. Key waste areas include suboptimal operation of heating, ventilation, and air conditioning (HVAC) systems, inefficient operation of water heaters, and the persistent "phantom power" consumption by various electronic devices in standby mode. This project blueprint aims to provide innovators with a comprehensive and in-depth strategic and technical guide, detailing how to leverage artificial intelligence (AI) to develop an integrated household energy management system (HEMS) to address these challenges.

The core thesis of this report asserts that a truly intelligent Home Energy Management System (HEMS) must transcend basic automation to deliver predictive, adaptive, and personalized energy optimization. We outline three pivotal AI application pillars to achieve this: (1) Smart Automation: Leveraging machine learning algorithms to dynamically adjust thermostats, air conditioners, and appliances based on household routines, real-time electricity pricing, and weather patterns. (2) Precision Monitoring: Utilizing advanced technologies like Non-Invasive Load Monitoring (NILM) to analyze total household energy consumption, precisely identify and quantify each appliance's energy usage, transforming invisible energy waste into actionable insights. (3) Behavior Guidance: Integrating behavioral science principles to provide personalized energy-saving recommendations, gamified incentives, and push notifications through mobile apps, fostering energy-saving habits through subtle behavioral influence.

This blueprint not only covers the complete technical path from basic monitoring to advanced grid interactions (such as demand response and virtual power plants), but also delves into key challenges during project implementation, including hardware costs, data privacy, device interoperability, and the "sustainability paradox" of AI's energy consumption. The ultimate goal is to provide project developers with a clear roadmap from conceptualization and technology selection to phased implementation, enabling them to create innovative solutions that not only save substantial electricity bills for households but also enhance living comfort and contribute to the stability of future smart grids.

Section 1: Analysis of Current Status of Household Energy

Consumption

Prior to developing any energy-saving solution, a precise quantitative analysis of the root causes must be conducted. This section aims to thoroughly examine the composition of household electricity costs, identify the primary sources of energy waste, and provide data support and clear objectives for subsequent AI intervention strategies.

1.1 Key Drivers of Electricity Costs: HVAC, Water Heaters, and Household Appliances

An analysis of household electricity consumption data reveals a critical strategic focus: the majority of energy cost reductions are concentrated in a few key areas. According to the U.S. Energy Information Administration (EIA), air conditioning alone accounted for 19% of residential electricity usage in 2020, while space heating and water heating each contributed 12%[1]. Collectively, these three components accounted for 43% of total household electricity consumption, making them the undisputed top priority for any energy-saving initiative[1].

This energy consumption pattern exhibits significant regional variations. For instance, in the southern United States, where hot climates and widespread electric heating prevail, households' average electricity consumption reaches up to 1. This highlights a critical fact: effective AI solutions must possess environmental awareness, enabling them to adjust optimization strategies based on geographical location and climatic conditions. A heating optimization algorithm designed for cold regions may prove entirely unsuitable for cooling-focused scenarios in hot areas.

This highly concentrated consumption pattern provides clear strategic guidance for project development. Rather than attempting to optimize every household appliance and charger from the outset, it's more effective to focus R&D resources and initial product features on HVAC and hot water systems. By adopting the Pareto Principle – where 20% of effort solves 80% of problems – the project can deliver the most significant savings for users early on, quickly validate product value, and build user trust.

1.2 Invisible Consumption: Quantifying the Impact of Standby and Phantom Power

In addition to high-power equipment such as HVAC, a more concealed yet far-reaching form of energy

waste—standby power consumption—pervades households. This "phantom power" refers to the electricity continuously consumed by devices in what appears to be an "off" or inactive state, to maintain functions such as remote control reception, digital display, or rapid startup.

Multiple studies confirm that standby power consumption constitutes a significant portion of total household electricity usage. In OECD countries, this proportion typically ranges between 3% and 10%[4]. A detailed study of California households found that standby power consumption varies from 14 to 169 watts, averaging 67 watts, which accounts for 5% to 26% of annual household electricity consumption[5]. Major devices contributing to standby power loss include televisions, set-top boxes, and printers[5]. Although individual devices emit minimal standby power (typically 0.5 to 30 watts), the cumulative effect is substantial due to their continuous operation throughout the day[4].

While manual methods like unplugging devices or switching off sockets can reduce some energy waste6, these approaches heavily rely on users 'self-discipline and sustained effort – a challenge in real-world implementation. This very gap creates a golden opportunity for AI-driven automation solutions. The two primary sources of household energy waste – inefficient HVAC scheduling and pervasive standby power consumption – remain virtually "invisible" to average households. Users neither notice devices quietly draining electricity nor intuitively calculate optimal daily air conditioning schedules. Human cognition struggles with such persistent yet low-visibility issues. Here's where AI shines: it continuously optimizes complex systems in the background through automated analysis of imperceptible data patterns. The core value of AI-powered Home Energy Management Systems (HEMS) lies not just in convenience, but in making "invisible" waste "visible" through monitoring and "complex" optimization "automated" through smart control. This demonstrates why AI is essential – it goes beyond basic rule-based smart home systems.

1.3 Consumption Benchmark: Understanding the Average Level and Identifying Improvement Space

To enable users to clearly recognize their energy-saving potential, establishing a consumption benchmark is crucial. Data indicate that in 2022, the average annual electricity consumption of a typical American household was 10,791 kilowatt-hours (kWh), equivalent to approximately 899 kWh per month.

However, this average figure masks significant regional disparities. In the same year, Louisiana households consumed an average of 14,774 kWh of electricity annually, while Hawaii's average was merely 6,178 kWh. These data points serve as crucial references for project developers to understand target markets, conduct market segmentation, and tailor energy-saving expectations. An efficient Home Energy Management System (HEMS) must provide users with such contextual information through its interface, enabling them to compare their energy consumption with regional averages. This allows for intuitive identification of improvement opportunities and fosters intrinsic motivation for energy conservation.

Section 2: AI-Driven HEMS Architecture Framework

A fully functional AI-powered home energy management system (HEMS) is a sophisticated integrated system, with its architecture resembling the nervous system of a living organism. It requires a perception layer to gather data, a central processing unit for analysis and decision-making, an interactive interface for user communication, and actuating mechanisms to execute controls. This section will detail the core hardware and software components that make up this system.

2.1 Sensory Nervous System: Smart Meters, Environmental Sensors, and Smart Outlets

The foundation of the system lies in data acquisition. Without high-quality, multi-dimensional data input, any AI algorithm would be like water without a source. The key hardware components constituting the HEMS perception layer include:

- Smart meters: As the foundation of the system, smart meters provide total electricity consumption data for the entire household. These high-frequency aggregated power signals serve as the raw input for the Non-Intrusive Load Monitoring (NILM) algorithm to decompose energy consumption 8.
- Environmental sensors: These are the core components for intelligent climate control. For instance, Google Nest thermostats integrate temperature, humidity, and ambient light sensors, which serve as critical inputs for their learning algorithms 10. Additionally, occupancy sensors (such as motion or door/window sensors) enable the system to accurately detect the presence of occupants, automatically switching to deep energy-saving mode when unoccupied to prevent unnecessary energy waste 11.
- Smart sockets: Serving a dual role in the system. Firstly, they act as "ground truth" sources for obtaining precise energy consumption data of specific electrical appliances, which is critical for training and validating the accuracy of the NILM model. Secondly, they also function as direct actuators capable of controlling the power supply on/off of high-power or high standby power devices 13.

2.2 Central Intelligence: The Core Role of AI (Cloud vs. Edge/TinyML)

The AI core serves as the 'brain' of HEMS, handling massive data processing, running machine learning models, and making optimized decisions. Its deployment architecture primarily features two modes:

- Cloud AI: This is currently the mainstream approach. Data collected by sensors is transmitted to cloud servers, where powerful computing clusters run sophisticated machine learning models 15. The key advantage of this architecture lies in its ability to process massive datasets and continuously refine models using aggregated data from numerous households. Established systems like Nest and Samsung SmartThings heavily rely on cloud computing 11.
- Edge/Device AI (TinyML): This emerging and highly promising architecture enables machine learning models to be highly optimized and compressed for direct execution on local hardware, such as home central gateways or even individual smart sockets 17. Known as TinyML (Micro Machine Learning), this approach offers significant advantages in privacy protection (sensitive data remains within the device), low latency (no network round-trip required for decision-making), and high reliability (operating even without internet connection) 18. It is particularly suitable for real-time response tasks, such as immediately cutting off power when a device enters standby mode.

For project developers, making strategic choices between cloud-based and edge AI represents one of the most critical architectural decisions in the entire project. This choice not only reflects differences in technical implementation paths but also directly defines a product's core value proposition and market competitiveness. While a cloud-centric model can leverage powerful computing resources, it inevitably introduces latency, network dependencies, and raises serious user concerns about data privacy 20. Conversely, an architecture prioritizing edge computing based on TinyML 17 can directly address these market pain points. Such an approach can be marketed as a core selling point, highlighting features like "privacy-first," "instant response," and "offline availability." This architectural choice directly addresses key market adoption barriers mentioned in Section 6 (e.g., privacy and trust issues). Therefore, innovative projects aiming to disrupt existing market patterns should seriously consider adopting hybrid or edge-first architectures.

2.3 User Interface: A mobile application for monitoring, controlling, and interacting

Mobile applications serve as the primary interface for user interaction with HEMS, where their design quality directly determines user acceptance and the system's overall performance.

- Core features: The application must provide a clear and intuitive interface for real-time monitoring of total energy consumption and individual appliance sub-consumption, remote control of smart devices, and historical data analysis charts 13.
- Advanced Features: An exemplary HEMS application should provide AI-powered insights and energy-saving recommendations, such as visualizing energy sources (power grid, solar, batteries) and consumption patterns (electrical appliances) through a Sankey diagram 24. Additionally, it should serve as an interface for user engagement in advanced grid services like demand response, while functioning as a platform to deliver behavioral incentives and gamification elements 24.

2.4 Actuator: Intelligent Thermostat, Networked Household Appliances and Controllable Circuit

These components are the ultimate executors of AI decision-making, converting algorithmic outputs into physical-world actions.

- Smart thermostat: As the primary actuator in HVAC systems, it dynamically adjusts the temperature setpoint 16 in real time based on AI-driven optimization scheduling.
- Smart sockets/switches: not only sensors but also powerful actuators. By completely cutting off the power supply to devices, they represent the most effective and direct means to eliminate standby power consumption 28.
- Smart home appliances: Modern smart appliances (e.g., washing machines, dishwashers, and dryers) can receive commands from the HEMS and execute their operational cycles during the most economical time periods, such as when solar energy is abundant or electricity prices are low.
- System-level control: The HEMS can extend its control scope to other home systems, such as smart lighting, electric curtains (for adjusting solar thermal gain), and EV charging stations, enabling coordinated optimization of whole-house energy. 32

A successful HEMS (Home Energy Management System) project should transcend the design philosophy of developing a single product (e.g., a smarter thermostat) to establish a "home energy operating system." The system's sensors, AI core, user interface, and actuators correspond to input devices, CPU/kernel, graphical interface, and output peripherals in a computer operating system. This "operating system" mindset drives developers to prioritize interoperability, aiming to build an open platform compatible with third-party devices rather than a closed proprietary ecosystem. Such a platform-based approach offers greater scalability and future adaptability, enabling continuous evolution with emerging technologies like V2H (Vehicle-to-Home).

Section 3: Core AI Methodology for Energy Optimization

This section constitutes the technical backbone of the report, providing an in-depth analysis of the specific AI models and algorithms that power HEMS' intelligent decision-making, and demonstrating how they transform raw data into actionable energy-saving measures.

3.1 Predictive Climate Control: Machine Learning Models for HVAC Optimization

HVAC systems account for the largest share of household energy consumption and represent the most promising area for AI optimization. The core of smart thermostats lies in their learning and predictive capabilities.

- AI thermostats learn user behavior: Unlike traditional thermostats that rely on fixed programming, these devices use machine learning algorithms to analyze each manual temperature adjustment, identifying users' comfort preferences and daily routines. This enables them to automatically generate and continuously optimize personalized temperature schedules 10.
- Predictive modeling: The system synthesizes multiple data sources—including indoor temperature and humidity, occupancy status, building thermodynamic properties, and external weather forecasts—to construct a dynamic thermodynamic model 6. This model predicts how early HVAC should be activated under specific conditions to achieve target temperatures, as well as how room temperature will fluctuate after deactivation.
- Key algorithms:
    - Neural networks (NNs), such as backpropagation neural networks (BPNNs) and nonlinear autoregressive networks with exogenous inputs (NARX), are employed to model the complex nonlinear relationships between indoor and outdoor environmental factors and indoor temperature 6.
    - Long Short-Term Memory (LSTM): As a specialized recurrent neural network, LSTM excels in processing time-series data, making it particularly suitable for predicting short-term indoor temperature variations 6.
    - Reinforcement Learning (RL) is a powerful learning paradigm where an "agent" (akin to a thermostat) learns optimal control strategies through continuous trial-and-error interactions with its environment. The system aims to maximize a cumulative "reward" function, which serves as the core design principle of RL applications. This reward function requires a delicate balance between energy efficiency (penalizing high energy consumption) and user comfort (penalizing states that deviate from the optimal temperature range) 38.
- Energy efficiency: Studies and product data show that AI-powered smart thermostats can reduce heating costs by 10-12% and cooling costs by 15% on average.34

For control systems like HVAC employing reinforcement learning, designing reward functions represents the most critical and challenging aspect, embodying the project's core intellectual property. An overly simplistic reward function that merely penalizes energy consumption may lead to uncomfortable indoor environments, ultimately forcing manual intervention and rendering AI ineffective. Conversely, a reward function solely rewarding comfort could result in energy waste. The true technical challenge lies in constructing a sophisticated reward function capable of delicately balancing multiple objectives. It must comprehensively consider dynamic factors such as time-of-use electricity pricing, user-customizable comfort zones, building thermal inertia, and occupancy prediction. The system's ability to strike a balance between "deviating temperature from the setpoint by 0.5°C" and "saving $0.10 in peak-hour electricity bills" exemplifies its "intelligence." The unique methodology developers employ in defining this multi-objective reward function will directly determine the system's energy-saving efficacy and user satisfaction.

3.2 Energy Decomposition: Energy Decomposition Based on Non-Intrusive Load Monitoring (NILM)

To achieve refined energy management, it is essential to track the precise usage of each kilowatt-hour of electricity. Non-invasive load monitoring (NILM) technology provides an effective solution for this purpose.

- NILM (Non-Intrusive Load Monitoring), also known as energy decomposition, is a computational technique that deduces individual appliance consumption by analyzing aggregated power signals from a single smart meter installed at the main power inlet. This method provides users with a 'per-item' electricity bill without requiring smart sockets for each appliance.
- Working principle: The core of the NILM algorithm is to identify the unique electrical "fingerprint" or "signature" generated by different electrical appliances when they are turned on, off, or change their operating status. These signatures can be derived from various features extracted from the total signal, such as step changes in active power (P) and reactive power (Q), current harmonics, and transient noise.
- Key algorithms:
    - Early methods: mainly used combination optimization and hidden Markov model and so on.
    - Modern deep learning: The most advanced methods currently employ deep learning models, such as convolutional neural networks (CNNs) and recurrent neural networks (RNNs), to automatically learn and identify complex electrical signatures from massive datasets 9.
    - The multi-label classification framework: This is a highly promising new paradigm. It redefines the NILM problem as predicting the "on/off" status of all appliances at each time point, rather than precise power values. The advantage of this approach lies in its lower requirements for training data—theoretically, it only needs users to record appliance usage logs, thereby reducing the invasiveness of data collection 44.
    - Domain-Antagonistic Neural Networks (DANN): Designed to enhance the generalization capability of NILM models. By learning domain-independent features common across different household environments, DANN enables the model to achieve superior recognition performance on previously unseen appliances when deployed to new households 45.
- Data requirements: A major challenge for NILM is the need for large amounts of labeled training data. This is also why open datasets such as REDD and UK-DALE hold immense value for researchers and developers 44.

3.3 Eliminating Waste at Source: Standby Power Management Based on Device-Side Intelligence (TinyML)

NILM can diagnose standby power consumption issues, but an actuator is still required to eliminate them. The next-generation smart socket delivers the ultimate solution by integrating device-side AI.

- TinyML solution: The next-generation smart socket can run a lightweight machine learning model (TinyML model) directly on its built-in microcontroller 17.
- technical design：
  - Hardware: Low-power microcontrollers such as ARM Cortex-M series or ESP32 are used.
  - Software: Train models using frameworks like TensorFlow in the cloud, then convert, quantify, and optimize them with tools such as TensorFlow Lite for Microcontrollers (TFLM) to generate model files that run efficiently on microcontrollers 18.
  - Function Implementation: The AI model deployed on the socket continuously analyzes the real-time power curve of connected devices. Through training, the model can accurately distinguish the electrical signatures of devices in "active use" and "standby" states. When the model detects prolonged standby status, it automatically cuts off the power supply to the socket, thereby completely eliminating "phantom power" 28.
- Challenges and Advantages: The primary technical challenge lies in the extremely limited memory and computing resources of microcontrollers 52. However, the advantages are revolutionary: millisecond-level real-time response, extreme privacy protection (electricity data does not need to be uploaded to the cloud), and low dependence on cloud services, thereby reducing long-term operational costs 17.

NILM and TinyML-based smart sockets are not competing technologies, but rather a deeply synergistic combination. A truly intelligent system integrates them into a positive feedback loop. NILM functions like a comprehensive "diagnostic scanner" that scans the entire home to identify appliances with excessive standby power consumption. Based on NILM's analysis, the system provides data-driven recommendations: "Your home entertainment center consumes $10 monthly in standby power. We recommend installing an AI-powered smart socket." When adopted, the deployed TinyML smart socket acts as a precision "scalpel" to precisely target the "ailments" detected by NILM. More importantly, the accurate, labeled electricity usage data collected by the smart socket can be fed back to the central AI core, enabling continuous optimization and calibration of NILM's recognition accuracy for such appliances. This creates a virtuous cycle of "identification-elimination-relearning," progressively enhancing the system's intelligence.

3.4 Behavioral Shaping: AI-Driven Boosting, Gamification, and Personalized Recommendations

Beyond technical automated optimization, a significant portion of energy waste stems from user behavior patterns. AI can serve as a potent 'persuasive technology' to guide users toward adopting more energy-efficient lifestyles.

- Personalized Insights: HEMS analyzes users 'unique energy consumption patterns through NILM (Non-Intentional Loss Measurement) to deliver highly customized energy-saving recommendations, moving beyond generic prompts like' Save electricity. 'For example, the system might suggest:' Your old refrigerator uses 40% more power than an energy-efficient model of the same type. Replacing it

could save you around $80 annually.'

- Behavioral nudges: The system can proactively initiate interactions to guide users toward better decisions through nudging. For example, it might send a reminder via mobile push notifications or voice assistant (e.g., Alexa): "I detected you've left your home, but the upstairs air conditioner is still running. Do you need me to turn it off?" 55. Research indicates that this proactive, conversational communication can increase the acceptance rate of energy-saving recommendations by 16% 55.
- Gamification and Social Comparison: Mobile applications can incorporate game design elements such as points, badges, leaderboards, and energy-saving challenges to make mundane energy-saving behaviors more engaging and appealing 58. Additionally, these apps enable users to compare their energy consumption with anonymous neighbors or similar households, leveraging the power of 'social norms' to incentivize energy-saving actions 61.

The table below summarizes the core AI methodologies discussed in this section for home energy management.

Table 1: Core AI Methodologies for Home Energy Management

AI methodology	Main Application Fields	Typical data input	Calculate location	core advantage	Key challenges
reinforcement learning（RL）	HVAC optimization control and energy storage scheduling	Temperature, humidity, weather, occupancy status, electricity price	Cloud/Local Gateway	Optimal Control Strategy in Uncertain Environment	The reward function is complex to design and requires extensive simulation training.
LSTM/Time Series Prediction	Load Forecasting and Solar Power Generation Forecasting	Historical energy consumption data and weather data	Cloud/Local Gateway	high prediction accuracy for time series data	A large amount of clean historical data is required for training
NILM (Based on CNN/RNN)	energy decompositio n and	whole house aggregated power	Cloud/Local Gateway	Sub-metering can be achieved	Relying on high-quality labeled

	electrical identification	waveform data		without installing a sub-meter	training data poses challenges in recognizing similar electrical appliances.
Anomaly detection (e.g., isolated forest)	Detect standby power consumption and device failures	real-time electrical current/power data	Cloud/Edge Device	Capable of identifying abnormal energy consumption patterns	The definition of normal mode is highly demanding and may lead to false positives
TinyML (Device-side Inference)	Real-time cut-off of standby power consumption and local event detection	Real-time power data of a single electrical appliance	device end microcontroller	High privacy, zero latency, offline availability, and ultra-low power consumption	The model size and computational capacity are severely constrained, making complex development challenging.

Section 4: Fully Integrated and Grid-Friendly Smart Home

With the widespread adoption of distributed energy sources (e.g., rooftop solar) and new types of loads (e.g., electric vehicles), modern households are evolving from mere electricity consumers into sophisticated 'prosumers.' This section examines the advanced form of Home Energy Management Systems (HEMS): an integrated platform that intelligently coordinates all energy assets within the home and interacts efficiently with external power grids.

4.1 Maximizing Self-Sufficiency: AI-Driven Scheduling of Solar Energy, Energy Storage, and EV Charging

For households equipped with solar panels, battery energy storage systems (BESS), and electric vehicles, energy management becomes exceptionally complex. The core objective is to maximize the utilization of free solar energy while minimizing the purchase of expensive electricity from the grid.

- AI as the Central Command: AI HEMS serves as the 'central command' for energy flow 62. It employs predictive algorithms to accurately forecast solar power generation for the next few hours or even the entire day based on weather forecasts, while also integrating historical data to predict household electricity load curves 24.
- Intelligent scheduling decisions: Based on these predictions, the AI system makes optimal scheduling decisions in real time 12:
    - Real-time decision-making: Should the solar energy generated now be directly supplied to the running air conditioner, or stored in batteries for nighttime use?
    - Time-sensitive decision-making: Should we charge electric vehicles using midday solar power, or wait until nighttime when electricity prices are lower to recharge from the grid?
    - Risk hedging: If the weather forecast indicates cloudy skies tomorrow, should the system pre-charge batteries from the grid during tonight's lowest electricity rates to prepare for potential power shortages?
- Vehicle-to-Home (V2H) technology: In advanced applications, during grid outages or peak electricity demand, the system can even instruct electric vehicles to discharge energy backward, utilizing their large onboard batteries as temporary backup power for household loads. This significantly enhances both energy resilience and economic efficiency for families. 64

When HEMS integrates distributed energy sources and dispatchable loads, its core function evolves from simple "energy conservation" to complex "financial optimization". In a basic household, AI's objective is to minimize electricity consumption (kWh). However, in a home equipped with solar panels, energy storage, and time-of-use pricing, the goal shifts to minimizing electricity costs ($), which are not entirely equivalent. For instance, during periods of extremely low electricity prices, the system might choose to increase power consumption to charge batteries—a decision that is economically optimal. Furthermore, when households participate in grid services, the objective elevates to maximizing revenue ($$), potentially involving selling electricity to the grid during peak pricing periods. This means the project's core AI algorithms must expand from physics-based predictive control to an integrated decision engine incorporating economic modeling, market price forecasting, and risk management. Essentially, developers are building an "intelligent investment advisor for household energy assets".

4.2 From Passive Consumers to Active Participants: Participation in Demand Response Programs

- Demand Response (DR) Overview: Demand response is an incentive mechanism implemented by power companies to address grid peak loads. It encourages users to voluntarily reduce or shift their electricity consumption during the most strained periods (typically when prices are highest), in exchange for electricity discounts or cash rewards, thereby helping maintain grid stability 65.
- AI-powered automated participation: AI HEMS seamlessly integrates households into demand response programs, enabling automated participation 66. When the system receives DR event signals from the utility (e.g., predicting peak electricity hours or grid emergencies), HEMS automatically executes predefined or dynamically generated energy-saving operations without user intervention 65:
    - Pre-cooling/Pre-heating: Before the DR event begins, adjust the air conditioning temperature one degree either lower or higher. By utilizing the building's thermal inertia, the indoor temperature will naturally fluctuate within a comfortable range during the DR event, thereby reducing the need for air conditioning operation during this period.
    - Load shifting: automatically postponing the operation of high-power, non-urgent loads such as electric vehicles, pool pumps, and dishwashers, and redirecting them to off-peak periods after the DR event ends.
    - Energy storage discharge: The system instructs home energy storage batteries to supply power to household loads, and even in advanced V2G (Vehicle-to-Grid) modes, to sell electricity back to the grid.
- A win-win scenario: Through Demand Response (DR) participation, household users not only gain economic benefits but also enhance grid stability, reducing reliance on expensive and polluting peak-shaving power plants 67. Field tests demonstrate that DR-based load management can reduce peak demand by over 30% 65.

4.3 The Future Belongs to the Collective: The Role of Housing in Virtual Power Plants (VPPs)

- The Virtual Power Plant (VPP) concept aggregates geographically dispersed distributed energy sources—such as rooftop solar panels, energy storage systems, and controllable loads from thousands of households—into a unified, dispatchable virtual power plant. This integrated system participates in electricity markets and grid operations as a cohesive entity.
- The pivotal role of AI: AI serves as the core technology enabling the realization of VPP. The central VPP control system employs AI to conduct precise generation and load forecasting for aggregated resources, performs complex optimization calculations to formulate optimal overall dispatch strategies, and executes bidding and trading in the electricity market 69.
- The role of households: Within the VPP framework, each household's AI HEMS functions as both an "end-point neuron" and a "field controller." It executes dispatch commands from the VPP's central brain while providing real-time updates on local resource status. Through signed agreements, households authorize the VPP to dispatch their energy assets under specific conditions (e.g., extracting a certain amount of electricity from their batteries) and receive corresponding economic compensation 71.

- Market transformation: VPP represents a paradigm shift in the energy sector. It transforms thousands of passive household electricity consumers into active, coordinated, and profitable grid-level assets, providing critical flexibility for integrating high proportions of intermittent renewable energy sources.

While HEMS systems primarily serve households (B2C), the true value emerges when thousands of advanced HEMS devices form Virtual Power Plants (VPPs). The savings of 15% in electricity bills for individual households represent excellent consumer products, while the grid services provided by a VPP of 1,000 homes could potentially offset or even prevent power companies from investing millions in new power plant construction. This substantial B2B value creates a compelling B2B2C business model for developers. They can not only sell products directly to consumers but also collaborate with power companies to launch "grid-friendly smart home" services. Under this model, power companies might subsidize users' HEMS hardware in exchange for their participation in Demand Response (DR) and VPP programs. By deeply aligning the interests of consumers, technology providers, and power companies, this approach can significantly accelerate market adoption.

Section 5: Blueprint for the Project's Phased Implementation

To transform a complex AI HEMS from concept to reality, a clear, pragmatic, and step-by-step implementation path is required. This section provides project developers with a four-phase practical blueprint designed to balance technical complexity, user value delivery, and project risks.

5.1 Phase 1: Basic Monitoring and Rapid Efficacy

- The goal is to deliver immediate, tangible value to early adopters with minimal technical complexity and development costs, while simultaneously building core data.
- Hardware deployment: Utilize established market products, such as branded smart sockets with power monitoring capabilities and mainstream smart thermostats (for instance, initial integration with Google Nest to leverage its proven learning algorithms) 13.
- Software Development: Create a basic mobile application. Its core features include integrating and displaying real-time power consumption data from smart sockets via third-party device APIs, along with remote thermostat control functionality.
- AI Application: At this stage, the AI capabilities primarily depend on the algorithms integrated into the commercial thermostat. The project focuses on establishing a stable data aggregation pipeline and a clear data visualization interface, rather than developing complex AI models in-house.

This phase of design transcends being merely a product development plan—it establishes a strategic data collection framework. A primary challenge in AI projects is the "cold start" issue, stemming from the scarcity of high-quality labeled training data. The first phase effectively addresses this by deploying smart sockets that capture precise electrical power consumption data. These sockets provide essential "ground truth" data for training and validating more complex NILM and HVAC models in the second phase. Fundamentally, the investment in the first phase represents a direct investment in the data assets required for the project's core AI functionalities. Developers are not only building products but also constructing their own unique and valuable datasets during this phase.

5.2 Phase 2: Building the Central AI Brain

- Objective: Develop the project's proprietary AI core to deliver unique data-driven insights, differentiating it from conventional smart home products on the market.
- Hardware deployment: Introduce a local central processing unit (such as a Raspberry Pi or more powerful home server) and install a whole-house energy monitor connected to the main distribution box.
- Software Development: Establish a data collection and processing pipeline from local gateways to the cloud. Initiate the implementation and training of the NILM model 44, using aggregated data from whole-house energy monitors as input and the smart socket data collected in the first phase as training labels. Simultaneously, based on the multidimensional sensor data collected, begin training a customized HVAC prediction model, with the goal of ultimately outperforming the built-in logic of commercial thermostats in performance.
- AI Application: The current R&D focus is to develop a reliable and high-performance NILM algorithm. Mobile applications will undergo major updates to display decomposed energy consumption of individual appliances in graphical form.

5.3 Phase 3: Building the User Interaction and Behavior Guidance Engine

- Objective: To evolve the product from a basic monitoring tool into an intelligent energy manager that actively interacts with users and guides their actions.
- Hardware deployment: No additional hardware required.
- Software Development: The mobile application undergoes in-depth development, integrating the features outlined in Section 3.4: personalized energy-saving recommendations based on NILM insights, a 'boost' engine for proactive reminders, and gamified elements including energy-saving challenges and social comparison 55.
- AI Application: Developing algorithms behind recommendation and recommendation engine. This may involve using unsupervised learning methods such as clustering to segment users into different user profiles (e.g., "night owl type," "home office type") based on their energy consumption

patterns, and then push targeted recommendations.

5.4 Phase 4: Advanced Integration and Grid Services

- The objective is to evolve HEMS into its ultimate form, capable of managing complex energy flows and interacting with the power grid.
- Hardware deployment: Software integration with solar inverters, home energy storage systems, and EV charging stations via API.
- Software development: Implement the advanced scheduling and optimization algorithms described in Section 4.1. This involves building models to predict solar power generation and household loads, and developing an optimization engine (using methods such as linear programming or reinforcement learning) to make real-time decisions on energy storage, usage, and trading 24.
- AI Application: This represents the most sophisticated phase of AI technology, requiring an integrated system capable of multivariable prediction and real-time optimal control to maximize the financial value of household energy assets. The system must be able to communicate with power company servers via APIs to participate in grid services such as demand response and virtual power plants 65.

The phased blueprint's brilliance lies in synchronizing user experience journeys with technological evolution. In Phase 1, users gain basic visibility and control to meet initial needs. Phase 2 leverages NILM to deepen insights, transitioning from "what happened" to "why it happened." Phase 3 transforms users from passive observers to active participants through behavioral engines. Phase 4 ultimately evolves users into interactive "prosumers" engaging with the grid. This progressive experience upgrade avoids overwhelming users with overly complex features from the outset, while building trust in system capabilities at each stage – a critical foundation for users to eventually accept and rely on advanced autonomous decision-making functions.

The table below clearly outlines the key objectives and required hardware and software configurations for each implementation phase.

Table 2: Software and Hardware Requirements for Phased Project Implementation

implementation phase	Key objectives	hsrdware requirements	Software/AI technology stack	core user value
Phase 1: Basic Monitoring	Establish data baselines to deliver value with rapid	Brand smart socket, commercial intelligent	Third-party device API integration and data	Basic Energy Consumption Visibility and Remote Control

	results	thermostat	visualization app	
Phase 2: Central AI Brain	Develop core energy decomposition capabilities to achieve product differentiation	Local gateway/home server, whole-house energy monitor	Data acquisition pipeline, NILM model (CNN/RNN), and customized HVAC prediction model (LSTM)	Detailed breakdown of electrical-grade energy consumption bills with in-depth insights
Phase 3: Behavioral Engine	Increase user engagement and cultivate energy-saving habits	No additional hardware required	Personalized recommendation engine, push notification system, gamified UI/UX	Personalized Energy Saving Guidance and Fun Interactive Experience
Phase 4: Advanced Integration	Financial optimization of energy assets and interaction with power grid	API interfaces of solar inverters, energy storage systems, and EV charging piles	Power generation/load forecasting model, multi-objective optimization engine (RL/LP), grid service API	Energy self-sufficiency and revenue from grid services

Section 6: Key Challenges and Strategic Considerations

Despite the promising prospects of AI HEMS, developers must remain acutely aware of and address a series of formidable challenges during project implementation and market promotion. These challenges span multiple dimensions, including technological, economic, and user psychology aspects, and their proper management will directly determine the success or failure of the project.

6.1 Ecosystem navigation: barriers to interoperability

The smart home market is highly fragmented, featuring incompatible communication protocols (e.g., Zigbee, Z-Wave, Wi-Fi, Thread), ecosystems (e.g., Apple HomeKit, Google Home, Amazon Alexa), and proprietary APIs from device manufacturers. For HEMS projects, the core technical challenge lies in building a platform that seamlessly integrates with the widest possible range of third-party devices. This requires substantial engineering resources to develop, test, and maintain numerous integration interfaces. Adopting emerging open standards like Matter could prove an effective long-term strategy.

6.2 Building Trust: Addressing the Challenges of Data Privacy and Algorithmic Transparency

HEMS collects highly sensitive data about users 'home life during operation, including sleep schedules, family presence, and daily routines 21. As a result, data privacy stands as one of users' top concerns and an inviolable red line 20. Adopting a 'privacy-first' principle from the outset—such as leveraging edge computing and TinyML technologies to process data locally—can create a strong competitive edge in the market.

Moreover, users generally resist entrusting their home comfort and electricity bills entirely to an incomprehensible "black-box" AI. To build and sustain user trust, the system must maintain high transparency. When making critical decisions, the AI should explain its rationale in plain language—for example: "I'm increasing the air conditioning by 1°C because the next hour is peak demand, which is expected to save you $0.5." Providing users with manual override options to challenge AI decisions at any time is essential for establishing trust.

6.3 Economic Equilibrium: Initial Costs, Return on Investment, and User Adoption

The substantial upfront costs of smart home hardware and AI systems remain the primary financial barrier to adoption for average households. 20. Therefore, the project must provide consumers with a clear, credible, and compelling ROI model. Mobile apps should consistently and quantitatively demonstrate users 'electricity savings, thereby reinforcing the product's value proposition. As previously discussed, exploring a B2B2C model through partnerships with power companies—reducing initial purchase costs via subsidies—proves to be an effective approach to overcoming this challenge.

6.4 The Sustainability Paradox: Addressing AI's Energy Footprint

This is a profound yet often overlooked challenge: training and running large-scale AI models, particularly in cloud data centers, inherently consumes massive amounts of electricity and water (for server cooling) 73. If an AI HEMS's cloud algorithm is not designed efficiently, the energy it consumes in data centers may even exceed the energy it saves in households, resulting in a net negative environmental impact on a macro scale.

This further underscores the strategic importance of adopting the "Frugal AI" design principles. Project developers should prioritize lightweight, high-efficiency machine learning models and offload computational tasks to low-power edge devices (using TinyML technology) whenever possible, thereby minimizing the system's carbon footprint and avoiding the paradox of "offering substantial energy consumption for minimal energy savings" 53.

These challenges are not isolated but interconnected and mutually reinforcing. For instance, adopting an edge-first technical architecture not only resolves specific technical issues but also directly addresses user privacy concerns, thereby fostering trust and accelerating market adoption. Similarly, business models partnering with power companies help consumers overcome initial cost barriers. A successful project requires an integrated strategy capable of addressing these interconnected challenges simultaneously. Ultimately, both technological and economic models must serve a core objective: earning user trust. The system demands users' authorization for autonomous decisions regarding home comfort and financial expenditures – a high trust threshold. Therefore, every aspect of the project – from privacy policy formulation, data processing methods 21, to AI decision transparency 20 and system reliability – must prioritize building and maintaining user trust as its paramount design principle. Trust serves as the ultimate and most critical "gatekeeper" in this project.

Conclusion: The future of residential energy is autonomous, predictive and efficient.

This report outlines a clear roadmap for transitioning from the current passive, reactive household energy model to a future energy ecosystem that is intelligent, predictive, and deeply integrated with the grid. Artificial intelligence serves as the core driver of this transformation, capable of handling complexities far beyond what humans or simple automated rules can achieve, elevating home energy management to an entirely new level.

By implementing the phased development strategy outlined in this blueprint, project developers can build a robust Home Energy Management System (HEMS). The system begins with granular energy consumption monitoring, converting invisible waste into visible data through technologies like Non-Intrusive Load Monitoring (NILM). Building on this foundation, it employs advanced algorithms

such as reinforcement learning and time series prediction to enable predictive control of critical equipment like HVAC systems, achieving automatic energy optimization while ensuring comfort. Furthermore, by integrating edge computing technologies like TinyML, the system can eliminate standby power consumption at the device level in real time, while maximizing user privacy protection.

However, technological implementation constitutes only half the battle. A truly exceptional system must also function as an effective "behavioral coach," subtly guiding users to develop lasting energy-saving habits through personalized incentives, gamified motivation, and socialized comparisons. Ultimately, when households are equipped with distributed energy assets like solar panels, energy storage systems, and electric vehicles, the AI HEMS will evolve into an intelligent energy asset optimizer. This system not only enables household energy self-sufficiency but also transforms homes into active contributors to the grid through mechanisms such as demand response and virtual power plant participation, thereby generating economic returns.

For innovators embarking on this project, the road ahead is fraught with challenges spanning technological integration, user trust, and business models. Yet by adhering to the strategic framework outlined in this blueprint and consistently prioritizing user value and trust, the resulting products will not only help countless households save money but also play a pivotal role in driving society's transition toward a more sustainable and resilient energy future. The future of residential energy will undoubtedly be shaped by autonomous, predictive, and efficient AI technologies.

Cited works

1. Home electricity consumption-U.S. Energy Information Administration (EIA), accessed September 4, 2025, https://www.eia.gov/energyexplained/use-of-energy/electricity-use-in-homes.php
2. Average Energy Consumption per Household [2024 U.S. Study] -EnergyBot, accessed on September 4, 2025, https://www.energybot.com/blog/average-energy-consumption.html
3. Measuring Standby Power-Department of Energy, accessed September 4, 2025, https://www.energy.gov/femp/measuring-standby-power
4. Standby Power Usage: How Big Is the Problem? What Policies and Technical Solutions Can Address It? -ACEEE, accessed September 4, 2025, https://www.aceee.org/files/proceedings/2002/data/papers/SS02_Panel7_Paper04.pdf
5. Whole-House Standby Power Consumption Measurements | Energy Technologies Area, accessed September 4, 2025, https://eta.lbl.gov/publications/whole-house-measurements-standby
6. Self-learning algorithm for predicting indoor temperature and cooling..., accessed on September 4, 2025, https://www.mdpi.com/2071-1050/12/17/7110
7. How much electricity does an American home use? -Frequently Asked Questions (FAQs) -U.S. Energy Information Administration (EIA), accessed September 4, 2025, https://www.eia.gov/tools/faqs/faq.php?id=97&t=3
8. AI Energy Monitoring Solutions 2025-Rapid Innovation, published on September 4, 2025, at https://www.rapidinnovation.io/post/ai-agents-for-energy-consumption-tracking
9. PDF: Non-Intrusive Load Monitoring (NILM): State of the Art, accessed September 4, 2025, https://www.researchgate.net/publication/318510754_Non_Intrusive_Load_Monitoring_N

ILM_A_State_of_the_Art
10. Google Nest Learning Thermostat (4th Gen) -Polished Silver, accessed on September 4, 2025, https://www.poweredbyefi.org/eversourcect_business/google-g3-silver.html?locale=zh
11. AI Energy Saving | Samsung Electronics China, accessed on September 4, 2025, https://www.samsung.com.cn/home-appliances/ai-energy-saving/
12. Cubed: Revolutionizing Home Energy Efficiency with AI Technology, accessed September 4, 2025, https://cubed.run/blog/revolutionizing-home-energy-efficiency-with-ai-technology
13. IoT and Energy Management: Building an Energy-Saving Home for a Sustainable Future-Roombanker, published on September 4, 2025, https://www.roombanker.com/zh-TW/blog/home-energy-management-in-iot/
14. How an AI-Powered Smart Plug Can Reduce Your Electricity Bill, published on September 4, 2025, https://www.bharatsmartservices.com/blogs/how-an-ai-powered-smart-plug-can-lower-electricity
15. Boost Efficiency with AI-Driven Energy Management | Pecan AI, accessed September 4, 2025, https://www.pecan.ai/blog/optimize-efficiency-with-ai-energy-management/
16. How the Nest thermostat works with the radiator control valve-Google Nest guide, accessed September 4, 2025, https://support.google.com/googlenest/answer/9259740?hl=zh-Hant
17. TinyML: AI at the Edge. Harnessing the Power of Machine Learning | By Gaurika Sehgal | Accredian, accessed September 4, 2025, https://medium.com/accredian/tinyml-ai-at-the-edge-f32369bc732b
18. TinyML for Ultra-Low Power AI and Large Scale IoT Deployments: A..., accessed on September 4, 2025, https://www.mdpi.com/1999-5903/14/12/363
19. TinyML Custom AI Algorithms for Low-Power IoT Data Compression: A Bridge Monitoring Case Study | Request PDF-ResearchGate, accessed on September 4, 2025, https://www.researchgate.net/publication/372452001_TinyML_Custom_AI_Algorithms_for_Low-Power_IoT_Data_Compression_A_Bridge_Monitoring_Case_Study
20. The rise of smarter homes: harnessing AI for energy efficiency and resilience. Accessed September 4, 2025, https://www.se.com/ww/en/insights/electricity-4-0/digitalization/the-rise-of-smarter-homes-harnessing-ai-for-energy-efficiency-and-resilience/
21. Data privacy and smart home energy appliances: A stated choice experiment-PMC, accessed on September 4, 2025, https://pmc.ncbi.nlm.nih.gov/articles/PMC10637986/
22. Home Energy Management System-Tuya Smart, accessed on September 4, 2025, https://www.tuya.com/cn/industry-details/Kdh31awqu1ddv
23. Energy Ease-An app on Google Play, last accessed on September 4, 2025, https://play.google.com/store/apps/details?id=com.solarman.smarthome&hl=zh
24. SigCloud-Industrial & Commercial, Home Energy Management System-AI Photovoltaic Monitoring Energy App-SigNew Energy. Last accessed: September 4, 2025. https://www.sigenergy.com/cn/products/mysigen-app
25. Home Energy Monitoring-Smart Energy Monitoring | Schneider Electric-Schneider Electric, accessed on September 4, 2025, https://www.schneider-electric.cn/zh/home/inspirations/save.jsp

26. Smart home controls save energy and simplify life-Diotec Semiconductor, accessed September 4, 2025, https://diotec.com/cn/latest-news/smart-home-controls-save-energy-and-simplify-life-2.html
27. Smart Thermostats: Pioneering HVAC and Mechanical Design-Innodez, accessed September 4, 2025, https://innodez.com/pioneering-the-future-smart-thermostats-redefining-hvac-and-mechanical-design/
28. Smart System for Reducing Standby Energy Consumption in Residential Appliances-MDPI, accessed on September 4, 2025, https://www.mdpi.com/1996-1073/17/12/2989
29. AI-powered smart sockets target energy-inefficient office spaces-RESET.ORG, accessed September 4, 2025, https://en.reset.org/ai-powered-smart-sockets-take-aim-at-energy-inefficient-office-space/
30. Samsung unveiled its "AI Home: Future Living, Now" vision at IFA 2025. The event was held on September 4, 2025, and more details can be found at https://news.samsung.com/tw/%E4%B8%89%E6%98%9F%E6%96%BCifa-2025%E7%99%BC%E8%A1%A8%E3%80%8Cai-home-future-living-now%E3%80%8D%E9%A1%98%E6%99%AF.
31. Help and Support | SMA-Home Connect, accessed on September 4, 2025, https://www.home-connect.cn/help-support/sma.htm
32. Artificial Intelligence in Smart Homes: A Guide to Daily Life, published on September 4, 2025, at https://www.ultralytics.com/zh/blog/a-look-at-daily-life-with-ai-enabled-smart-home-solutions
33. Smart home devices can improve your energy efficiency-ABB, accessed on September 4, 2025, https://new.abb.com/buildings/zh/smarter-home/energy
34. The Role of AI in Smart Thermostats | Dependaworthy One Hour, published on September 4, 2025, https://dependaworthyonehour.com/thermostat-installation-replacement/role-of-ai/
35. How Machine Learning Optimizes Thermostat Settings-One Hour Air Conditioning & Heating in Fort Worth, accessed September 4, 2025, https://www.onehourairftworth.com/thermostat-settings/
36. Building an AI-Powered, Open-Standard Thermostat for Smart Spaces: A Complete Guide, accessed on September 4, 2025, https://akpolatcem.medium.com/building-an-ai-powered-open-standard-thermostat-for-smart-spaces-a-complete-guide-0e96052e3de1
37. Machine Learning-Based HVAC Thermostat Control, accessed on September 4, 2025, https://xray greyb.com/hvac/machine-learning-thermostat-control
38. Continuous Reinforcement Learning for HVAC Systems Control: Integrating Hypernetworks and Transfer Learning-arXiv, accessed on September 4, 2025, https://arxiv.org/html/2503.19212v1
39. An experimental evaluation of Deep Reinforcement Learning algorithms for HVAC control, published on September 4, 2025, at https://arxiv.org/html/2401.05737v3
40. Constrained Reinforcement Learning for Safe Heat Pump Control-arXiv, accessed on September 4, 2025, https://arxiv.org/pdf/2409.19716
41. Google Nest Thermostat with Fog Function, available on September 4, 2025,

https://www.poweredbyefi.org/eversourcect_business/google-nest-thermostat-fog-1.html?locale=zh
42. Non-Intrusive Load Monitoring Approaches for Disaggregated Energy Sensing: A Survey, accessed September 4, 2025, https://pmc.ncbi.nlm.nih.gov/articles/PMC3571813/
43. Towards Trustworthy Energy Disaggregation: A Review of Challenges, Methods, and Perspectives for Non-Intrusive Load Monitoring-MDPI, accessed on September 4, 2025, https://www.mdpi.com/1424-8220/22/15/5872
44. Non-intrusive Load Monitoring via Multi-label Sparse Representation-based Classification-arXiv, accessed on September 4, 2025, https://arxiv.org/pdf/1912.07360
45. A Semi-Supervised Approach for Improving Generalization in Non-Intrusive Load Monitoring-PMC, accessed September 4, 2025, https://pmc.ncbi.nlm.nih.gov/articles/PMC9920243/
46. The UK-DALE dataset, which tracks household appliance-level electricity demand... accessed on September 4, 2025, at https://www.researchgate.net/publication/261289463_The_UK-DALE_dataset_domestic_appliance-level_electricity_demand_and_whole-house_demand_from_five_UK_homes
47. The UK-DALE dataset, which includes household-level electricity demand and whole-house demand from five UK homes, was retrieved from Semantic Scholar on September 4, 2025, at https://www.semanticscholar.org/paper/The-UK-DALE-dataset%2C-domestic-appliance-level-and-Kelly-Knottenbelt/6929f729194c6aba159d97921c77dc4077e40466.
48. Dataset name: UK Domestic Appliance-Level Electricity (UK-DALE), accessed on September 4, 2025, https://tokhub.github.io/dbecd/links/ukdale.html
49. [1404.0284] The UK-DALE dataset, which includes household-level electricity demand and whole-house demand from five UK homes-arXiv, accessed on September 4, 2025, https://arxiv.org/abs/1404.0284
50. The IDEAL household energy dataset, including electricity, gas, contextual sensor data, and survey data for 255 UK homes-PubMed Central, accessed on September 4, 2025, https://pmc.ncbi.nlm.nih.gov/articles/PMC8163809/
51. The Use of Real Energy Consumption Data in Characterizing Residential Energy Demand with an Inventory of UK Datasets-MDPI, accessed on September 4, 2025, https://www.mdpi.com/1996-1073/16/16/6069
52. Advancing TinyML in IoT: A Holistic System-Level Perspective for Resource-Constrained AI, accessed on September 4, 2025, https://www.mdpi.com/1999-5903/17/6/257
53. Integrating TinyML into Schneider Electric's connected products, with the summit date set for September 4, 2025, at https://cms.tinyml.org/wp-content/uploads/summit2024/Pierre-Baret_final.pdf
54. Edge AI and TinyML: Design and Architectures for Ultra-Low Power Embedded Intelligence PhD-Cranfield University, accessed September 4, 2025, https://www.cranfield.ac.uk/research/phd/trans-edge-ai-and-tinyml
55. Voice-based Proactive Smart Home Assistants Nudging Occupants for HVAC Energy-Saving Behaviors, accessed on September 4, 2025, https://par.nsf.gov/servlets/purl/10358442
56. (PDF) AI-Augmented Nudges: A New Frontier for Tailored Interventions in Sustainability, accessed on September 4, 2025,

https://www.researchgate.net/publication/387056542_AI-Augmented_Nudges_A_New_Frontier_for_Tailored_Interventions_in_Sustainability
57. Persuasive Technology and Computational Manipulation: Hypernudging Beyond Mental Self-Determination-Frontiers, accessed September 4, 2025, https://www.frontiersin.org/journals/artificial-intelligence/articles/10.3389/frai.2023.1216340/full
58. Empowering Energy Conservation in Buildings Through Gamification: Insights from Diverse Applications-International Journal of Research and Innovation in Social Science, accessed September 4, 2025, https://rsisinternational.org/journals/ijriss/articles/empowering-energy-conservation-in-buildings-through-gamification-insights-from-diverse-applications/
59. This may be the author's version of a work that was submitted/accepted for publication in the following source: Mulcahy, Rory, -QUT ePrints, accessed September 4, 2025, https://eprints.qut.edu.au/199015/1/57515517.pdf
60. (PDF) Gamification in Energy Consumption: A Model for Consumers 'Energy Saving, accessed on September 4, 2025, https://www.researchgate.net/publication/377431712_Gamification_in_Energy_Consumption_A_Model_for_Consumers'_Energy_Saving
61. Smart Meters Trigger Electricity-Saving: Play, Learn, and Interact Through Gamification and Social Comparison-ResearchGate, accessed September 4, 2025, https://www.researchgate.net/publication/305220079_Triggering_Electricity-Saving_Through_Smart_Meters_Play_Learn_And_Interact_Using_Gamification_And_Social_Comparison
62. AI and Smart Homes: Driving Sustainable Energy Efficiency by 2025-Greenoz Solutions, published on September 4, 2025, https://greenozsolutions.com.au/the-future-of-home-energy-how-solar-ai-and-smart-technology-will-revolutionize-your-energy-bills-in-2025/
63. Smart AI Energy Systems Cut Your Home's Power Bills by 30% -Illinois Renewables, accessed September 4, 2025, https://www.illinoisrenew.org/smart-home-integration/smart-ai-energy-systems-cut-your-homes-power-bills-by-30/
64. Innovations in Home Energy Management-Molex, accessed September 4, 2025, https://www.molex.com/zh-cn/blog/innovations-in-home-energy-management
65. An AI-Powered System for Residential Demand Response-MDPI, accessed on September 4, 2025, https://www.mdpi.com/2079-9292/10/6/693
66. Bringing AI to the forefront of demand response-BrainBox AI, published on September 4, 2025, https://brainboxai.com/en/articles/democratizing-demand-response-with-ai
67. AI in Energy Distribution Market Size | Industry Report, 2033-Grand View Research, accessed September 4, 2025, https://www.grandviewresearch.com/industry-analysis/ai-energy-distribution-market-report
68. AI Agents for Smart Grid Management 2025-Rapid Innovation, published on September 4, 2025, at https://www.rapidinnovation.io/post/ai-agents-for-grid-management
69. Review and Prospects of Artificial Intelligence Technology in Virtual..., accessed on September 4, 2025, https://www.mdpi.com/1996-1073/18/13/3325
70. Guide for Virtual Power Plant Functional Specification for Alternate and Multi-Source

Generation, accessed on September 4, 2025, https://www.energy.gov/sites/default/files/2024-06/Guide%20for%20VPP%20-%20IEEE%20Standards_optimized_0.pdf
71. Design and Optimal Operation of a Virtual Power Plant with Bidirectional Electric Vehicle Chargers Saidur Rahman-University of Alberta, accessed September 4, 2025, https://era.library.ualberta.ca/items/d323cd6a-c867-4c06-978a-19c5956a138d/view/53e9d4ff-1a54-4188-9080-a2c94de4c063/Rahman_Saidur_202212_MSc.pdf
72. (PDF) AI-based methods for renewable power system operation, accessed on September 4, 2025, https://www.researchgate.net/publication/378122313_Artificial_intelligence-based_methods_for_renewable_power_system_operation
73. Addressing Challenges for the Effective Adoption of Artificial... -MDPI, accessed on September 4, 2025, https://www.mdpi.com/2071-1050/17/13/5764
74. The Hidden Cost of AI: Energy, Water, and the Sustainability Challenge | EDRM-Electronic Discovery Reference Model-JD Supra, accessed on September 4, 2025, https://www.jdsupra.com/legalnews/the-hidden-cost-of-ai-energy-water-and-3174983/
75. AI faces high energy costs in data centers — but solutions exist | MIT Sloan, accessed September 4, 2025, https://mitsloan.mit.edu/ideas-made-to-matter/ai-has-high-data-center-energy-costs-there-are-solutions