

References

- Aria, C., 2022, The origin and early evolution of arthropods: *Biological Reviews*, v. 97, n. 5, p. 1786–1809.
- Bassler, R.S., 1935, The classification of the Edrioasteroidea: *Smithsonian Miscellaneous Collections*, v. 93.
- Bauer, J.E., 2018a, Fossil focus: blastoids: *Palaeontology Online*, v. 8, n. 7, 7 pp.
- Bauer, J.E., 2018b, General morphology of a stalked crinoid: *Wikimedia Commons*, https://commons.wikimedia.org/wiki/File:Crinoid_anatomy.png.
- Blake, D.B., Gahn, F.J., and Guensberg, T.E., 2020, Two new early Asteroidea (Echinodermata) and early asteroid evolution: *Journal of Paleontology*, v. 94, p. 734–747.
- Botting, J.P., Janussen, D., Muir, L.A., Dohrmann, M., Ma, J., and Zhang, Y., 2022, Extraordinarily early Venus' flower basket sponges (Hexactinellida, Euplectellidae) from the uppermost Ordovician Anji Biota, China: *Palaeontology*, v. 65, n. e12592, doi: 10.1111/pala.12592.
- Brauckmann, C., and Schneider, J., 1996, Ein unter-karbonisches Insekt aus dem Raum Bitterfeld/Delitzsch (Pterygota, Arnsbergium, Deutschland): *Neues Jahrbuch für Geologie und Paläontologie-Monatshefte*, p. 17–30.
- British Geological Survey, 2021, Corals: *British Geological Survey*, <https://www.bgs.ac.uk/discovering-geology/fossils-and-geological-time/corals/>, accessed 20 Aug. 2021.
- Brookfield, M.E., Catlos, E.J., and Suarez, S.E., 2022, Vertebrate lies? Arthropods were the first land animals!: *Geology Today*, v. 38, p. 65–68, doi: 10.1111/gto.12383.
- Caballero-Ochoa, A.A., Solís-Marín, F.A., Fragoso-Medina, A.J., Conejeros Vargas, C.A., Buitrón Sánchez, B.A., Acosta Najarro, D.R., Martínez-Dávalos, A., Rodríguez-Villafuerte, M., and Jiménez-López, J.C., 2025, First record of the deep-sea sea cucumber *Rynkatorpa felderi* (Echinodermata: Holothuroidea) in Mexican Waters of the Gulf of Mexico: insights from the calcareous ring using X-ray micro-CT: *Marine Biodiversity*, v. 55, n. 96.
- Castrejón-Varela, A., Pérez-García, B., Guerrero-Analco, J.A., and Mehlreter, K., 2022, A brief review of phytochemical defenses of ferns against herbivores: *American Fern Journal*, v. 112, p. 233–250, doi: 10.1640/0002-8444-112.4.233.
- De Baets, K., Budil, P., Fatka, O., and Geyer, G., 2021, *Trilobites as hosts for parasites: from paleopathologies to etiologies*: Springer, Switzerland, 487 p.
- De Blainville, H.M.D., 1834, *Manuel d'Actinologie ou de Zoophytologie*: F.G. Levrault, 687 p., <https://www.biodiversitylibrary.org/page/9680581#page/9/mode/1up>.
- Derkarabetian, S., Baker, C.M., and Giribet, G., 2021, Complex patterns of Gondwanan biogeography revealed in a dispersal-limited arachnid: *Journal of Biogeography*, v. 48, p. 1336–1352.

- Dimichele, W.A., Pfefferkorn, H.W., and Gastaldo, R.A., 2001, Response of Late Carboniferous and Early Permian plant communities to climate change: *Annual Review of Earth and Planetary Sciences*, v. 29, p. 461–487, doi: 10.1146/annurev.earth.29.1.461.
- Dohrmann, M., Kelley, C., Kelly, M., Pisera, A., Hooper, J., and Reiswig, H., 2017, An integrative systematic framework helps to reconstruct skeletal evolution of glass sponges (Porifera, Hexactinellida): *Frontiers in Zoology*, v. 14, n. 18, doi: 10.1186/s12983-017-0191-3.
- Enrichetti, F., and Toma, M., 2025, Deep-sea echinoderms of the European Oceans: *Diversity*, v. 16.
- Gastaldo, R.A., 1986, Implications on the paleoecology of autochthonous lycopods in clastic sedimentary environments of the Early Pennsylvanian of Alabama: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 53, p. 191–212, doi: 10.1016/0031-0182(86)90044-1.
- Giribet, G., and Edgecombe, G.D., 2019, The phylogeny and evolutionary history of arthropods: *Current Biology*, v. 29, n. 12, p. R592–R602.
- Gonez, P., and Gerrienne, P., 2010, A new definition and lectotypification of the genus *Cooksonia* Lang 1937: *International Journal of Plant Sciences*, v. 171, p. 199–215, doi: 10.1086/648988.
- Gray, J.E., 1840, in Telford, M., and Mooi, R., 1986, Echinoderms, Babel and the confusion of nomenclature: *Systematic Biology*, v. 35, n. 2, p. 254–255.
- Grebelnyi, S.D., and Ivanova, N.Y., 2023, Significance of symmetry features for the classification of Anthozoa: *Paleontological Journal*, v. 57, n. 11, p. 1226–1245, doi: 10.1134/s0031030123110059.
- Hagdorn, H., Wang, X., and Wang, C., 2007, Palaeoecology of the pseudoplanktonic Triassic crinoid *Traumatocrinus* from Southwest China: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 247, p. 181–196.
- Hestetun, J.T., et al., 2017, A review of carnivorous sponges (Porifera: Cladorhizidae) from the Boreal North Atlantic and Arctic: *Zoological Journal of the Linnean Society*, v. 181, n. 1, p. 1–69, doi: 10.1093/zoolinnean/zlw022.
- Janosik, A.M., Mahon, A.R., Scheltema, R.S., and Halanych, K.M., 2008, Life history of the Antarctic sea star *Labidiaster annulatus* (Asteroidea: Labidiasteridae) revealed by DNA barcoding: *Antarctic Science*, v. 20, n. 6, p. 563–564.
- Kahn, A.S., Yahel, G., Chu, J.W.F., Tunnicliffe, V., and Leys, S.P., 2015, Benthic grazing and carbon sequestration by deep-water glass sponge reefs: *Limnology and Oceanography*, v. 60, p. 78–88, doi: 10.1002/lno.10002.
- Katz, S.G., and Sprinkle, J., 1976, Fossilized eggs in a Pennsylvanian blastoid: *Science*, v. 192, p. 1137–1139.
- Krehenbrink, M., 2020, *Cooksonia* 3D model: Thingiverse, <https://www.thingiverse.com/thing:4639390>.

- Liang, K., et al., 2024, Editorial preface to special issue: paleoecology and evolution of Paleozoic corals and reef ecosystems: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 655, p. 112471, doi: 10.1016/j.palaeo.2024.112471.
- Liang, Q., Ahmed, F., Zhang, M., Sperou, N., Franco, C.M.M., Feng, Q., and Zhang, W., 2022, In vivo and clinical studies of sea cucumber-derived bioactives for human health and nutrition from 2012–2021: *Frontiers in Marine Science*, v. 9.
- Liu, X., Krause, A.J., Wilson, D.J., Fraser, W.T., Joachimski, M.M., Brand, U., Stigall, A.L., Qie, W., Chen, B., Yang, X., and Pogge von Strandmann, P.A.E., 2025, Lithium isotope evidence shows Devonian afforestation may have significantly altered the global silicate weathering regime: *Geochimica et Cosmochimica Acta*, v. 396, p. 107–121, doi: 10.1016/j.gca.2025.02.036.
- Lundsten, L., et al., 2014, Four new species of Cladorhizidae (Porifera, Demospongiae, Poecilosclerida) from the Northeast Pacific: *Zootaxa*, v. 3786, n. 2, p. 101–123, doi: 10.11646/zootaxa.3786.2.1.
- Lundsten, L., 2017, Newly described 'parasol' sponges are graceful but deadly (to small crustaceans): Monterey Bay Aquarium Research Institute, <https://www.mbari.org>.
- Magallón, S., Sánchez-Reyes, L.L., and Gómez-Acevedo, S.L., 2019, Thirty clues to the exceptional diversification of flowering plants: *Annals of Botany*, v. 123, p. 491–503, doi: 10.1093/aob/mcy182.
- McFadden, C.S., et al., 2021, Phylogenomics, origin, and diversification of Anthozoans (phylum Cnidaria): *Systematic Biology*, v. 70, n. 4, p. 635–647, doi: 10.1093/sysbio/syaa103.
- Miller, J.S., 1821, A natural history of the Crinoidea or lily-shaped animals, with observations on the genera Asteria, Euryale, Comatula, and Marsupites: C. Frost, 150 pp.
- Moisan, P., Labandeira, C.C., Matushkina, N.A., Wappler, T., Voigt, S., and Kerp, H., 2012, Lycopsid–arthropod associations and odonatopteran oviposition on Triassic herbaceous Isoetes: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 344–345, p. 6–15, doi: 10.1016/j.palaeo.2012.05.016.
- Monterey Bay Aquarium Research Institute, 2012, Harp sponge (*Chondrocladia lyra*), Upper Monterey Fan, 3,347 meters: MBARI, <https://www.mbari.org/animal/harp-sponge/>.
- Museo delle Scienze di Trento – MUSE, Rhynia 3D model: Wikimedia Commons, https://upload.wikimedia.org/wikipedia/commons/1/1a/Rhynia_sp._-_MUSE.jpg.
- National Park Service, 2021, Trilobite: NPS, <https://www.nps.gov/articles/trilobite.htm>.
- Oliver, W., and Sorauf, J., Corals: Paleontological Society, <https://www.paleosoc.org/assets/docs/Corals.pdf>, accessed 2 Dec. 2025.
- Petrulevičius, J.F., and Gutiérrez, P.R., 2025, Oldest winged insects: first Megasecoptera from the early Carboniferous (Serpukhovian) of Argentina: *Palaeontology*, v. 68, n. e70024, doi: 10.1111/pala.70024.
- Pisera, A., 2004, What can we learn about siliceous sponges from paleontology: *Bollettino dei Musei e degli Istituti Biologici dell'Università di Genova*, v. 68, p. 55–69.

- Plotnick, R., 1986, Taphonomy of a modern shrimp: implications for the arthropod fossil record: *Palaios*, v. 1, p. 286–293.
- Purcell, S., Samyn, Y., and Conand, C., 2012, Commercially important sea cucumbers of the world: Food and Agriculture Organization of the United Nations, 203 pp.
- Roberts, E., 2023, What is a glass sponge?: Ocean Conservancy, <https://oceanconservancy.org/blog/2023/11/21/what-glass-sponge/>.
- Say, T., 1825, in Fay, R.O., 1961, Echinodermata: blastoid studies: University of Kansas Publications, n. 3, p. 1–147.
- Schumacher, C.F., 1817, Essai d'un nouveau système des habitations des vers testacés: Schultz, 288 pp.
- Shawar, L., Love, G.D., Uveges, B.T., Zumberge, J.A., Cárdenas, P., Giner, J.L., and Summons, R.E., 2025, Chemical characterization of C31 sterols from sponges and Neoproterozoic fossil sterane counterparts: *Proceedings of the National Academy of Sciences*, v. 122, n. 41, n. e2503009122, doi: 10.1073/pnas.2503009122.
- Silva, A., 2024, Comparison of extinction threats to coral reefs during the Devonian and today: *Eukaryon*, v. 20.
- Smirnov, A.V., 2021, Origin of the class Holothuroidea: *Paleontological Journal*, v. 55, p. 766–786.
- Smith, J., 2020, Crinoidea: Digital Atlas of Ancient Life, <https://www.digitalatlasofancientlife.org/learn/echinodermata/crinoidea/>.
- Specht, C.D., and Bartlett, M.E., 2009, Flower evolution: the origin and subsequent diversification of the angiosperm flower: *Annual Review of Ecology, Evolution, and Systematics*, v. 40, p. 217–243, doi: 10.1146/annurev.ecolsys.110308.120203.
- Sprinkle, J., and Sumrall, C.D., 2018, New edrioasterine and astrocystitid (Echinodermata: Edrioasteroidea) from the Ninemile Shale (Lower Ordovician), central Nevada: *Journal of Paleontology*, v. 89, n. 2, p. 346–352.
- Stanley, G.D., 2003, The evolution of modern corals and their early history: *Earth-Science Reviews*, v. 60, n. 3–4, p. 195–225, doi: 10.1016/s0012-8252(02)00104-6.
- Stein, W.E., Berry, C.M., Morris, J.L., Hernick, L.V., Mannolini, F., Ver Straeten, C., Landing, E., Marshall, J.E.A., Wellman, C.H., Beerling, D.J., and Leake, J.R., 2020, Mid-Devonian *Archaeopteris* roots signal revolutionary change in earliest fossil forests: *Current Biology*, v. 30, p. 421–431, doi: 10.1016/j.cub.2019.11.067.
- Stokes, R.B., 2021, Attribution of the taxon name Echinodermata to Klein, 1778: *Zootaxa*, v. 5061, n. 1, p. 199–200.
- Telford, M., and Mooi, R., 1986, Echinoderms, Babel and the confusion of nomenclature: *Systematic Biology*, v. 35, n. 2, p. 254–255.
- Thuy, B., Numburger-Thuy, L.D., and Pineda-Enriquez, T., 2021, New fossils of Jurassic ophiurid brittle stars (Ophiuroidea; Ophiurida) provide evidence for early clade evolution in the deep sea: *Royal Society Open Science*, v. 8, n. 8.

- Twitchett, R.J., and Oji, T., 2005, Early Triassic recovery of echinoderms: *Comptes Rendus Palevol*, v. 4, p. 531–542, doi: 10.1016/j.crpv.2005.02.006.
- Vacelet, J., and Duport, E., 2004, Prey capture and digestion in the carnivorous sponge *Asbestopluma hypogea* (Porifera: Demospongiae): *Zoomorphology*, v. 123, p. 179–190, doi: 10.1007/s00435-004-0100-0.
- Waseem, S.U., 2025, The age of *Meganeura*: a look back at the giants of insect evolution: *World Journal of Entomology*, v. 1, p. 26–30.
- Wellman, C.H., 2017, Palaeoecology and palaeophytogeography of the Rhynie chert plants: further evidence from integrated analysis of in situ and dispersed spores: *Philosophical Transactions of the Royal Society B: Biological Sciences*, v. 373, n. 1739, doi: 10.1098/rstb.2016.0491.
- Xiao, Y., Xiao, N., and Xiaoqi, Z., 2023, *Benthodytes tetrapapillata* sp. nov., a new elasipodid sea cucumber (Elasipodida: Pyschropotidae) from a seamount in the Western Pacific Ocean: *Journal of Oceanology and Limnology*, v. 41, n. 5, p. 1978–1987.
- Zamora, S., 2013, Morphology and phylogenetic interpretation of a new Cambrian edrioasteroid (Echinodermata) from Spain: *Palaeontology*, v. 56, p. 421–431, doi: 10.1111/j.1475-4983.2012.01209.x.