References

Aria, C., 2022, The origin and early evolution of arthropods: Biological Reviews, v. 97, n. 5, p. 1786–1809.

Bassler, R.S., 1935, The classification of the Edrioasteroidea: Smithsonian Miscellaneous Collections, v. 93.

Bauer, J.E., 2018a, Fossil focus: blastoids: Palaeontology Online, v. 8, n. 7, 7 pp.

Bauer, J.E., 2018b, General morphology of a stalked crinoid: Wikimedia Commons, https://commons.wikimedia.org/wiki/File:Crinoid_anatomy.png.

Blake, D.B., Gahn, F.J., and Guensberg, T.E., 2020, Two new early Asteroidea (Echinodermata) and early asteroid evolution: Journal of Paleontology, v. 94, p. 734–747.

Botting, J.P., Janussen, D., Muir, L.A., Dohrmann, M., Ma, J., and Zhang, Y., 2022, Extraordinarily early Venus' flower basket sponges (Hexactinellida, Euplectellidae) from the uppermost Ordovician Anji Biota, China: Palaeontology, v. 65, n. e12592, doi: 10.1111/pala.12592.

Brauckmann, C., and Schneider, J., 1996, Ein unter-karbonisches Insekt aus dem Raum Bitterfeld/Delitzsch (Pterygota, Arnsbergium, Deutschland): Neues Jahrbuch für Geologie und Paläontologie-Monatshefte, p. 17–30.

British Geological Survey, 2021, Corals: British Geological Survey, https://www.bgs.ac.uk/discovering-geology/fossils-and-geological-time/corals/, accessed 20 Aug. 2021.

Brookfield, M.E., Catlos, E.J., and Suarez, S.E., 2022, Vertebrate lies? Arthropods were the first land animals!: Geology Today, v. 38, p. 65–68, doi: 10.1111/gto.12383.

Caballero-Ochoa, A.A., Solís-Marín, F.A., Fragoso-Medina, A.J., Conejeros Vargas, C.A., Buitrón Sánchez, B.A., Acosta Najarro, D.R., Martínez-Dávalos, A., Rodríguez-Villafuerte, M., and Jiménez-López, J.C., 2025, First record of the deep-sea sea cucumber Rynkatorpa felderi (Echinodermata: Holothuroidea) in Mexican Waters of the Gulf of Mexico: insights from the calcareous ring using X-ray micro-CT: Marine Biodiversity, v. 55, n. 96.

Castrejón-Varela, A., Pérez-García, B., Guerrero-Analco, J.A., and Mehltreter, K., 2022, A brief review of phytochemical defenses of ferns against herbivores: American Fern Journal, v. 112, p. 233–250, doi: 10.1640/0002-8444-112.4.233.

De Baets, K., Budil, P., Fatka, O., and Geyer, G., 2021, Trilobites as hosts for parasites: from paleopathologies to etiologies: Springer, Switzerland, 487 p.

De Blainville, H.M.D., 1834, Manuel d'Actinologie ou de Zoophytologie: F.G. Levrault, 687 p., https://www.biodiversitylibrary.org/page/9680581#page/9/mode/1up.

Derkarabetian, S., Baker, C.M., and Giribet, G., 2021, Complex patterns of Gondwanan biogeography revealed in a dispersal-limited arachnid: Journal of Biogeography, v. 48, p. 1336–1352.

Dimichele, W.A., Pfefferkorn, H.W., and Gastaldo, R.A., 2001, Response of Late Carboniferous and Early Permian plant communities to climate change: Annual Review of Earth and Planetary Sciences, v. 29, p. 461–487, doi: 10.1146/annurev.earth.29.1.461.

Dohrmann, M., Kelley, C., Kelly, M., Pisera, A., Hooper, J., and Reiswig, H., 2017, An integrative systematic framework helps to reconstruct skeletal evolution of glass sponges (Porifera, Hexactinellida): Frontiers in Zoology, v. 14, n. 18, doi: 10.1186/s12983-017-0191-3.

Enrichetti, F., and Toma, M., 2025, Deep-sea echinoderms of the European Oceans: Diversity, v. 16.

Gastaldo, R.A., 1986, Implications on the paleoecology of autochthonous lycopods in clastic sedimentary environments of the Early Pennsylvanian of Alabama: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 53, p. 191–212, doi: 10.1016/0031-0182(86)90044-1.

Giribet, G., and Edgecombe, G.D., 2019, The phylogeny and evolutionary history of arthropods: Current Biology, v. 29, n. 12, p. R592–R602.

Gonez, P., and Gerrienne, P., 2010, A new definition and lectotypification of the genus Cooksonia Lang 1937: International Journal of Plant Sciences, v. 171, p. 199–215, doi: 10.1086/648988.

Gray, J.E., 1840, in Telford, M., and Mooi, R., 1986, Echinoderms, Babel and the confusion of nomenclature: Systematic Biology, v. 35, n. 2, p. 254–255.

Grebelnyi, S.D., and Ivanova, N.Y., 2023, Significance of symmetry features for the classification of Anthozoa: Paleontological Journal, v. 57, n. 11, p. 1226–1245, doi: 10.1134/s0031030123110059.

Hagdorn, H., Wang, X., and Wang, C., 2007, Palaeoecology of the pseudoplanktonic Triassic crinoid Traumatocrinus from Southwest China: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 247, p. 181–196.

Hestetun, J.T., et al., 2017, A review of carnivorous sponges (Porifera: Cladorhizidae) from the Boreal North Atlantic and Arctic: Zoological Journal of the Linnean Society, v. 181, n. 1, p. 1–69, doi: 10.1093/zoolinnean/zlw022.

Janosik, A.M., Mahon, A.R., Scheltema, R.S., and Halanych, K.M., 2008, Life history of the Antarctic sea star Labidiaster annulatus (Asteroidea: Labidiasteridae) revealed by DNA barcoding: Antarctic Science, v. 20, n. 6, p. 563–564.

Kahn, A.S., Yahel, G., Chu, J.W.F., Tunnicliffe, V., and Leys, S.P., 2015, Benthic grazing and carbon sequestration by deep-water glass sponge reefs: Limnology and Oceanography, v. 60, p. 78–88, doi: 10.1002/lno.10002.

Katz, S.G., and Sprinkle, J., 1976, Fossilized eggs in a Pennsylvanian blastoid: Science, v. 192, p. 1137–1139.

Krehenbrink, M., 2020, Cooksonia 3D model: Thingiverse, https://www.thingiverse.com/thing:4639390.

Liang, K., et al., 2024, Editorial preface to special issue: paleoecology and evolution of Paleozoic corals and reef ecosystems: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 655, p. 112471, doi: 10.1016/j.palaeo.2024.112471.

Liang, Q., Ahmed, F., Zhang, M., Sperou, N., Franco, C.M.M., Feng, Q., and Zhang, W., 2022, In vivo and clinical studies of sea cucumber-derived bioactives for human health and nutrition from 2012–2021: Frontiers in Marine Science, v. 9.

Liu, X., Krause, A.J., Wilson, D.J., Fraser, W.T., Joachimski, M.M., Brand, U., Stigall, A.L., Qie, W., Chen, B., Yang, X., and Pogge von Strandmann, P.A.E., 2025, Lithium isotope evidence shows Devonian afforestation may have significantly altered the global silicate weathering regime: Geochimica et Cosmochimica Acta, v. 396, p. 107–121, doi: 10.1016/j.gca.2025.02.036.

Lundsten, L., et al., 2014, Four new species of Cladorhizidae (Porifera, Demospongiae, Poecilosclerida) from the Northeast Pacific: Zootaxa, v. 3786, n. 2, p. 101–123, doi: 10.11646/zootaxa.3786.2.1.

Lundsten, L., 2017, Newly described 'parasol' sponges are graceful but deadly (to small crustaceans): Monterey Bay Aquarium Research Institute, https://www.mbari.org.

Magallón, S., Sánchez-Reyes, L.L., and Gómez-Acevedo, S.L., 2019, Thirty clues to the exceptional diversification of flowering plants: Annals of Botany, v. 123, p. 491–503, doi: 10.1093/aob/mcy182.

McFadden, C.S., et al., 2021, Phylogenomics, origin, and diversification of Anthozoans (phylum Cnidaria): Systematic Biology, v. 70, n. 4, p. 635–647, doi: 10.1093/sysbio/syaa103.

Miller, J.S., 1821, A natural history of the Crinoidea or lily-shaped animals, with observations on the genera Asteria, Euryale, Comatula, and Marsupites: C. Frost, 150 pp.

Moisan, P., Labandeira, C.C., Matushkina, N.A., Wappler, T., Voigt, S., and Kerp, H., 2012, Lycopsid–arthropod associations and odonatopteran oviposition on Triassic herbaceous Isoetites: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 344–345, p. 6–15, doi: 10.1016/j.palaeo.2012.05.016.

Monterey Bay Aquarium Research Institute, 2012, Harp sponge (Chondrocladia lyra), Upper Monterey Fan, 3,347 meters: MBARI, https://www.mbari.org/animal/harp-sponge/.

Museo delle Scienze di Trento – MUSE, Rhynia 3D model: Wikimedia Commons, https://upload.wikimedia.org/wikipedia/commons/1/1a/Rhynia_sp._-_MUSE.jpg.

National Park Service, 2021, Trilobite: NPS, https://www.nps.gov/articles/trilobite.htm.

Oliver, W., and Sorauf, J., Corals: Paleontological Society, https://www.paleosoc.org/assets/docs/Corals.pdf, accessed 2 Dec. 2025.

Petrulevičius, J.F., and Gutiérrez, P.R., 2025, Oldest winged insects: first Megasecoptera from the early Carboniferous (Serpukhovian) of Argentina: Palaeontology, v. 68, n. e70024, doi: 10.1111/pala.70024.

Pisera, A., 2004, What can we learn about siliceous sponges from paleontology: Bollettino dei Musei e degli Istituti Biologici dell'Università di Genova, v. 68, p. 55–69.

Plotnick, R., 1986, Taphonomy of a modern shrimp: implications for the arthropod fossil record: Palaios, v. 1, p. 286–293.

Purcell, S., Samyn, Y., and Conand, C., 2012, Commercially important sea cucumbers of the world: Food and Agriculture Organization of the United Nations, 203 pp.

Roberts, E., 2023, What is a glass sponge?: Ocean Conservancy, https://oceanconservancy.org/blog/2023/11/21/what-glass-sponge/.

Say, T., 1825, in Fay, R.O., 1961, Echinodermata: blastoid studies: University of Kansas Publications, n. 3, p. 1–147.

Schumacher, C.F., 1817, Essai d'un nouveau système des habitations des vers testacés: Schultz, 288 pp.

Shawar, L., Love, G.D., Uveges, B.T., Zumberge, J.A., Cárdenas, P., Giner, J.L., and Summons, R.E., 2025, Chemical characterization of C31 sterols from sponges and Neoproterozoic fossil sterane counterparts: Proceedings of the National Academy of Sciences, v. 122, n. 41, n. e2503009122, doi: 10.1073/pnas.2503009122.

Silva, A., 2024, Comparison of extinction threats to coral reefs during the Devonian and today: Eukaryon, v. 20.

Smirnov, A.V., 2021, Origin of the class Holothuroidea: Paleontological Journal, v. 55, p. 766–786.

Smith, J., 2020, Crinoidea: Digital Atlas of Ancient Life, https://www.digitalatlasofancientlife.org/learn/echinodermata/crinoidea/.

Specht, C.D., and Bartlett, M.E., 2009, Flower evolution: the origin and subsequent diversification of the angiosperm flower: Annual Review of Ecology, Evolution, and Systematics, v. 40, p. 217–243, doi: 10.1146/annurev.ecolsys.110308.120203.

Sprinkle, J., and Sumrall, C.D., 2018, New edrioasterine and astrocystitid (Echinodermata: Edrioasteroidea) from the Ninemile Shale (Lower Ordovician), central Nevada: Journal of Paleontology, v. 89, n. 2, p. 346–352.

Stanley, G.D., 2003, The evolution of modern corals and their early history: Earth-Science Reviews, v. 60, n. 3–4, p. 195–225, doi: 10.1016/s0012-8252(02)00104-6.

Stein, W.E., Berry, C.M., Morris, J.L., Hernick, L.V., Mannolini, F., Ver Straeten, C., Landing, E., Marshall, J.E.A., Wellman, C.H., Beerling, D.J., and Leake, J.R., 2020, Mid-Devonian *Archaeopteris* roots signal revolutionary change in earliest fossil forests: Current Biology, v. 30, p. 421–431, doi: 10.1016/j.cub.2019.11.067.

Stokes, R.B., 2021, Attribution of the taxon name Echinodermata to Klein, 1778: Zootaxa, v. 5061, n. 1, p. 199–200.

Telford, M., and Mooi, R., 1986, Echinoderms, Babel and the confusion of nomenclature: Systematic Biology, v. 35, n. 2, p. 254–255.

Thuy, B., Numburger-Thuy, L.D., and Pineda-Enriquez, T., 2021, New fossils of Jurassic ophiurid brittle stars (Ophiuroidea; Ophiurida) provide evidence for early clade evolution in the deep sea: Royal Society Open Science, v. 8, n. 8.

Twitchett, R.J., and Oji, T., 2005, Early Triassic recovery of echinoderms: Comptes Rendus Palevol, v. 4, p. 531–542, doi: 10.1016/j.crpv.2005.02.006.

Vacelet, J., and Duport, E., 2004, Prey capture and digestion in the carnivorous sponge Asbestopluma hypogea (Porifera: Demospongiae): Zoomorphology, v. 123, p. 179–190, doi: 10.1007/s00435-004-0100-0.

Waseem, S.U., 2025, The age of *Meganeura*: a look back at the giants of insect evolution: World Journal of Entomology, v. 1, p. 26–30.

Wellman, C.H., 2017, Palaeoecology and palaeophytogeography of the Rhynie chert plants: further evidence from integrated analysis of in situ and dispersed spores: Philosophical Transactions of the Royal Society B: Biological Sciences, v. 373, n. 1739, doi: 10.1098/rstb.2016.0491.

Xiao, Y., Xiao, N., and Xiaoqi, Z., 2023, *Benthodytes tetrapapillata* sp. nov., a new elasipodid sea cucumber (Elasipodida: Pyschropotidae) from a seamount in the Western Pacific Ocean: Journal of Oceanology and Limnology, v. 41, n. 5, p. 1978–1987.

Zamora, S., 2013, Morphology and phylogenetic interpretation of a new Cambrian edrioasteroid (Echinodermata) from Spain: Palaeontology, v. 56, p. 421–431, doi: 10.1111/j.1475-4983.2012.01209.x.