

```
Wed May 29 20:17:51 2024 daemon.notice netifd:
proto_shell_script_cb Interface 'wanv6'
Wed May 29 20:17:51 2024 daemon.notice netifd:
proto_shell_task_finish Interface 'wanv6' state: 3
Wed May 29 20:17:51 2024 daemon.notice netifd: interface_proto_cb
Interface 'wanv6' state: 0
Wed May 29 20:17:51 2024 daemon.notice netifd: interface_proto_cb
Interface 'wanv6' is now down
Wed May 29 20:17:51 2024 daemon.notice netifd: Interface 'wanv6'
is setting up now
Wed May 29 20:17:51 2024 daemon.notice netifd: proto_shell_handler
Interface 'wanv6' cmd: 0
Wed May 29 20:17:51 2024 user.notice dhcpv6: start dial,
iface=br-wan
Wed May 29 20:17:53 2024 daemon.notice pppd[12611]: len < 0
Wed May 29 20:17:53 2024 daemon.notice netifd: internet (12611):
len < 0
Wed May 29 20:17:56 2024 daemon.err nrd[27967]: send ioctl failed
Wed May 29 20:18:00 2024 daemon.err client_mgmt:
client(52-16-0E-02-EC-C1) not found in arp table
disconnect_counter=0
Wed May 29 20:18:01 2024 daemon.err nrd[27967]: send ioctl failed
Wed May 29 20:18:01 2024 cron.info crond[23998]: crond: USER root
pid 14687 cmd sh /usr/sbin/process_monit
Wed May 29 20:18:03 2024 daemon.notice pppd[12611]: len < 0
Wed May 29 20:18:03 2024 daemon.notice netifd: internet (12611):
len < 0
Wed May 29 20:18:03 2024 daemon.err nrd[27967]:
wlanifMapToPhyMode: Invalid PHY mode from driver: 0
Wed May 29 20:18:03 2024 daemon.err nrd[27967]:
wlanifConvertToSingleStreamMCSIndex: Invalid PHY mode from driver:
0
Wed May 29 20:18:03 2024 daemon.err nrd[27967]:
wlanifMapToPhyMode: Invalid PHY mode from driver: 0
Wed May 29 20:18:03 2024 daemon.err nrd[27967]:
wlanifConvertToSingleStreamMCSIndex: Invalid PHY mode from driver:
0
Wed May 29 20:18:04 2024 user.debug netifd: ubus call
network.interface notify_proto { "action": 7, "interface": "wanv6"
}
Wed May 29 20:18:04 2024 daemon.notice netifd: proto_shell_handler
Interface 'wanv6' cmd: 1
Wed May 29 20:18:04 2024 daemon.notice netifd:
proto_shell_script_cb Interface 'wanv6'
Wed May 29 20:18:04 2024 daemon.notice netifd:
proto_shell_task_finish Interface 'wanv6' state: 2
Wed May 29 20:18:04 2024 daemon.notice netifd: proto_shell_handler
Interface 'wanv6' cmd: 1
Wed May 29 20:18:04 2024 user.notice dhcpv6: teardown,
interface=wanv6 ifname=br-wan
Wed May 29 20:18:04 2024 daemon.notice netifd: wanv6 (14720): sh:
you need to specify whom to kill
Wed May 29 20:18:04 2024 daemon.notice netifd: wanv6 (14720): rm:
can't remove '/tmp/slaac_addr': No such file or directory
Wed May 29 20:18:04 2024 daemon.notice netifd: wanv6 (14720):
RTNETLINK answers: No such process
Wed May 29 20:18:04 2024 user.notice dhcpv6: teardown, ip -6 route
del ::/0 dev br-wan
```

```
Wed May 29 20:18:04 2024 user.debug netifd: ubus call
network.interface notify_proto { "action": 2, "signal": 15,
"interface": "wanv6" }
Wed May 29 20:18:05 2024 daemon.notice netifd:
proto_shell_script_cb Interface 'wanv6'
Wed May 29 20:18:05 2024 daemon.notice netifd:
proto_shell_task_finish Interface 'wanv6' state: 3
Wed May 29 20:18:05 2024 daemon.notice netifd: interface_proto_cb
Interface 'wanv6' state: 0
Wed May 29 20:18:05 2024 daemon.notice netifd: interface_proto_cb
Interface 'wanv6' is now down
Wed May 29 20:18:05 2024 daemon.notice netifd: Interface 'wanv6'
is setting up now
Wed May 29 20:18:05 2024 daemon.notice netifd: proto_shell_handler
Interface 'wanv6' cmd: 0
Wed May 29 20:18:05 2024 user.notice dhcpv6: start dial,
iface=br-wan
Wed May 29 20:18:07 2024 daemon.notice nrd[27967]:
wlanifLinkEventsCmnGenerateDisassocEvent: Client 32:8F:3B:30:DA:28
disassociated on APId 255 ChanId 341 ESSId 1
Wed May 29 20:18:07 2024 daemon.info hostapd: ath2: STA
32:8f:3b:30:da:28 IEEE 802.11: disassociated
Wed May 29 20:18:07 2024 daemon.notice hostapd: ath2:
AP-STA-DISCONNECTED 32:8f:3b:30:da:28
Wed May 29 20:18:07 2024 daemon.notice hostapd: ath2: ubus call
client_mgmt access
'{"mac":"32-8F-3B-30-DA-28","mldaddr":"00-00-00-00-00-00","ifname"
:"ath2","action":"disassociate"}' &
Wed May 29 20:18:07 2024 daemon.err nrd[27967]:
qca_delete_wds_entry: failed to send ioctl
Wed May 29 20:18:07 2024 daemon.notice hostapd:
wpa_driver_nl80211_set_key: ifindex=32 (ath2) alg=0
addr=0x7f821724a8 key_idx=0 set_tx=1 seq_len=0 key_len=0
key_flag=0x20
Wed May 29 20:18:07 2024 daemon.notice hostapd:
wpa_driver_nl80211_set_key: ifindex=32 (ath2) alg=0
addr=0x7f821724a8 key_idx=0 set_tx=1 seq_len=0 key_len=0
key_flag=0x20
Wed May 29 20:18:07 2024 daemon.err hostapd: 20/40 MHz: center
segment 0 (=7) and center freq 1 (=2452) not in sync
Wed May 29 20:18:07 2024 daemon.err client_mgmt: wireless client
associate or disassociate.
Wed May 29 20:18:07 2024 daemon.err client_mgmt:
client_mac:32-8F-3B-30-DA-28, client_ifname:ath2,
client_action:disassociate
Wed May 29 20:18:07 2024 daemon.err client_mgmt:
client(32-8F-3B-30-DA-28) mldaddr(00-00-00-00-00-00) disassociate
by if(ath2).
Wed May 29 20:18:07 2024 daemon.notice nrd[27967]:
wlanifLinkEventsCmnGenerateDisassocEvent: Client 32:8F:3B:30:DA:28
disassociated on APId 255 ChanId 341 ESSId 1
Wed May 29 20:18:07 2024 daemon.err nrd[27967]:
qca_delete_wds_entry: failed to send ioctl
Wed May 29 20:18:13 2024 daemon.notice pppd[12611]: len < 0
Wed May 29 20:18:13 2024 daemon.notice netifd: internet (12611):
len < 0
Wed May 29 20:18:15 2024 daemon.info hostapd: ath2: STA
32:8f:3b:30:da:28 IEEE 802.11: authenticated
```

```
Wed May 29 20:18:15 2024 daemon.err hostapd: 20/40 MHz: center
segment 0 (=7) and center freq 1 (=2452) not in sync
Wed May 29 20:18:15 2024 daemon.info hostapd: ath2: STA
32:8f:3b:30:da:28 IEEE 802.11: associated (aid 1)
Wed May 29 20:18:15 2024 daemon.notice hostapd:
wpa_driver_nl80211_set_key: ifindex=32 (ath2) alg=0
addr=0x7f821724a8 key_idx=0 set_tx=1 seq_len=0 key_len=0
key_flag=0x20
Wed May 29 20:18:15 2024 daemon.notice hostapd:
wpa_driver_nl80211_set_key: ifindex=32 (ath2) alg=0
addr=0x7f821724a8 key_idx=0 set_tx=1 seq_len=0 key_len=0
key_flag=0x20
Wed May 29 20:18:15 2024 daemon.notice hostapd:
wpa_driver_nl80211_set_key: ifindex=32 (ath2) alg=0
addr=0x7f821724a8 key_idx=0 set_tx=1 seq_len=0 key_len=0
key_flag=0x20
Wed May 29 20:18:15 2024 daemon.info hostapd: ath2: STA
32:8f:3b:30:da:28 WPA: sending 1/4 msg of 4-Way Handshake
Wed May 29 20:18:15 2024 daemon.info hostapd: ath2: STA
32:8f:3b:30:da:28 WPA: received EAPOL-Key frame (2/4 Pairwise)
Wed May 29 20:18:15 2024 daemon.info hostapd: ath2: STA
32:8f:3b:30:da:28 WPA: sending 3/4 msg of 4-Way Handshake
Wed May 29 20:18:15 2024 daemon.info hostapd: ath2: STA
32:8f:3b:30:da:28 WPA: received EAPOL-Key frame (4/4 Pairwise)
Wed May 29 20:18:15 2024 daemon.notice hostapd:
wpa_driver_nl80211_set_key: ifindex=32 (ath2) alg=3
addr=0x7f821724a8 key_idx=0 set_tx=1 seq_len=0 key_len=16
key_flag=0x2c
Wed May 29 20:18:15 2024 daemon.notice hostapd: ath2:
AP-STA-CONNECTED 32:8f:3b:30:da:28
Wed May 29 20:18:15 2024 daemon.notice hostapd: ath2: ubus call
access_client access
'{"mac":"32-8f-3b-30-da-28","mldaddr":"00-00-00-00-00-00","ifname"
:"ath2","action":"associate"}' &
Wed May 29 20:18:15 2024 daemon.notice hostapd: ath2: ubus call
client_mgmt access
'{"mac":"32-8F-3B-30-DA-28","mldaddr":"00-00-00-00-00-00","ifname"
:"ath2","action":"associate"}' &
Wed May 29 20:18:15 2024 daemon.notice nrd[27967]:
wlanifBSteerEventsHandleNodeAssociatedInd: Node 32:8F:3B:30:DA:28
associated on APId 255 ChanId 341 ESSId 1 , Capabilities: BTM RRM
SMPS, Max bandwidth: 3, bandcap: 7, Num of spatial streams: 2, PHY
mode: 31, Max MCS: 11. Max TX power: 15
Wed May 29 20:18:15 2024 daemon.info hostapd: ath2: STA
32:8f:3b:30:da:28 RADIUS: starting accounting session
24CDA96755E22DA8
Wed May 29 20:18:15 2024 daemon.info hostapd: ath2: STA
32:8f:3b:30:da:28 WPA: pairwise key handshake completed (RSN)
Wed May 29 20:18:15 2024 daemon.notice hostapd: ath2:
EAPOL-4WAY-HS-COMPLETED 32:8f:3b:30:da:28
Wed May 29 20:18:15 2024 daemon.err nrd[27967]:
qca_delete_wds_entry: failed to send ioctl
Wed May 29 20:18:16 2024 daemon.info udhcpd[24339]: fscanf_num:3
device_mac:44-37-19-00-3A-F0 device_ip:192.168.68.55
device_hostname:UNKNOWN
Wed May 29 20:18:16 2024 daemon.info udhcpd[24339]: fscanf_num:3
device_mac:00-1C-2B-51-7E-BD device_ip:192.168.68.53
device_hostname:myHivehub
```

```
Wed May 29 20:18:16 2024 daemon.info udhcpd[24339]: fscanf_num:3
device_mac:20-DF-B9-4F-B0-02 device_ip:192.168.68.54
device_hostname:Google-Home-Mini
Wed May 29 20:18:16 2024 daemon.info udhcpd[24339]: fscanf_num:3
device_mac:48-D6-D5-06-D8-40 device_ip:192.168.68.52
device_hostname:Chromecast-Ultra
Wed May 29 20:18:16 2024 daemon.info udhcpd[24339]: fscanf_num:3
device_mac:9E-CE-0C-15-88-2A device_ip:192.168.68.50
device_hostname:UNKNOWN
Wed May 29 20:18:16 2024 daemon.info udhcpd[24339]: fscanf_num:3
device_mac:96-69-AE-14-6C-D1 device_ip:192.168.68.64
device_hostname:Arshad-s-Galaxy-Note10-5G
Wed May 29 20:18:16 2024 daemon.info udhcpd[24339]: fscanf_num:3
device_mac:28-CF-E9-16-6A-4F device_ip:192.168.68.66
device_hostname:Drs-MBP-2
Wed May 29 20:18:16 2024 daemon.info udhcpd[24339]: fscanf_num:3
device_mac:7C-21-4A-D9-9C-43 device_ip:192.168.68.61
device_hostname:I-10U5CG2123387
Wed May 29 20:18:16 2024 daemon.info udhcpd[24339]: fscanf_num:3
device_mac:CA-7D-8F-EA-FA-65 device_ip:192.168.68.69
device_hostname:Arshad-s-S24-Ultra
Wed May 29 20:18:16 2024 daemon.info udhcpd[24339]: fscanf_num:3
device_mac:52-16-0E-02-EC-C1 device_ip:192.168.68.56
device_hostname:HUAWEI_Mate_20_Pro-5f36ee
Wed May 29 20:18:16 2024 daemon.info udhcpd[24339]: fscanf_num:3
device_mac:4C-44-5B-99-27-62 device_ip:192.168.68.65
device_hostname:UK-L4J4JLL3
Wed May 29 20:18:16 2024 daemon.info udhcpd[24339]: fscanf_num:3
device_mac:A8-42-A1-5E-22-CA device_ip:192.168.68.70
device_hostname:DESKTOP-I58NP29
Wed May 29 20:18:16 2024 daemon.info udhcpd[24339]: fscanf_num:3
device_mac:2E-5E-19-26-84-37 device_ip:192.168.68.63
device_hostname:UNKNOWN
Wed May 29 20:18:16 2024 daemon.info udhcpd[24339]: fscanf_num:3
device_mac:20-1F-3B-0E-EF-73 device_ip:192.168.68.51
device_hostname:H-TV
Wed May 29 20:18:16 2024 daemon.info udhcpd[24339]: fscanf_num:3
device_mac:08-C3-B3-17-11-E4 device_ip:192.168.68.68
device_hostname:Bedroom
Wed May 29 20:18:16 2024 daemon.info udhcpd[24339]: fscanf_num:3
device_mac:20-DF-B9-06-82-DF device_ip:192.168.68.58
device_hostname:Google-Home-Mini
Wed May 29 20:18:16 2024 daemon.info udhcpd[24339]: fscanf_num:3
device_mac:3E-6E-4D-08-A7-F2 device_ip:192.168.68.67
device_hostname:UNKNOWN
Wed May 29 20:18:16 2024 daemon.err udhcpd[24339]: Sending ACK to
192.168.68.71
Wed May 29 20:18:16 2024 daemon.err udhcpd[24339]: clear ip
4744a8c0
Wed May 29 20:18:16 2024 daemon.err client_mgmt: wireless client
associate or disassociate.
Wed May 29 20:18:16 2024 daemon.err client_mgmt:
client_mac:32-8F-3B-30-DA-28, client_ifname:ath2,
client_action:associate
Wed May 29 20:18:16 2024 daemon.err client_mgmt:
client(32-8F-3B-30-DA-28) mldaddr(00-00-00-00-00-00) assocaitte by
if(ath2). if_mode(0)
```

Wed May 29 20:18:16 2024 user.notice IMPROXY:
INFO[imp_input_report_mldv2@471]: MLD_CHANGE_TO_EXCLUDE
Wed May 29 20:18:16 2024 user.notice IMPROXY:
INFO[imp_input_report_mldv2@471]: MLD_CHANGE_TO_EXCLUDE
Wed May 29 20:18:16 2024 user.notice IMPROXY:
INFO[imp_input_report_mldv2@471]: MLD_CHANGE_TO_EXCLUDE
Wed May 29 20:18:16 2024 user.notice IMPROXY:
INFO[imp_input_report_mldv2@471]: MLD_CHANGE_TO_EXCLUDE
Wed May 29 20:18:17 2024 daemon.err nrd[27967]:
netdb_requestDownlinkRSSI: not MLD!
Wed May 29 20:18:17 2024 daemon.notice nrd[27967]:
estimatorPerformMeasurement: Do 11k measurement for
32:8F:3B:30:DA:28 on channel 341 from serving BSS APId 255 ChanId
341 ESSId 1
Wed May 29 20:18:17 2024 daemon.notice nrd[27967]:
wlanifBSteerEventsHandleBeaconReport: Beacon report from
32:8F:3B:30:DA:28: APId 3 ChanId 341 ESSId 1 bssid
AA:42:A1:FA:4A:F1 rcpi: 102
Wed May 29 20:18:17 2024 daemon.notice nrd[27967]:
wlanifBSteerEventsHandleBeaconReport: Beacon report from
32:8F:3B:30:DA:28: APId 255 ChanId 341 ESSId 1 bssid
9E:42:A1:FA:47:6D rcpi: (102)/(102)
Wed May 29 20:18:17 2024 daemon.notice nrd[27967]:
stadbEntry_modifyTriggerThreshold: For client 32:8F:3B:30:DA:28
RSSI: 24 | RCPI: -59 | threshold RSSI: 21
Wed May 29 20:18:17 2024 daemon.notice nrd[27967]:
ar_pat_calc_cand_datarate[line 735]: band = 6G
Wed May 29 20:18:17 2024 daemon.notice nrd[27967]:
ar_pat_calc_cand_datarate[line 735]: band = 6G
Wed May 29 20:18:17 2024 daemon.notice nrd[27967]:
ar_pat_calc_cand_datarate[line 735]: band = 6G
Wed May 29 20:18:17 2024 daemon.notice nrd[27967]:
ar_pat_calc_cand_datarate[line 929]: debug-->rss_i 36,
txRate=1338.28101,a=2400.00000, b=0.12960, c=-34.21376
Wed May 29 20:18:17 2024 daemon.notice nrd[27967]:
ar_pat_calc_cand_datarate[line 938]: patrate for A842A1FA4768 is
1070, txRate: 1338.281006
Wed May 29 20:18:17 2024 daemon.notice nrd[27967]:
ar_pat_calc_cand_datarate[line 929]: debug-->rss_i 11,
txRate=250.57051,a=2400.00000, b=0.14400, c=-25.92512
Wed May 29 20:18:17 2024 daemon.notice nrd[27967]:
matrixAndVectorInit[line 43]: nodeNum = 2
Wed May 29 20:18:17 2024 daemon.notice nrd[27967]:
ar_pat_calc_cand_datarate[line 938]: patrate for A842A1FA476E is
200, txRate: 250.570511
Wed May 29 20:18:17 2024 daemon.notice nrd[27967]:
ar_pat_calc_cand_datarate[line 929]: debug-->rss_i 36,
txRate=1687.90503,a=2400.00000, b=0.12960, c=-29.34080
Wed May 29 20:18:17 2024 daemon.notice nrd[27967]:
matrixAndVectorInit[line 43]: nodeNum = 2
Wed May 29 20:18:17 2024 daemon.notice nrd[27967]:
ar_pat_calc_cand_datarate[line 938]: patrate for A842A1FA4AEC is
1350, txRate: 1687.905029
Wed May 29 20:18:17 2024 daemon.notice nrd[27967]:
steerexecStartSteer: Starting new steer for
32:8F:3B:30:DA:28(transaction 22)

Wed May 29 20:18:17 2024 daemon.notice nrd[27967]:
steerexecHandleResponseBSSID: Received successful BTM response
from 32:8F:3B:30:DA:28 BSSID AA:42:A1:FA:4A:F1 (transaction 22)
Wed May 29 20:18:17 2024 daemon.notice nrd[27967]:
stadbEntry_updateARBtmThreshold: update threshold of client
32:8F:3B:30:DA:28 for reason 0
Wed May 29 20:18:17 2024 daemon.notice nrd[27967]:
triggerMonSteerThresUpdater: band: 2, reason: 0, rssi: 24,
deltaRcpi: 0
Wed May 29 20:18:17 2024 daemon.notice nrd[27967]:
triggerMonSteerThresUpdater: Updated thres: 0, delta thres: 0
Wed May 29 20:18:17 2024 daemon.notice nrd[27967]:
ar_config_set_thres[line 39]: For client 32-8F-3B-30-DA-28, tresh
btm: 0, Thres btmdelta: 0, offset: 0
Wed May 29 20:18:17 2024 authpriv.info dropbear[14952]: Child
connection from 192.168.71.250:59162
Wed May 29 20:18:17 2024 user.notice IMPROXY:
INFO[imp_input_report_mldv2@471]: MLD_CHANGE_TO_EXCLUDE
Wed May 29 20:18:17 2024 user.notice IMPROXY:
INFO[imp_input_report_mldv2@471]: MLD_CHANGE_TO_EXCLUDE
Wed May 29 20:18:17 2024 authpriv.notice dropbear[14952]: Pubkey
auth succeeded for 'root' with key sha1!!
e8:44:1f:ed:b2:6e:27:3e:aa:b7:0f:9e:61:02:6a:c6:73:2a:2a:57 from
192.168.71.250:59162
Wed May 29 20:18:17 2024 user.notice IMPROXY:
INFO[imp_input_report_mldv2@471]: MLD_CHANGE_TO_EXCLUDE
Wed May 29 20:18:17 2024 user.notice IMPROXY:
INFO[imp_input_report_mldv2@471]: MLD_CHANGE_TO_EXCLUDE
Wed May 29 20:18:17 2024 authpriv.info dropbear[14952]: Exit
(root): Exited normally
Wed May 29 20:18:18 2024 daemon.err /usr/bin/apsd:
apsd_check_eth_has_neigh:1479: Error: can't find ifname[ath12.1]
in eth_ifname
Wed May 29 20:18:18 2024 user.debug netifd: ubus call
network.interface notify_proto { "action": 7, "interface": "wanv6"
}
Wed May 29 20:18:18 2024 daemon.notice netifd: proto_shell_handler
Interface 'wanv6' cmd: 1
Wed May 29 20:18:18 2024 daemon.notice netifd:
proto_shell_script_cb Interface 'wanv6'
Wed May 29 20:18:18 2024 daemon.notice netifd:
proto_shell_task_finish Interface 'wanv6' state: 2
Wed May 29 20:18:18 2024 daemon.notice netifd: proto_shell_handler
Interface 'wanv6' cmd: 1
Wed May 29 20:18:18 2024 user.notice dhcpv6: teardown,
interface=wanv6 ifname=br-wan
Wed May 29 20:18:18 2024 daemon.notice netifd: wanv6 (14993): sh:
you need to specify whom to kill
Wed May 29 20:18:18 2024 daemon.notice netifd: wanv6 (14993): rm:
can't remove '/tmp/slaac_addr': No such file or directory
Wed May 29 20:18:18 2024 daemon.notice netifd: wanv6 (14993):
RTNETLINK answers: No such process
Wed May 29 20:18:18 2024 user.notice dhcpv6: teardown, ip -6 route
del ::/0 dev br-wan
Wed May 29 20:18:18 2024 user.debug netifd: ubus call
network.interface notify_proto { "action": 2, "signal": 15,
"interface": "wanv6" }

Wed May 29 20:18:19 2024 daemon.info hostapd: ath2: STA
32:8f:3b:30:da:28 IEEE 802.11: disassociated
Wed May 29 20:18:19 2024 daemon.notice hostapd: ath2:
AP-STA-DISCONNECTED 32:8f:3b:30:da:28
Wed May 29 20:18:19 2024 daemon.notice nrd[27967]:
wlanifLinkEventsCmnGenerateDisassocEvent: Client 32:8F:3B:30:DA:28
disassociated on APId 255 ChanId 341 ESSId 1
Wed May 29 20:18:19 2024 daemon.err nrd[27967]:
qca_delete_wds_entry: failed to send ioctl
Wed May 29 20:18:19 2024 daemon.notice hostapd: ath2: ubus call
client_mgmt access
'{"mac":"32-8F-3B-30-DA-28","mldaddr":"00-00-00-00-00-00","ifname"
:"ath2","action":"disassociate"}' &
Wed May 29 20:18:19 2024 daemon.notice hostapd:
wpa_driver_nl80211_set_key: ifindex=32 (ath2) alg=0
addr=0x7f821724a8 key_idx=0 set_tx=1 seq_len=0 key_len=0
key_flag=0x20
Wed May 29 20:18:19 2024 daemon.notice hostapd:
wpa_driver_nl80211_set_key: ifindex=32 (ath2) alg=0
addr=0x7f821724a8 key_idx=0 set_tx=1 seq_len=0 key_len=0
key_flag=0x20
Wed May 29 20:18:19 2024 daemon.err hostapd: 20/40 MHz: center
segment 0 (=7) and center freq 1 (=2452) not in sync
Wed May 29 20:18:19 2024 daemon.err client_mgmt: wireless client
associate or disassociate.
Wed May 29 20:18:19 2024 daemon.err client_mgmt:
client_mac:32-8F-3B-30-DA-28, client_ifname:ath2,
client_action:disassociate
Wed May 29 20:18:19 2024 daemon.err client_mgmt:
client(32-8F-3B-30-DA-28) mldaddr(00-00-00-00-00-00) disassociate
by if(ath2).
Wed May 29 20:18:19 2024 daemon.notice nrd[27967]:
wlanifLinkEventsCmnGenerateDisassocEvent: Client 32:8F:3B:30:DA:28
disassociated on APId 255 ChanId 341 ESSId 1
Wed May 29 20:18:19 2024 daemon.err nrd[27967]:
qca_delete_wds_entry: failed to send ioctl
Wed May 29 20:18:19 2024 daemon.notice netifd:
proto_shell_script_cb Interface 'wanv6'
Wed May 29 20:18:19 2024 daemon.notice netifd:
proto_shell_task_finish Interface 'wanv6' state: 3
Wed May 29 20:18:19 2024 daemon.notice netifd: interface_proto_cb
Interface 'wanv6' state: 0
Wed May 29 20:18:19 2024 daemon.notice netifd: interface_proto_cb
Interface 'wanv6' is now down
Wed May 29 20:18:19 2024 daemon.notice netifd: Interface 'wanv6'
is setting up now
Wed May 29 20:18:19 2024 daemon.notice netifd: proto_shell_handler
Interface 'wanv6' cmd: 0
Wed May 29 20:18:19 2024 user.notice dhcpv6: start dial,
iface=br-wan