

<ReportName>Family Contact Info, Civic and Early Closure - LN</ReportName>
 <ReportTitle>Contact Info, Civic and Early Closure</ReportTitle>
 <AfterTitle></AfterTitle>
 <ReportGroup>Linked Family Reports</ReportGroup>
 <ReportDescription>For the family rep (sorted by last name), this report lists his/her siblings, school they attend, homeroom, civic address, the parents' contact information and the early closure information for the family rep and sibling.</ReportDescription>
 <SQLQuery><textarea name="UF-00600516078">Select t1.dc, t1.fs || ' - ' || t1.hr, (select s2.lastfirst || ' - ' || s2.schoolid || ' - ' || s2.home_room from students s2 where s2.person_id=t1.rs), t1.fn1 || ' ' || t1.ln1, t1.hp1 || ' / ' || t1.cp1 || ' / ' || t1.wp1 || ' - ' || t1.wpe1, t1.fn2 || ' ' || t1.ln2, t1.hp2 || ' / ' || t1.cp2 || ' / ' || t1.wp2 || ' - ' || t1.wpe2, t1.st || ' - ' || t1.ci, t1.ec, (select ps_customfields.getcf('Students',s3.id,'early_closure_info') from students s3 where s3.person_id=t1.rs)

From

(Select s.DCID as dc, s.lastfirst as fs, s.home_room as hr, r.relatedperson_id as rs, ps_customfields.getcf('Students',s.id,'parent1_lastname') as ln1, ps_customfields.getcf('Students',s.id,'parent1_firstname') as fn1, ps_customfields.getcf('Students',s.id,'parent1_homephone') as hp1, ps_customfields.getcf('Students',s.id,'parent1_cellphone') as cp1, ps_customfields.getcf('Students',s.id,'parent1_workphone') as wp1, ps_customfields.getcf('Students',s.id,'parent1_workphone_ext') as wpe1, ps_customfields.getcf('Students',s.id,'parent2_lastname') as ln2, ps_customfields.getcf('Students',s.id,'parent2_firstname') as fn2, ps_customfields.getcf('Students',s.id,'parent2_homephone') as hp2, ps_customfields.getcf('Students',s.id,'parent2_cellphone') as cp2, ps_customfields.getcf('Students',s.id,'parent2_workphone') as wp2, ps_customfields.getcf('Students',s.id,'parent2_workphone_ext') as wpe2, s.street as st, s.city as ci, ps_customfields.getcf('Students',s.id,'early_closure_info') as ec

From Students s

Inner Join Person p ON p.id=s.person_id

left Join Relationship r ON r.person_id=s.person_id

where s.schoolid=~(curschoolid) and ps_customfields.getcf('students',s.id,'family_rep')='1') t1

Order by t1.fs

</textarea></SQLQuery>

<ReportHeader><th class="DCID">Student DCID</th><th>Family Rep -

Homeroom</th><th>Sibling - School - Homeroom</th><th>Parent 1</th><th>Parent 1 Phone
(Home/Cell/Work - Ext)</th><th>Parent 2</th><th>Parent 2 Phone (Home/Cell/Work -
Ext)</th><th>Street - Community</th><th>Early Closure (Family Rep)</th><th>Early Closure
(Sibling)</th></ReportHeader>

<CreateStudentSelection>0</CreateStudentSelection>

<StudentSelectionQuery></StudentSelectionQuery>

<CreateStudentSelectionB>1</CreateStudentSelectionB>

<IncludeRowNumber>0</IncludeRowNumber>

<OpeninNewWindow>0</OpeninNewWindow>

<HideCopyButton></HideCopyButton>

<HideCSVButton></HideCSVButton>

<HideTabButton></HideTabButton>

<HidePDFButton></HidePDFButton>

<ShowSearchBox></ShowSearchBox>

<ShowResultsInfo></ShowResultsInfo>

<ParameterName1></ParameterName1>

<ParameterVal1></ParameterVal1>

<ParameterCal1></ParameterCal1>

<ParameterOpt1></ParameterOpt1>

<ParameterName2></ParameterName2>

<ParameterVal2></ParameterVal2>

<ParameterCal2></ParameterCal2>

<ParameterOpt2></ParameterOpt2>

<ParameterName3></ParameterName3>

<ParameterVal3></ParameterVal3>

<ParameterCal3></ParameterCal3>

<ParameterOpt3></ParameterOpt3>

<ParameterName4></ParameterName4>

<ParameterVal4></ParameterVal4>

<ParameterCal4></ParameterCal4>

<ParameterOpt4></ParameterOpt4>

<ParameterName5></ParameterName5>

<ParameterVal5></ParameterVal5>

<ParameterCal5></ParameterCal5>

<ParameterOpt5></ParameterOpt5>

<PdfOrientation>1</PdfOrientation>

<NoCSVQuotes></NoCSVQuotes>

<NoRowSel></NoRowSel>

<ShowSHC></ShowSHC>

<UseColRe></UseColRe>

<UseFixHdr></UseFixHdr>

<HidePrint></HidePrint>

<ReportNotes></ReportNotes>

<UseColFilt></UseColFilt>
<UseRowGroups></UseRowGroups>
<UseRowGroupsOptions>Opt1</UseRowGroupsOptions>
<DisplayRowGroupsCol></DisplayRowGroupsCol>
<UseRowGroupsCounts></UseRowGroupsCounts>
<sqlChartsReport></sqlChartsReport>
<InitialsqlChart></InitialsqlChart>
<InitialChartName></InitialChartName>
<RowGroupsDesc></RowGroupsDesc>
<FLSMapField></FLSMapField>
<ExcFrmList></ExcFrmList>
<ExecGrp></ExecGrp>
<ValueLi3>0</ValueLi3>
<NoHeaderRow></NoHeaderRow>
<ReportDirections>For each family, you need one family rep - set on the modify info page. As well, students that are siblings should be linked on the Family page in PowerSchool.
</ReportDirections>