

SAMPLE PILLAR OF PHYSICS EDUCATION PAPER FOR A4 PAGE SIZE

First Author¹, Second Author^{1*}, Third Author²

¹ Department of Physics, Universitas Negeri Padang, Jl. Prof. Dr. Hamka Air Tawar Padang 25131, Indonesia

² Department, University, Address, City, ZIP Code, Country

Corresponding author. Email: xxx@yyy.zzz

ABSTRACT

Write an abstrak here. Generally contains a brief description of the background and objectives, methodology, results and conclusions. The maximum number of words used is 250 words. Write below the keywords or keywords a maximum of 5 pieces.

Keywords : Put your keywords here, keywords are separated by semi colon.



Pillar of Physics is licensed under a Creative Commons Attribution ShareAlike 4.0 International License.

I. INTRODUCTION

This document is a template. An electronic copy can be downloaded from the conference website. For questions on paper guidelines, please contact the conference publications committee as indicated on the conference website. Information about final paper submission is available from the conference website.

Articles in the journal Pillar of Physics are written in MS Word (.doc or .docx) format. Please use this template to write articles. The way of writing chapter titles follows this template by selecting the available style, namely Heading 1. Each paragraph is written with a left-right (justified) setting. The first paragraph for each chapter is written with the first line without indentation.

The first line for the next paragraph is written in indented 0.3". Writing very specific terms, especially in English, uses Italic letters. Use this template by utilizing styles or by copy and paste to facilitate the process of writing your articles.

Please be sure that the manuscript is up to date. Reference minimal its 15 reference. It is expected that 50% of references are to recent papers. The minimum number of pages is as much as 8 pages, outside the references.

II. METHOD

Your paper must use a page size corresponding to A4 which is 210mm (8.27") wide and 297mm (11.69") long. The margins must be set as follows: 1) Top = 19mm (0.75"), 2) Bottom = 28mm (1.1") Left = Right = 14.32mm (0.56")

The entire document should be in Times New Roman or Times font. Type 3 fonts must not be used. Other font types may be used if needed for special purposes.

If you are citing reference articles from journals, proceedings, books, or from other sources, then the citation is written by including the number according to the reference article number in the reference and closed with square brackets like this [1]. If you cite more than one article, then write it like this [1,2] or like this [1-5] if the number of the referenced article in the Reference is in sequence from 1 to 5. Try to keep the number of the reference article that appears from the beginning of the article in order from the smallest to the largest number. This means that the first reference article appeared first and was numbered 1.

How to write references can be seen in the References section. Use the latest reference sources from scientific articles in journals, proceedings, books or sources from the internet.

No more than 2 levels of headings should be used. All headings must be in 10pt font. Every word in a heading must be capitalized except for short minor words such as “a”, “an”, “and”, “as”, “at”, “by”, “for”, “from”, “if”, “in”, “into”, “on”, “or”, “of”, “the”, “to”, “with”.

1) *Level-1 Heading:* A level-1 heading must be in Small Caps, left-justified and numbered using uppercase Roman numerals. For example, see heading “II. Method” of this document. The two level-1 headings which must not be numbered are “Acknowledgment” and “References”.

2) *Level-2 Heading:* A level-2 heading must be in Italic, left-justified and numbered using an uppercase alphabetic letter followed by a period. For example, see heading “D. Section Headings” above.

III. RESULTS AND DISCUSSION

Mathematical equations must be numbered consecutively and starting with (1) to the end of the paper including the appendix (attachment). This numbering must begin and end with opening and closing brackets and right aligned. Add one blank line above and below the equation.

$$\rho = \frac{E}{J_c(T = \text{const.}) \cdot \left(P \cdot \left(\frac{E}{E_c} \right)^m + (1 - P) \right)} \quad (1)$$

If the equation is mentioned in text, the writing of the equation must begin with a capital letter, for example Equation (1).

Figures and tables must be centered in the column. Large figures and tables may span across both columns. Any table or figure that takes up more than 1 column width must be positioned either at the top or at the bottom of the page.

Graphics may be full color. All colors will be retained on the CDRom. Graphics must not use stipple fill patterns because they may not be reproduced properly. Please use only *SOLID FILL* colors which contrast well both on screen and on a black-and-white hardcopy.

Check that the resolution is adequate to reveal the important detail in the figure. Please check all figures in your paper both on screen and on a black-and-white hardcopy. When you check your paper on a black-and-white hardcopy, please ensure that: 1) the colors used in each figure contrast well, 2) the image used in each figure is clear, 3) all text labels in each figure are legible.

The table is made as in the example of Table 1. Information in the table is given above the table. Captions are written in lowercase except the first character of each sentence. Tables start at the left-aligned edge of the page. If the contents of the table come from a certain source, mention it at the bottom of the table with the font size 8 pt.

Table 1. First Table Title

Column Titles	Column A (t)	Column B (t)
First line	1	2
Second line	3	4
Next line	5	6

(Source: Ref [1])

Image is centered on the page (center aligned). A caption is placed under the image. Captions are written in lowercase except the first character of each sentence. All images must be numbered consecutively. An example of writing an image can be seen in Figure 1.




Fig. 1. Example of an image

If the image is more than one, arrange the image based on Figure 2.



Fig. 2. (a) Information of image “a” and (b) information of image “b”

Page numbers, headers and footers must not be used.

All hypertext links and section bookmarks will be removed from papers during the processing of papers for publication. If you need to refer to an Internet email address or URL in your paper, you must type out the address or URL fully in Regular font.

IV. CONCLUSION

This template was created as a guide to make it easier for writers to write articles for submission in the Pillar of Physics journal. The cooperation and willingness of the authors in following this guide are expected. If the author has questions that are in doubt, please contact the editor of this journal by asking questions via email to physicasains@fmipa.unp.ac.id.

ACKNOWLEDGMENT

Please write a thank you note in this section. Gratitude is addressed to research funders or parties who contributed to the implementation of research or writing articles, other than the author.

REFERENCES

- [1] S. M. Metev and V. P. Veiko, *Laser Assisted Microtechnology*, 2nd ed., R. M. Osgood, Jr., Ed. Berlin, Germany: Springer-Verlag, 1998.
- [2] J. Breckling, Ed., *The Analysis of Directional Time Series: Applications to Wind Speed and Direction*, ser. Lecture Notes in Statistics. Berlin, Germany: Springer, 1989, vol. 61.
- [3] S. Zhang, C. Zhu, J. K. O. Sin, and P. K. T. Mok, “A novel ultrathin elevated channel low-temperature poly-Si TFT,” *IEEE Electron Device Lett.*, vol. 20, pp. 569–571, Nov. 1999.
- [4] M. Wegmuller, J. P. von der Weid, P. Oberson, and N. Gisin, “High resolution fiber distributed measurements with coherent OFDR,” in *Proc. ECOC’00*, 2000, paper 11.3.4, p. 109.

- [5] R. E. Sorace, V. S. Reinhardt, and S. A. Vaughn, "High-speed digital-to-RF converter," U.S. Patent 5 668 842, Sept. 16, 1997.
- [6] (2002) The IEEE website. [Online]. Available: <http://www.ieee.org/>
- [7] M. Shell. (2002) IEEEtran homepage on CTAN. [Online]. Available: <http://www.ctan.org/tex-archive/macros/latex/contrib/supported/IEEEtran/>
- [8] *FLEXChip Signal Processor (MC68175/D)*, Motorola, 1996.
- [9] "PDCA12-70 data sheet," Opto Speed SA, Mezzovico, Switzerland.
- [10] A. Karnik, "Performance of TCP congestion control with rate feedback: TCP/ABR and rate adaptive TCP/IP," M. Eng. thesis, Indian Institute of Science, Bangalore, India, Jan. 1999.
- [11] J. Padhye, V. Firoiu, and D. Towsley, "A stochastic model of TCP Reno congestion avoidance and control," Univ. of Massachusetts, Amherst, MA, CMPSCI Tech. Rep. 99-02, 1999.
- [12] *Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specification*, IEEE Std. 802.11, 1997.