



ScD: Biohazardous Research Division

— Experiment Log —

ANALYST INFORMATION:

Credentials:	Realmrcreeper97
Clearance Level:	Security Clearance - 2
Department Rank:	Junior Researcher
Division Rank:	Analyst

TESTING INFORMATION:

Class-D(s):	3
Security Personnel:	MP Senior Constable- Daberkee CSU Field Coordinator - DarkoSolace
Mobile Task Force Personnel:	[MTF escorts - names required]
Assistants Shadowing:	N/A
Spectator(s):	BRD Analyst- Zathrs Scribe Analyst- Frozen_Snip3r WPO Resident - Rizce_YT
SCP(s):	SCP-409, SCP-1048-I



Containment Zone(s):

MCZ

EXPERIMENT PROCEDURE



RESEARCH QUESTION:



[Insert your test question here. It should be focusing on something specific. It should also be interesting and ethical.]

SCP-409 instances are known for being immovable objects, but how would a SCP-409 instance of each stage be able to be manipulated by SCP-1048-I's various telekinetic abilities?



RESEARCH HYPOTHESIS:



[Insert your hypothesis here. This is an educated guess before you do the test describing what you think will occur and why it will occur. Use scientific information to support your hypothesis.]

I hypothesize that SCP-1048-I will show the inability to move any frozen SCP-409 systems due to their resistance to SCP-527's trap bubbles and SCP-1048-D's teleportation abilities. If SCP-1048-I is holding the SCP-409 instance before the instance is fully frozen, he will be able to hold them until the effects of SCP-409 take complete control of the infected instance. After the solidification of the instance, SCP-1048-I's tractor beam will cease to function and the SCP-409 instance will fall to the ground.



PROCEDURAL STATEMENT

STATEMENT:

"I **agree** that I have followed all testing procedures and regulations throughout this test. I also understand that if a breach of procedure/regulation were to occur during this test that I may and will be punished."



SIGNATURE:

Realmrcreeper97

WRITTEN APPROVAL:

I **required** permission for this test to occur. If you require permission, please provide a screenshot of approval below.

[SCREENSHOT OF APPROVAL]

 @Realmrcreeper97 I've defined stages in my test as ...
 tem164896 09/06/2024 6:30 PM
Hm, as long as he does it from a distance, and he is explained the dangers of this test, sure.

EXPERIMENT RESULTS



RESEARCH RESULTS:



[Describe everything that occurred during the physical test portion, describing the procedure, results, and your thought process during the experiment.]

Assignment of Roles:

1. SCP-1048-I, referred to as **Rover** throughout the log, is requested to assist with the test; he agrees and acknowledges not to go near any of the SCP-409 instances for his own safety.
2. CD-1, CD-2 and CD-3 are assigned roles. CD-1 will be picked up by **Rover** and placed near SCP-409. CD-2 will touch SCP-409, then be picked up by **Rover** and moved around while they solidify. CD-3 will touch SCP-409 and become fully crystallized, before **Rover** will attempt to pick him up with his abilities.

CD-1 Testing:

3. CD-1 is ordered to stand in front of SCP-409 on the white line, **Rover** is then asked to pick up CD-1 using his beam to which **Rover** complies.
4. It is noted that while **Rover** is holding CD-1, they are immune from the effects of SCP-409, upon being set down in SCP-409 the typical infection cycle occurs.

CD-2 Testing:

5. CD-2 is ordered to touch SCP-409, after which **Rover** picks him up. It is noted that the SCP-409 infection continues to spread as normal, yet the speed decrease of CD-2 had no effect on **Rover's** tractor beam.
6. CD-2 is frozen fully by SCP-409's effects, CD-2 is noted to be frozen in place in the air.
7. **Rover's** tractor beam remains active, and it's noted that it appears to be moving something. CD-2 speaks and it is noted that the voice of CD-2 comes not from the body but from the unidentified object in **Rover's** tractor beam.
8. **Rover** becomes confused by the nature of CD-2, Releasing them and shrugging before reengaging his tractor beam and slamming the unidentified interior of CD-2 around the room. It is noted that CD-2 takes damage despite



his body making no physical contact with a wall.

9. **Rover** attempts his stun ability with no reaction from **CD-2**, before eviscerating **CD-2** with a purple beam that removes **CD-2's** body entirely.

CD-3 Testing:

10. **CD-2** indirectly answered the question that would have been assigned to **CD-3**, so they were requested to be removed.
11. It was noted that **Rover** took a significant interest in the abilities and effects of **SCP-409**, and decided to place **CD-3** within the crystal without being asked before terminating **CD-3**.

Results:

It was found throughout this test that SCP-409 instances are not only incapable of movement on their own, they are immune to the abilities of others to move him. It was found that while subjects are being infected with SCP-409, they are able to be moved but as soon as SCP-409 completely freezes the subject they are frozen in the exact location they were at the time. Rover was also able to keep his tractor beam active and moving while the SCP-409 instance was fully frozen.



RESEARCH CONCLUSION:



[Aftermath of your test or outcome. Should summarize the results of the test and reflect upon said results. Ensure you thoroughly analyze your findings.]

Outcome:

While my hypothesis was correct in the manners it set out to explain, it was incorrect in the fact that Rover was still able to move the unidentified object located within the SCP-409 instance. While Rover couldn't move these types of SCP-409 instances, his ability to hold the unidentified object allowed him to damage the instance without moving its body.

Theorization:



Up until this article, the object that Rover was moving within CD-2 has been identified as unidentified. I propose that the object that Rover was moving was Class-D's soul and that Rover's abilities target the soul of the user. While targeting the soul, Rover's abilities typically move the user's body along with the soul. In the case of SCP-409 however, The strength of SCP-409's ability to root the user into place causes Rover's abilities to only target the soul as the body becomes too physically resistant to movement so the soul is ripped from the instance itself. This soul theory would explain why smashing the soul against a wall causes damage to the body of the infected individual, as their soul is a part of them even when separated from their body. This theory would help provide a better understanding of Rover's abilities. This would also provide a clue as to why SCP-409 instances are "fragile" and more vulnerable to attacks, as the main focus of SCP-409's infection goes to reinforcing the infected subjects' inability to move.

Conclusion:

This log summarizes SCP-1048-I's, also known as Rover, inability to move SCP-409 instances while still moving an unidentified object inside of them. It then goes on to theorize that the object that Rover moves is the soul of the user, and that SCP-409's unique immobilizing ability allows Rover's tractor beam to remove the soul from the SCP-409 instance.

EXPERIMENT VERIFICATION



PICTURES/RECORDINGS OF EVENT:



[Photos/screenshots or recordings taken during your test. At least one or two photos are required to receive an A, as proof is needed that you did the test. However, the more photos, the better.]

