
V-P Shunt

Indication:	hydrocephalus
Position:	Supine with head turned to left side (on horseshoe headrest)
	R hand keep adducted
Anae:	Plain ETT
	NS with plain set,
Scalp prep	Refer to scalp prep tray
LA infiltration	✓ Adrenaline (1:10,000) 10ml /amp x 1
(please LABEL)	✓ 10 ml Normal Saline x 2 amp
	✓ 5mg/ml Chirocaine (0.5%) 10 ml/vial x 1
	✓ 3ml syringe x 1, 20ml lucer lock syringe x 1, 21G needle x 1
	✓ L sterile stripe x 1, marking pen x 1
Instruments	N001, N003 (for brain part),
	N106 (for perforator),
	S003 (for abd part)
Supple	Bipolar cable (Aesculap)
Instruments	Bipolar forceps, silver (Aesculap)
	Shunt introducer (NEU0547/ NEU0548)
	Retractor Jackson Burrow L
Consumables	Plain gauze, mini raytec gauze
	Toban 6640, 6648 1@
	Blade No.10, No.20, No.11 1@
	Bulb syringe x 2, 20ml syringe on blunt needle x 2 set
	Bone wax, Surgicel S 1@
	Perforator (Codman) x 1,
	Shunt catheter (appropriate size) brought by surgeon
TOM	Silk tie 0, 3/0 x 1 @
IOM	Gentamycin solution:
	80mg in 100ml NS for soaking of shunt catheter
Cuturasa	Or amikacin. Follow surgeons' prescription
Sutures	2/0 Vicryl (scalp closure)
Others:	Skin stapler / 3/0 nylon (Skin closure)
Others:	Specimen collection [send to lab with computer label]
	CSF x clysqs (sand blood container, analy can)
	CSF x glucose (send blood container- grey cap)
	CSF x protein (glass culture bottle 's')

M-4. VP Shunt.doc revised in Oct., 2021

Implant:



Codman:

Distal Catheter Kit with shunt \times 1 Ventricular Catheter with shunt \times

Metronic:

Strata II valve x 1

M-4. VP Shunt.doc revised in Oct., 2021