

```
(base) dikshaseth909_ds@instance-20240406-132750:~/IndicTrans2$ source install.sh
```

```
Setting up the environment in the /home/dikshaseth909_ds/IndicTrans2
```

```
Creating a virtual environment with python3
```

```
Channels:
```

```
- defaults
```

```
Platform: linux-64
```

```
Collecting package metadata (repodata.json): done
```

```
Solving environment: done
```

```
## Package Plan ##
```

```
environment location: /home/dikshaseth909_ds/miniconda3/envs/itv2
```

```
added / updated specs:
```

```
- python=3.9
```

```
The following NEW packages will be INSTALLED:
```

```
_libgcc_mutex    pkgs/main/linux-64::_libgcc_mutex-0.1-main  
_openmp_mutex    pkgs/main/linux-64::_openmp_mutex-5.1-1_gnu  
ca-certificates  pkgs/main/linux-64::ca-certificates-2024.3.11-h06a4308_0  
ld_impl_linux-64 pkgs/main/linux-64::ld_impl_linux-64-2.38-h1181459_1  
libffi           pkgs/main/linux-64::libffi-3.4.4-h6a678d5_0  
libgcc-ng        pkgs/main/linux-64::libgcc-ng-11.2.0-h1234567_1  
libgomp          pkgs/main/linux-64::libgomp-11.2.0-h1234567_1  
libstdcxx-ng     pkgs/main/linux-64::libstdcxx-ng-11.2.0-h1234567_1  
ncurses          pkgs/main/linux-64::ncurses-6.4-h6a678d5_0  
openssl          pkgs/main/linux-64::openssl-3.0.13-h7f8727e_0  
pip              pkgs/main/linux-64::pip-23.3.1-py39h06a4308_0  
python           pkgs/main/linux-64::python-3.9.19-h955ad1f_0  
readline         pkgs/main/linux-64::readline-8.2-h5eee18b_0  
setuptools       pkgs/main/linux-64::setuptools-68.2.2-py39h06a4308_0  
sqlite           pkgs/main/linux-64::sqlite-3.41.2-h5eee18b_0  
tk               pkgs/main/linux-64::tk-8.6.12-h1ccaba5_0  
tzdata           pkgs/main/noarch::tzdata-2024a-h04d1e81_0  
wheel            pkgs/main/linux-64::wheel-0.41.2-py39h06a4308_0  
xz               pkgs/main/linux-64::xz-5.4.6-h5eee18b_0  
zlib             pkgs/main/linux-64::zlib-1.2.13-h5eee18b_0
```

```
Downloading and Extracting Packages:
```

```
Preparing transaction: done
```

```
Verifying transaction: done
```

```
Executing transaction: done
```

```
#
```

```
# To activate this environment, use
```

```
#
# $ conda activate itv2
#
# To deactivate an active environment, use
#
# $ conda deactivate
```

Installing all the dependencies

Channels:

- defaults

Platform: linux-64

Collecting package metadata (repodata.json): done

Solving environment: done

```
# All requested packages already installed.
```

Requirement already satisfied: pip in

/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (23.3.1)

Collecting pip

Using cached pip-24.0-py3-none-any.whl.metadata (3.6 kB)

Using cached pip-24.0-py3-none-any.whl (2.1 MB)

Installing collected packages: pip

Attempting uninstall: pip

Found existing installation: pip 23.3.1

Uninstalling pip-23.3.1:

Successfully uninstalled pip-23.3.1

Successfully installed pip-24.0

Looking in indexes: <https://pypi.org/simple>, <https://download.pytorch.org/whl/cu118>

Collecting torch

Using cached

https://download.pytorch.org/whl/cu118/torch-2.2.2%2Bcu118-cp39-cp39-linux_x86_64.whl (819.2 MB)

Collecting filelock (from torch)

Using cached filelock-3.13.3-py3-none-any.whl.metadata (2.8 kB)

Collecting typing-extensions>=4.8.0 (from torch)

Using cached typing_extensions-4.11.0-py3-none-any.whl.metadata (3.0 kB)

Collecting sympy (from torch)

Using cached <https://download.pytorch.org/whl/sympy-1.12-py3-none-any.whl> (5.7 MB)

Collecting networkx (from torch)

Using cached <https://download.pytorch.org/whl/networkx-3.2.1-py3-none-any.whl> (1.6 MB)

Collecting jinja2 (from torch)

Using cached Jinja2-3.1.3-py3-none-any.whl.metadata (3.3 kB)

Collecting fsspec (from torch)

Using cached fsspec-2024.3.1-py3-none-any.whl.metadata (6.8 kB)

Collecting nvidia-cuda-nvrtc-cu11==11.8.89 (from torch)

Using cached

[https://download.pytorch.org/whl/cu118/nvidia_cuda_nvrtc_cu11-11.8.89-py3-none-manylinux1_x86_64.w](https://download.pytorch.org/whl/cu118/nvidia_cuda_nvrtc_cu11-11.8.89-py3-none-manylinux1_x86_64.whl)
hl (23.2 MB)

Collecting nvidia-cuda-runtime-cu11==11.8.89 (from torch)

Using cached
https://download.pytorch.org/whl/cu118/nvidia_cuda_runtime_cu11-11.8.89-py3-none-manylinux1_x86_64.whl (875 kB)
Collecting nvidia-cuda-cupti-cu11==11.8.87 (from torch)
Using cached
https://download.pytorch.org/whl/cu118/nvidia_cuda_cupti_cu11-11.8.87-py3-none-manylinux1_x86_64.whl (13.1 MB)
Collecting nvidia-cudnn-cu11==8.7.0.84 (from torch)
Using cached
https://download.pytorch.org/whl/cu118/nvidia_cudnn_cu11-8.7.0.84-py3-none-manylinux1_x86_64.whl (728.5 MB)
Collecting nvidia-cublas-cu11==11.11.3.6 (from torch)
Using cached
https://download.pytorch.org/whl/cu118/nvidia_cublas_cu11-11.11.3.6-py3-none-manylinux1_x86_64.whl (417.9 MB)
Collecting nvidia-cufft-cu11==10.9.0.58 (from torch)
Using cached
https://download.pytorch.org/whl/cu118/nvidia_cufft_cu11-10.9.0.58-py3-none-manylinux1_x86_64.whl (168.4 MB)
Collecting nvidia-curand-cu11==10.3.0.86 (from torch)
Using cached
https://download.pytorch.org/whl/cu118/nvidia_curand_cu11-10.3.0.86-py3-none-manylinux1_x86_64.whl (58.1 MB)
Collecting nvidia-cusolver-cu11==11.4.1.48 (from torch)
Using cached
https://download.pytorch.org/whl/cu118/nvidia_cusolver_cu11-11.4.1.48-py3-none-manylinux1_x86_64.whl (128.2 MB)
Collecting nvidia-cuspars-cu11==11.7.5.86 (from torch)
Using cached
https://download.pytorch.org/whl/cu118/nvidia_cuspars_cu11-11.7.5.86-py3-none-manylinux1_x86_64.whl (204.1 MB)
Collecting nvidia-nccl-cu11==2.19.3 (from torch)
Using cached
https://download.pytorch.org/whl/cu118/nvidia_nccl_cu11-2.19.3-py3-none-manylinux1_x86_64.whl (135.3 MB)
Collecting nvidia-nvtx-cu11==11.8.86 (from torch)
Using cached
https://download.pytorch.org/whl/cu118/nvidia_nvtx_cu11-11.8.86-py3-none-manylinux1_x86_64.whl (99 kB)
Collecting triton==2.2.0 (from torch)
Using cached
https://download.pytorch.org/whl/triton-2.2.0-cp39-cp39-manylinux_2_17_x86_64_manylinux2014_x86_64.whl (167.9 MB)
Collecting MarkupSafe>=2.0 (from jinja2->torch)
Using cached
[MarkupSafe-2.1.5-cp39-cp39-manylinux_2_17_x86_64_manylinux2014_x86_64.whl.metadata](https://download.pytorch.org/whl/MarkupSafe-2.1.5-cp39-cp39-manylinux_2_17_x86_64_manylinux2014_x86_64.whl.metadata) (3.0 kB)
Collecting mpmath>=0.19 (from sympy->torch)
Using cached <https://download.pytorch.org/whl/mpmath-1.3.0-py3-none-any.whl> (536 kB)
Using cached [typing_extensions-4.11.0-py3-none-any.whl](https://download.pytorch.org/whl/typing_extensions-4.11.0-py3-none-any.whl) (34 kB)

Using cached filelock-3.13.3-py3-none-any.whl (11 kB)
Using cached fsspec-2024.3.1-py3-none-any.whl (171 kB)
Using cached Jinja2-3.1.3-py3-none-any.whl (133 kB)
Using cached MarkupSafe-2.1.5-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (25 kB)
Installing collected packages: mpmath, typing-extensions, sympy, nvidia-nvtx-cu11, nvidia-nccl-cu11, nvidia-cuspars-cu11, nvidia-curand-cu11, nvidia-cufft-cu11, nvidia-cuda-runtime-cu11, nvidia-cuda-nvrtc-cu11, nvidia-cuda-cupti-cu11, nvidia-cublas-cu11, networkx, MarkupSafe, fsspec, filelock, triton, nvidia-cusolver-cu11, nvidia-cudnn-cu11, jinja2, torch
Successfully installed MarkupSafe-2.1.5 filelock-3.13.3 fsspec-2024.3.1 jinja2-3.1.3 mpmath-1.3.0 networkx-3.2.1 nvidia-cublas-cu11-11.11.3.6 nvidia-cuda-cupti-cu11-11.8.87 nvidia-cuda-nvrtc-cu11-11.8.89 nvidia-cuda-runtime-cu11-11.8.89 nvidia-cudnn-cu11-8.7.0.84 nvidia-cufft-cu11-10.9.0.58 nvidia-curand-cu11-10.3.0.86 nvidia-cusolver-cu11-11.4.1.48 nvidia-cuspars-cu11-11.7.5.86 nvidia-nccl-cu11-2.19.3 nvidia-nvtx-cu11-11.8.86 sympy-1.12 torch-2.2.2+cu118 triton-2.2.0 typing-extensions-4.11.0
fatal: destination path 'indic_nlp_resources' already exists and is not an empty directory.
fatal: destination path 'indic_nlp_library' already exists and is not an empty directory.
Processing /home/dikshaseth909_ds/IndicTrans2/indic_nlp_library
 Preparing metadata (setup.py) ... done
Collecting sphinx-argparse (from indic-nlp-library==0.92)
 Using cached sphinx_argparse-0.4.0-py3-none-any.whl.metadata (1.9 kB)
Collecting sphinx_rtd_theme (from indic-nlp-library==0.92)
 Using cached sphinx_rtd_theme-2.0.0-py2.py3-none-any.whl.metadata (4.4 kB)
Collecting morfessor (from indic-nlp-library==0.92)
 Using cached Morfessor-2.0.6-py3-none-any.whl.metadata (628 bytes)
Collecting pandas (from indic-nlp-library==0.92)
 Using cached pandas-2.2.1-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (19 kB)
Collecting numpy (from indic-nlp-library==0.92)
 Using cached numpy-1.26.4-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (61 kB)
Collecting python-dateutil>=2.8.2 (from pandas->indic-nlp-library==0.92)
 Using cached python_dateutil-2.9.0.post0-py2.py3-none-any.whl.metadata (8.4 kB)
Collecting pytz>=2020.1 (from pandas->indic-nlp-library==0.92)
 Using cached pytz-2024.1-py2.py3-none-any.whl.metadata (22 kB)
Collecting tzdata>=2022.7 (from pandas->indic-nlp-library==0.92)
 Using cached tzdata-2024.1-py2.py3-none-any.whl.metadata (1.4 kB)
Collecting sphinx>=1.2.0 (from sphinx-argparse->indic-nlp-library==0.92)
 Using cached sphinx-7.2.6-py3-none-any.whl.metadata (5.9 kB)
Collecting docutils<0.21 (from sphinx_rtd_theme->indic-nlp-library==0.92)
 Using cached docutils-0.20.1-py3-none-any.whl.metadata (2.8 kB)
Collecting sphinxcontrib-jquery<5,>=4 (from sphinx_rtd_theme->indic-nlp-library==0.92)
 Using cached sphinxcontrib_jquery-4.1-py2.py3-none-any.whl.metadata (2.6 kB)
Collecting six>=1.5 (from python-dateutil>=2.8.2->pandas->indic-nlp-library==0.92)
 Using cached six-1.16.0-py2.py3-none-any.whl.metadata (1.8 kB)
Collecting sphinxcontrib-applehelp (from sphinx>=1.2.0->sphinx-argparse->indic-nlp-library==0.92)
 Using cached sphinxcontrib_applehelp-1.0.8-py3-none-any.whl.metadata (2.3 kB)
Collecting sphinxcontrib-devhelp (from sphinx>=1.2.0->sphinx-argparse->indic-nlp-library==0.92)
 Using cached sphinxcontrib_devhelp-1.0.6-py3-none-any.whl.metadata (2.3 kB)

Collecting sphinxcontrib-jsmath (from sphinx>=1.2.0->sphinx-argparse->indic-nlp-library==0.92)
Using cached sphinxcontrib_jsmath-1.0.1-py2.py3-none-any.whl.metadata (1.4 kB)

Collecting sphinxcontrib-htmlhelp>=2.0.0 (from sphinx>=1.2.0->sphinx-argparse->indic-nlp-library==0.92)
Using cached sphinxcontrib_htmlhelp-2.0.5-py3-none-any.whl.metadata (2.3 kB)

Collecting sphinxcontrib-serializinghtml>=1.1.9 (from sphinx>=1.2.0->sphinx-argparse->indic-nlp-library==0.92)
Using cached sphinxcontrib_serializinghtml-1.1.10-py3-none-any.whl.metadata (2.4 kB)

Collecting sphinxcontrib-qthelp (from sphinx>=1.2.0->sphinx-argparse->indic-nlp-library==0.92)
Using cached sphinxcontrib_qthelp-1.0.7-py3-none-any.whl.metadata (2.2 kB)

Requirement already satisfied: Jinja2>=3.0 in /home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from sphinx>=1.2.0->sphinx-argparse->indic-nlp-library==0.92) (3.1.3)

Collecting Pygments>=2.14 (from sphinx>=1.2.0->sphinx-argparse->indic-nlp-library==0.92)
Using cached pygments-2.17.2-py3-none-any.whl.metadata (2.6 kB)

Collecting snowballstemmer>=2.0 (from sphinx>=1.2.0->sphinx-argparse->indic-nlp-library==0.92)
Using cached snowballstemmer-2.2.0-py2.py3-none-any.whl.metadata (6.5 kB)

Collecting babel>=2.9 (from sphinx>=1.2.0->sphinx-argparse->indic-nlp-library==0.92)
Using cached Babel-2.14.0-py3-none-any.whl.metadata (1.6 kB)

Collecting alabaster<0.8,>=0.7 (from sphinx>=1.2.0->sphinx-argparse->indic-nlp-library==0.92)
Using cached alabaster-0.7.16-py3-none-any.whl.metadata (2.9 kB)

Collecting imagesize>=1.3 (from sphinx>=1.2.0->sphinx-argparse->indic-nlp-library==0.92)
Using cached imagesize-1.4.1-py2.py3-none-any.whl.metadata (1.5 kB)

Collecting requests>=2.25.0 (from sphinx>=1.2.0->sphinx-argparse->indic-nlp-library==0.92)
Using cached requests-2.31.0-py3-none-any.whl.metadata (4.6 kB)

Collecting packaging>=21.0 (from sphinx>=1.2.0->sphinx-argparse->indic-nlp-library==0.92)
Using cached packaging-24.0-py3-none-any.whl.metadata (3.2 kB)

Collecting importlib-metadata>=4.8 (from sphinx>=1.2.0->sphinx-argparse->indic-nlp-library==0.92)
Using cached importlib_metadata-7.1.0-py3-none-any.whl.metadata (4.7 kB)

Collecting zipp>=0.5 (from importlib-metadata>=4.8->sphinx>=1.2.0->sphinx-argparse->indic-nlp-library==0.92)
Using cached zipp-3.18.1-py3-none-any.whl.metadata (3.5 kB)

Requirement already satisfied: MarkupSafe>=2.0 in /home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from Jinja2>=3.0->sphinx>=1.2.0->sphinx-argparse->indic-nlp-library==0.92) (2.1.5)

Collecting charset-normalizer<4,>=2 (from requests>=2.25.0->sphinx>=1.2.0->sphinx-argparse->indic-nlp-library==0.92)
Using cached charset_normalizer-3.3.2-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (33 kB)

Collecting idna<4,>=2.5 (from requests>=2.25.0->sphinx>=1.2.0->sphinx-argparse->indic-nlp-library==0.92)
Using cached idna-3.6-py3-none-any.whl.metadata (9.9 kB)

Collecting urllib3<3,>=1.21.1 (from requests>=2.25.0->sphinx>=1.2.0->sphinx-argparse->indic-nlp-library==0.92)
Using cached urllib3-2.2.1-py3-none-any.whl.metadata (6.4 kB)

Collecting certifi>=2017.4.17 (from requests>=2.25.0->sphinx>=1.2.0->sphinx-argparse->indic-nlp-library==0.92)
Using cached certifi-2024.2.2-py3-none-any.whl.metadata (2.2 kB)

Using cached Morfessor-2.0.6-py3-none-any.whl (35 kB)

Using cached numpy-1.26.4-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (18.2 MB)
Using cached pandas-2.2.1-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (13.0 MB)
Using cached sphinx_argparse-0.4.0-py3-none-any.whl (12 kB)
Using cached sphinx_rtd_theme-2.0.0-py2.py3-none-any.whl (2.8 MB)
Using cached docutils-0.20.1-py3-none-any.whl (572 kB)
Using cached python_dateutil-2.9.0.post0-py2.py3-none-any.whl (229 kB)
Using cached pytz-2024.1-py2.py3-none-any.whl (505 kB)
Using cached sphinx-7.2.6-py3-none-any.whl (3.2 MB)
Using cached sphinxcontrib_jquery-4.1-py2.py3-none-any.whl (121 kB)
Using cached tzdata-2024.1-py2.py3-none-any.whl (345 kB)
Using cached alabaster-0.7.16-py3-none-any.whl (13 kB)
Using cached Babel-2.14.0-py3-none-any.whl (11.0 MB)
Using cached imagesize-1.4.1-py2.py3-none-any.whl (8.8 kB)
Using cached importlib_metadata-7.1.0-py3-none-any.whl (24 kB)
Using cached packaging-24.0-py3-none-any.whl (53 kB)
Using cached pygments-2.17.2-py3-none-any.whl (1.2 MB)
Using cached requests-2.31.0-py3-none-any.whl (62 kB)
Using cached six-1.16.0-py2.py3-none-any.whl (11 kB)
Using cached snowballstemmer-2.2.0-py2.py3-none-any.whl (93 kB)
Using cached sphinxcontrib_htmlhelp-2.0.5-py3-none-any.whl (99 kB)
Using cached sphinxcontrib_serializinghtml-1.1.10-py3-none-any.whl (92 kB)
Using cached sphinxcontrib_applehelp-1.0.8-py3-none-any.whl (120 kB)
Using cached sphinxcontrib_devhelp-1.0.6-py3-none-any.whl (83 kB)
Using cached sphinxcontrib_jsmath-1.0.1-py2.py3-none-any.whl (5.1 kB)
Using cached sphinxcontrib_qthelp-1.0.7-py3-none-any.whl (89 kB)
Using cached certifi-2024.2.2-py3-none-any.whl (163 kB)
Using cached charset_normalizer-3.3.2-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (142 kB)
Using cached idna-3.6-py3-none-any.whl (61 kB)
Using cached urllib3-2.2.1-py3-none-any.whl (121 kB)
Using cached zipp-3.18.1-py3-none-any.whl (8.2 kB)
Building wheels for collected packages: indic-nlp-library
Building wheel for indic-nlp-library (setup.py) ... done
Created wheel for indic-nlp-library: filename=indic_nlp_library-0.92-py3-none-any.whl size=40759
sha256=2a2a26a7af747a552b5365133e6bed8ffbc4f4ec913933a61e619052f2c8ab0e
Stored in directory:
/tmp/pip-ephem-wheel-cache-9bfaa3ph/wheels/a4/33/eb/61dd11b7ccbce0afc2653d477f70fd3f56b4247a662a5da3cd
Successfully built indic-nlp-library
Installing collected packages: snowballstemmer, pytz, morfessor, zipp, urllib3, tzdata, sphinxcontrib-serializinghtml, sphinxcontrib-qthelp, sphinxcontrib-jsmath, sphinxcontrib-htmlhelp, sphinxcontrib-devhelp, sphinxcontrib-applehelp, six, Pygments, packaging, numpy, imagesize, idna, docutils, charset-normalizer, certifi, babel, alabaster, requests, python-dateutil, importlib-metadata, sphinx, pandas, sphinxcontrib-jquery, sphinx-argparse, sphinx_rtd_theme, indic-nlp-library
Successfully installed Pygments-2.17.2 alabaster-0.7.16 babel-2.14.0 certifi-2024.2.2 charset-normalizer-3.3.2 docutils-0.20.1 idna-3.6 imagesize-1.4.1 importlib-metadata-7.1.0 indic-nlp-library-0.92 morfessor-2.0.6 numpy-1.26.4 packaging-24.0 pandas-2.2.1 python-dateutil-2.9.0.post0 pytz-2024.1 requests-2.31.0 six-1.16.0 snowballstemmer-2.2.0 sphinx-7.2.6 sphinx-argparse-0.4.0 sphinx_rtd_theme-2.0.0 sphinxcontrib-applehelp-1.0.8 sphinxcontrib-devhelp-1.0.6

sphinxcontrib-htmlhelp-2.0.5 sphinxcontrib-jquery-4.1 sphinxcontrib-jsmath-1.0.1
sphinxcontrib-qthelp-1.0.7 sphinxcontrib-serializinghtml-1.1.10 tzdata-2024.1 urllib3-2.2.1 zipp-3.18.1
Collecting nltk
Using cached nltk-3.8.1-py3-none-any.whl.metadata (2.8 kB)
Collecting sacremoses
Using cached sacremoses-0.1.1-py3-none-any.whl.metadata (8.3 kB)
Collecting regex
Using cached
regex-2023.12.25-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (40 kB)
Requirement already satisfied: pandas in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (2.2.1)
Collecting mock
Using cached mock-5.1.0-py3-none-any.whl.metadata (3.0 kB)
Collecting transformers==4.28.1
Using cached transformers-4.28.1-py3-none-any.whl.metadata (109 kB)
Collecting sacrebleu==2.3.1
Using cached sacrebleu-2.3.1-py3-none-any.whl.metadata (57 kB)
Collecting mosestokenizer
Using cached mosestokenizer-1.2.1-py3-none-any.whl
Collecting ctranslate2==3.9.0
Using cached
ctranslate2-3.9.0-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (10.0 kB)
Collecting gradio
Using cached gradio-4.25.0-py3-none-any.whl.metadata (15 kB)
Collecting urduhack[tf]
Using cached urduhack-1.1.1-py3-none-any.whl.metadata (7.2 kB)
Requirement already satisfied: filelock in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from transformers==4.28.1)
(3.13.3)
Collecting huggingface-hub<1.0,>=0.11.0 (from transformers==4.28.1)
Using cached huggingface_hub-0.22.2-py3-none-any.whl.metadata (12 kB)
Requirement already satisfied: numpy>=1.17 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from transformers==4.28.1)
(1.26.4)
Requirement already satisfied: packaging>=20.0 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from transformers==4.28.1)
(24.0)
Collecting pyyaml>=5.1 (from transformers==4.28.1)
Using cached PyYAML-6.0.1-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata
(2.1 kB)
Requirement already satisfied: requests in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from transformers==4.28.1)
(2.31.0)
Collecting tokenizers!=0.11.3,<0.14,>=0.11.1 (from transformers==4.28.1)
Using cached
tokenizers-0.13.3-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (6.7 kB)
Collecting tqdm>=4.27 (from transformers==4.28.1)
Using cached tqdm-4.66.2-py3-none-any.whl.metadata (57 kB)
Collecting portalocker (from sacrebleu==2.3.1)

Using cached portalocker-2.8.2-py3-none-any.whl.metadata (8.5 kB)
Collecting tabulate>=0.8.9 (from sacrebleu==2.3.1)
Using cached tabulate-0.9.0-py3-none-any.whl.metadata (34 kB)
Collecting colorama (from sacrebleu==2.3.1)
Using cached colorama-0.4.6-py2.py3-none-any.whl.metadata (17 kB)
Collecting lxml (from sacrebleu==2.3.1)
Using cached lxml-5.2.1-cp39-cp39-manylinux_2_28_x86_64.whl.metadata (3.4 kB)
Collecting click (from nltk)
Using cached click-8.1.7-py3-none-any.whl.metadata (3.0 kB)
Collecting joblib (from nltk)
Using cached joblib-1.3.2-py3-none-any.whl.metadata (5.4 kB)
Requirement already satisfied: python-dateutil>=2.8.2 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from pandas) (2.9.0.post0)
Requirement already satisfied: pytz>=2020.1 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from pandas) (2024.1)
Requirement already satisfied: tzdata>=2022.7 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from pandas) (2024.1)
Collecting tf2crf (from urduhack[tf])
Using cached tf2crf-0.1.33-py2.py3-none-any.whl.metadata (1.9 kB)
Collecting tensorflow-datasets~=3.1 (from urduhack[tf])
Using cached tensorflow_datasets-3.2.1-py3-none-any.whl.metadata (4.8 kB)
Collecting click (from nltk)
Using cached click-7.1.2-py2.py3-none-any.whl.metadata (2.9 kB)
Collecting tensorflow~=2.2 (from urduhack[tf])
Using cached
tensorflow-2.16.1-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (4.3 kB)
Collecting docopt (from mosestokenizer)
Using cached docopt-0.6.2-py2.py3-none-any.whl
Collecting openfile (from mosestokenizer)
Using cached openfile-0.0.7-py3-none-any.whl.metadata (1.7 kB)
Collecting uctools (from mosestokenizer)
Using cached uctools-1.3.0-py3-none-any.whl
Collecting toolwrapper (from mosestokenizer)
Using cached toolwrapper-2.1.0-py3-none-any.whl
Collecting aiofiles<24.0,>=22.0 (from gradio)
Using cached aiofiles-23.2.1-py3-none-any.whl.metadata (9.7 kB)
Collecting altair<6.0,>=4.2.0 (from gradio)
Using cached altair-5.3.0-py3-none-any.whl.metadata (9.2 kB)
Collecting fastapi (from gradio)
Using cached fastapi-0.110.1-py3-none-any.whl.metadata (24 kB)
Collecting ffmpeg (from gradio)
Using cached ffmpeg-0.3.2-py3-none-any.whl
Collecting gradio-client==0.15.0 (from gradio)
Using cached gradio_client-0.15.0-py3-none-any.whl.metadata (7.1 kB)
Collecting httpx>=0.24.1 (from gradio)
Using cached httpx-0.27.0-py3-none-any.whl.metadata (7.2 kB)
Collecting importlib-resources<7.0,>=1.3 (from gradio)
Using cached importlib_resources-6.4.0-py3-none-any.whl.metadata (3.9 kB)

Requirement already satisfied: jinja2<4.0 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from gradio) (3.1.3)

Requirement already satisfied: markupsafe~=2.0 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from gradio) (2.1.5)

Collecting matplotlib~=3.0 (from gradio)
Using cached
matplotlib-3.8.4-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (5.8 kB)

Collecting orjson~=3.0 (from gradio)
Using cached orjson-3.10.0-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (49 kB)

Collecting pillow<11.0,>=8.0 (from gradio)
Using cached pillow-10.3.0-cp39-cp39-manylinux_2_28_x86_64.whl.metadata (9.2 kB)

Collecting pydantic>=2.0 (from gradio)
Using cached pydantic-2.6.4-py3-none-any.whl.metadata (85 kB)

Collecting pydub (from gradio)
Using cached pydub-0.25.1-py2.py3-none-any.whl.metadata (1.4 kB)

Collecting python-multipart>=0.0.9 (from gradio)
Using cached python_multipart-0.0.9-py3-none-any.whl.metadata (2.5 kB)

Collecting ruff>=0.2.2 (from gradio)
Using cached ruff-0.3.5-py3-none-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (23 kB)

Collecting semantic-version~=2.0 (from gradio)
Using cached semantic_version-2.10.0-py2.py3-none-any.whl.metadata (9.7 kB)

Collecting tomlkit==0.12.0 (from gradio)
Using cached tomlkit-0.12.0-py3-none-any.whl.metadata (2.7 kB)

Collecting typer<1.0,>=0.9 (from typer[all]<1.0,>=0.9; sys_platform != "emscripten"->gradio)
Using cached typer-0.12.1-py3-none-any.whl.metadata (15 kB)

Requirement already satisfied: typing-extensions~=4.0 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from gradio) (4.11.0)

Collecting uvicorn>=0.14.0 (from gradio)
Using cached uvicorn-0.29.0-py3-none-any.whl.metadata (6.3 kB)

Requirement already satisfied: fsspec in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
gradio-client==0.15.0->gradio) (2024.3.1)

Collecting websockets<12.0,>=10.0 (from gradio-client==0.15.0->gradio)
Using cached
websockets-11.0.3-cp39-cp39-manylinux_2_5_x86_64.manylinux1_x86_64.manylinux_2_17_x86_64.ma
nylinux2014_x86_64.whl.metadata (6.6 kB)

Collecting jsonschema>=3.0 (from altair<6.0,>=4.2.0->gradio)
Using cached jsonschema-4.21.1-py3-none-any.whl.metadata (7.8 kB)

Collecting toolz (from altair<6.0,>=4.2.0->gradio)
Using cached toolz-0.12.1-py3-none-any.whl.metadata (5.1 kB)

Collecting anyio (from httpx>=0.24.1->gradio)
Using cached anyio-4.3.0-py3-none-any.whl.metadata (4.6 kB)

Requirement already satisfied: certifi in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from httpx>=0.24.1->gradio)
(2024.2.2)

Collecting httpcore==1.* (from httpx>=0.24.1->gradio)
Using cached httpcore-1.0.5-py3-none-any.whl.metadata (20 kB)

Requirement already satisfied: idna in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from httpx>=0.24.1->gradio)
(3.6)

Collecting sniffio (from httpx>=0.24.1->gradio)
Using cached sniffio-1.3.1-py3-none-any.whl.metadata (3.9 kB)

Collecting h11<0.15,>=0.13 (from httpcore==1.*->httpx>=0.24.1->gradio)
Using cached h11-0.14.0-py3-none-any.whl.metadata (8.2 kB)

Requirement already satisfied: zipp>=3.1.0 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
importlib-resources<7.0,>=1.3->gradio) (3.18.1)

Collecting contourpy>=1.0.1 (from matplotlib~=3.0->gradio)
Using cached
contourpy-1.2.1-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (5.8 kB)

Collecting cycler>=0.10 (from matplotlib~=3.0->gradio)
Using cached cycler-0.12.1-py3-none-any.whl.metadata (3.8 kB)

Collecting fonttools>=4.22.0 (from matplotlib~=3.0->gradio)
Using cached
fonttools-4.51.0-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (159 kB)

Collecting kiwisolver>=1.3.1 (from matplotlib~=3.0->gradio)
Using cached
kiwisolver-1.4.5-cp39-cp39-manylinux_2_12_x86_64.manylinux2010_x86_64.whl.metadata (6.4 kB)

Collecting pyparsing>=2.3.1 (from matplotlib~=3.0->gradio)
Using cached pyparsing-3.1.2-py3-none-any.whl.metadata (5.1 kB)

Collecting annotated-types>=0.4.0 (from pydantic>=2.0->gradio)
Using cached annotated_types-0.6.0-py3-none-any.whl.metadata (12 kB)

Collecting pydantic-core==2.16.3 (from pydantic>=2.0->gradio)
Using cached
pydantic_core-2.16.3-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (6.5 kB)

Requirement already satisfied: six>=1.5 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
python-dateutil>=2.8.2->pandas) (1.16.0)

Collecting absl-py>=1.0.0 (from tensorflow~=2.2->urduhack[tf])
Using cached absl_py-1.0-py3-none-any.whl.metadata (2.3 kB)

Collecting astunparse>=1.6.0 (from tensorflow~=2.2->urduhack[tf])
Using cached astunparse-1.6.3-py2.py3-none-any.whl.metadata (4.4 kB)

Collecting flatbuffers>=23.5.26 (from tensorflow~=2.2->urduhack[tf])
Using cached flatbuffers-24.3.25-py2.py3-none-any.whl.metadata (850 bytes)

Collecting gast!=0.5.0,!0.5.1,!0.5.2,>=0.2.1 (from tensorflow~=2.2->urduhack[tf])
Using cached gast-0.5.4-py3-none-any.whl.metadata (1.3 kB)

Collecting google-pasta>=0.1.1 (from tensorflow~=2.2->urduhack[tf])
Using cached google_pasta-0.2.0-py3-none-any.whl.metadata (814 bytes)

Collecting h5py>=3.10.0 (from tensorflow~=2.2->urduhack[tf])
Using cached h5py-3.10.0-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata
(2.5 kB)

Collecting libclang>=13.0.0 (from tensorflow~=2.2->urduhack[tf])
Using cached libclang-18.1.1-py2.py3-none-manylinux2010_x86_64.whl.metadata (5.2 kB)

Collecting ml-dtypes~=0.3.1 (from tensorflow~=2.2->urduhack[tf])
Using cached
ml_dtypes-0.3.2-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (20 kB)

Collecting opt-einsum>=2.3.2 (from tensorflow~=2.2->urduhack[tf])
Using cached opt_einsum-3.3.0-py3-none-any.whl.metadata (6.5 kB)

Collecting protobuf!=4.21.0,!<4.21.1,!<4.21.2,!<4.21.3,!<4.21.4,!<4.21.5,<5.0.0dev,>=3.20.3 (from tensorflow~=2.2->urduhack[tf])
Using cached protobuf-4.25.3-cp37-abi3-manylinux2014_x86_64.whl.metadata (541 bytes)

Requirement already satisfied: setuptools in /home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from tensorflow~=2.2->urduhack[tf]) (68.2.2)

Collecting termcolor>=1.1.0 (from tensorflow~=2.2->urduhack[tf])
Using cached termcolor-2.4.0-py3-none-any.whl.metadata (6.1 kB)

Collecting wrapt>=1.11.0 (from tensorflow~=2.2->urduhack[tf])
Using cached wrapt-1.16.0-cp39-cp39-manylinux_2_5_x86_64.manylinux1_x86_64.manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (6.6 kB)

Collecting grpcio<2.0,>=1.24.3 (from tensorflow~=2.2->urduhack[tf])
Using cached grpcio-1.62.1-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (4.0 kB)

Collecting tensorboard<2.17,>=2.16 (from tensorflow~=2.2->urduhack[tf])
Using cached tensorboard-2.16.2-py3-none-any.whl.metadata (1.6 kB)

Collecting keras>=3.0.0 (from tensorflow~=2.2->urduhack[tf])
Using cached keras-3.1.1-py3-none-any.whl.metadata (5.6 kB)

Collecting tensorflow-io-gcs-filesystem>=0.23.1 (from tensorflow~=2.2->urduhack[tf])
Using cached tensorflow_io_gcs_filesystem-0.36.0-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (14 kB)

Requirement already satisfied: charset-normalizer<4,>=2 in /home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from requests->transformers==4.28.1) (3.3.2)

Requirement already satisfied: urllib3<3,>=1.21.1 in /home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from requests->transformers==4.28.1) (2.2.1)

Collecting attrs>=18.1.0 (from tensorflow-datasets~=3.1->urduhack[tf])
Using cached attrs-23.2.0-py3-none-any.whl.metadata (9.5 kB)

Collecting dill (from tensorflow-datasets~=3.1->urduhack[tf])
Using cached dill-0.3.8-py3-none-any.whl.metadata (10 kB)

Collecting future (from tensorflow-datasets~=3.1->urduhack[tf])
Using cached future-1.0.0-py3-none-any.whl.metadata (4.0 kB)

Collecting promise (from tensorflow-datasets~=3.1->urduhack[tf])
Using cached promise-2.3-py3-none-any.whl

Collecting tensorflow-metadata (from tensorflow-datasets~=3.1->urduhack[tf])
Using cached tensorflow_metadata-1.14.0-py3-none-any.whl.metadata (2.1 kB)

INFO: pip is looking at multiple versions of typer to determine which version is compatible with other requirements. This could take a while.

Collecting typer<1.0,>=0.9 (from typer[all]<1.0,>=0.9; sys_platform != "emscripten"->gradio)
Using cached typer-0.12.0-py3-none-any.whl.metadata (15 kB)

Collecting typer-slim==0.12.0 (from typer-slim[standard]==0.12.0->typer<1.0,>=0.9->typer[all]<1.0,>=0.9; sys_platform != "emscripten"->gradio)
Using cached typer_slim-0.12.0-py3-none-any.whl.metadata (15 kB)

Collecting typer-cli==0.12.0 (from typer<1.0,>=0.9->typer[all]<1.0,>=0.9; sys_platform != "emscripten"->gradio)
Using cached typer_cli-0.12.0-py3-none-any.whl.metadata (3.5 kB)
INFO: pip is looking at multiple versions of typer-slim to determine which version is compatible with other requirements. This could take a while.
Collecting typer<1.0,>=0.9 (from typer[all]<1.0,>=0.9; sys_platform != "emscripten"->gradio)
Using cached typer-0.11.1-py3-none-any.whl.metadata (13 kB)
Using cached typer-0.11.0-py3-none-any.whl.metadata (13 kB)
Using cached typer-0.10.0-py3-none-any.whl.metadata (14 kB)
WARNING: typer 0.12.1 does not provide the extra 'all'
INFO: pip is looking at multiple versions of typer[all] to determine which version is compatible with other requirements. This could take a while.
WARNING: typer 0.12.0 does not provide the extra 'all'
Collecting shellingham<2.0.0,>=1.3.0 (from typer[all]<1.0,>=0.9; sys_platform != "emscripten"->gradio)
Using cached shellingham-1.5.4-py2.py3-none-any.whl.metadata (3.5 kB)
Collecting rich<14.0.0,>=10.11.0 (from typer[all]<1.0,>=0.9; sys_platform != "emscripten"->gradio)
Using cached rich-13.7.1-py3-none-any.whl.metadata (18 kB)
Collecting starlette<0.38.0,>=0.37.2 (from fastapi->gradio)
Using cached starlette-0.37.2-py3-none-any.whl.metadata (5.9 kB)
Collecting tensorflow-addons>=0.8.2 (from tf2crf->urduhack[tf])
Using cached tensorflow_addons-0.23.0-cp39-cp39-manylinux_2_17_x86_64_manylinux2014_x86_64.whl.metadata (1.8 kB)
Requirement already satisfied: wheel<1.0,>=0.23.0 in /home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from astunparse>=1.6.0->tensorflow~=2.2->urduhack[tf]) (0.41.2)
Collecting jsonschema-specifications>=2023.03.6 (from jsonschema>=3.0->altair<6.0,>=4.2.0->gradio)
Using cached jsonschema_specifications-2023.12.1-py3-none-any.whl.metadata (3.0 kB)
Collecting referencing>=0.28.4 (from jsonschema>=3.0->altair<6.0,>=4.2.0->gradio)
Using cached referencing-0.34.0-py3-none-any.whl.metadata (2.8 kB)
Collecting rpds-py>=0.7.1 (from jsonschema>=3.0->altair<6.0,>=4.2.0->gradio)
Using cached rpds_py-0.18.0-cp39-cp39-manylinux_2_17_x86_64_manylinux2014_x86_64.whl.metadata (4.1 kB)
Collecting namex (from keras>=3.0.0->tensorflow~=2.2->urduhack[tf])
Using cached namex-0.0.7-py3-none-any.whl.metadata (246 bytes)
Collecting optree (from keras>=3.0.0->tensorflow~=2.2->urduhack[tf])
Using cached optree-0.11.0-cp39-cp39-manylinux_2_17_x86_64_manylinux2014_x86_64.whl.metadata (45 kB)
Collecting markdown-it-py>=2.2.0 (from rich<14.0.0,>=10.11.0->typer[all]<1.0,>=0.9; sys_platform != "emscripten"->gradio)
Using cached markdown_it_py-3.0.0-py3-none-any.whl.metadata (6.9 kB)
Requirement already satisfied: pygments<3.0.0,>=2.13.0 in /home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from rich<14.0.0,>=10.11.0->typer[all]<1.0,>=0.9; sys_platform != "emscripten"->gradio) (2.17.2)
Collecting exceptiongroup>=1.0.2 (from anyio->httpx>=0.24.1->gradio)
Using cached exceptiongroup-1.2.0-py3-none-any.whl.metadata (6.6 kB)
Collecting markdown>=2.6.8 (from tensorboard<2.17,>=2.16->tensorflow~=2.2->urduhack[tf])
Using cached Markdown-3.6-py3-none-any.whl.metadata (7.0 kB)

Collecting tensorboard-data-server<0.8.0,>=0.7.0 (from tensorboard<2.17,>=2.16->tensorflow~=2.2->urduhack[tf])
Using cached tensorboard_data_server-0.7.2-py3-none-manylinux_2_31_x86_64.whl.metadata (1.1 kB)
Collecting werkzeug>=1.0.1 (from tensorboard<2.17,>=2.16->tensorflow~=2.2->urduhack[tf])
Using cached werkzeug-3.0.2-py3-none-any.whl.metadata (4.1 kB)
Collecting typeguard<3.0.0,>=2.7 (from tensorflow-addons>=0.8.2->tf2crf->urduhack[tf])
Using cached typeguard-2.13.3-py3-none-any.whl.metadata (3.6 kB)
Collecting absl-py>=1.0.0 (from tensorflow~=2.2->urduhack[tf])
Using cached absl_py-1.4.0-py3-none-any.whl.metadata (2.3 kB)
Collecting googleapis-common-protos<2,>=1.52.0 (from tensorflow-metadata->tensorflow-datasets~=3.1->urduhack[tf])
Using cached googleapis_common_protos-1.63.0-py2.py3-none-any.whl.metadata (1.5 kB)
Collecting protobuf!=4.21.0,!4.21.1,!4.21.2,!4.21.3,!4.21.4,!4.21.5,<5.0.0dev,>=3.20.3 (from tensorflow~=2.2->urduhack[tf])
Using cached protobuf-3.20.3-cp39-cp39-manylinux_2_5_x86_64.manylinux1_x86_64.whl.metadata (679 bytes)
Requirement already satisfied: importlib-metadata>=4.4 in /home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from markdown>=2.6.8->tensorboard<2.17,>=2.16->tensorflow~=2.2->urduhack[tf]) (7.1.0)
Collecting mdurl~=0.1 (from markdown-it-py>=2.2.0->rich<14.0.0,>=10.11.0->typer[all]<1.0,>=0.9; sys_platform != "emscripten"->gradio)
Using cached mdurl-0.1.2-py3-none-any.whl.metadata (1.6 kB)
Using cached transformers-4.28.1-py3-none-any.whl (7.0 MB)
Using cached sacrebleu-2.3.1-py3-none-any.whl (118 kB)
Using cached ctranslate2-3.9.0-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (31.4 MB)
Using cached nltk-3.8.1-py3-none-any.whl (1.5 MB)
Using cached sacremoses-0.1.1-py3-none-any.whl (897 kB)
Using cached regex-2023.12.25-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (773 kB)
Using cached mock-5.1.0-py3-none-any.whl (30 kB)
Using cached gradio-4.25.0-py3-none-any.whl (17.1 MB)
Using cached gradio_client-0.15.0-py3-none-any.whl (313 kB)
Using cached tomllkit-0.12.0-py3-none-any.whl (37 kB)
Using cached aiofiles-23.2.1-py3-none-any.whl (15 kB)
Using cached altair-5.3.0-py3-none-any.whl (857 kB)
Using cached click-7.1.2-py2.py3-none-any.whl (82 kB)
Using cached httpx-0.27.0-py3-none-any.whl (75 kB)
Using cached httpcore-1.0.5-py3-none-any.whl (77 kB)
Using cached huggingface_hub-0.22.2-py3-none-any.whl (388 kB)
Using cached importlib_resources-6.4.0-py3-none-any.whl (38 kB)
Using cached matplotlib-3.8.4-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (11.6 MB)
Using cached orjson-3.10.0-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (144 kB)
Using cached pillow-10.3.0-cp39-cp39-manylinux_2_28_x86_64.whl (4.5 MB)
Using cached pydantic-2.6.4-py3-none-any.whl (394 kB)
Using cached pydantic_core-2.16.3-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (2.2 MB)
Using cached python_multipart-0.0.9-py3-none-any.whl (22 kB)

Using cached PyYAML-6.0.1-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (738 kB)
Using cached ruff-0.3.5-py3-none-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (8.7 MB)
Using cached semantic_version-2.10.0-py2.py3-none-any.whl (15 kB)
Using cached tabulate-0.9.0-py3-none-any.whl (35 kB)
Using cached tensorflow-2.16.1-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (589.8 MB)
Using cached tensorflow_datasets-3.2.1-py3-none-any.whl (3.4 MB)
Using cached tokenizers-0.13.3-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (7.8 MB)
Using cached tqdm-4.66.2-py3-none-any.whl (78 kB)
Using cached typer-0.10.0-py3-none-any.whl (46 kB)
Using cached colorama-0.4.6-py2.py3-none-any.whl (25 kB)
Using cached uvicorn-0.29.0-py3-none-any.whl (60 kB)
Using cached fastapi-0.110.1-py3-none-any.whl (91 kB)
Using cached joblib-1.3.2-py3-none-any.whl (302 kB)
Using cached lxml-5.2.1-cp39-cp39-manylinux_2_28_x86_64.whl (5.0 MB)
Using cached openfile-0.0.7-py3-none-any.whl (2.4 kB)
Using cached portalocker-2.8.2-py3-none-any.whl (17 kB)
Using cached pydub-0.25.1-py2.py3-none-any.whl (32 kB)
Using cached tf2crf-0.1.33-py2.py3-none-any.whl (7.3 kB)
Using cached urduhack-1.1.1-py3-none-any.whl (105 kB)
Using cached annotated_types-0.6.0-py3-none-any.whl (12 kB)
Using cached astunparse-1.6.3-py2.py3-none-any.whl (12 kB)
Using cached attrs-23.2.0-py3-none-any.whl (60 kB)
Using cached contourpy-1.2.1-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (304 kB)
Using cached cycler-0.12.1-py3-none-any.whl (8.3 kB)
Using cached flatbuffers-24.3.25-py2.py3-none-any.whl (26 kB)
Using cached fonttools-4.51.0-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (4.6 MB)
Using cached gast-0.5.4-py3-none-any.whl (19 kB)
Using cached google_pasta-0.2.0-py3-none-any.whl (57 kB)
Using cached grpcio-1.62.1-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (5.6 MB)
Using cached h11-0.14.0-py3-none-any.whl (58 kB)
Using cached h5py-3.10.0-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (4.8 MB)
Using cached jsonschema-4.21.1-py3-none-any.whl (85 kB)
Using cached keras-3.1.1-py3-none-any.whl (1.1 MB)
Using cached kiwisolver-1.4.5-cp39-cp39-manylinux_2_12_x86_64.manylinux2010_x86_64.whl (1.6 MB)
Using cached libclang-18.1.1-py2.py3-none-manylinux2010_x86_64.whl (24.5 MB)
Using cached ml_dtypes-0.3.2-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (2.2 MB)
Using cached opt_einsum-3.3.0-py3-none-any.whl (65 kB)
Using cached pyparsing-3.1.2-py3-none-any.whl (103 kB)
Using cached rich-13.7.1-py3-none-any.whl (240 kB)
Using cached shellingham-1.5.4-py2.py3-none-any.whl (9.8 kB)
Using cached starlette-0.37.2-py3-none-any.whl (71 kB)
Using cached anyio-4.3.0-py3-none-any.whl (85 kB)
Using cached sniffio-1.3.1-py3-none-any.whl (10 kB)
Using cached tensorboard-2.16.2-py3-none-any.whl (5.5 MB)
Using cached
tensorflow_addons-0.23.0-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (611 kB)

Using cached

tensorflow_io_gcs_filesystem-0.36.0-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (5.1 MB)

Using cached termcolor-2.4.0-py3-none-any.whl (7.7 kB)

Using cached

websockets-11.0.3-cp39-cp39-manylinux_2_5_x86_64.manylinux1_x86_64.manylinux_2_17_x86_64.manylinux2014_x86_64.whl (129 kB)

Using cached

wrapt-1.16.0-cp39-cp39-manylinux_2_5_x86_64.manylinux1_x86_64.manylinux_2_17_x86_64.manylinux2014_x86_64.whl (80 kB)

Using cached dill-0.3.8-py3-none-any.whl (116 kB)

Using cached future-1.0.0-py3-none-any.whl (491 kB)

Using cached tensorflow_metadata-1.14.0-py3-none-any.whl (28 kB)

Using cached absl_py-1.4.0-py3-none-any.whl (126 kB)

Using cached protobuf-3.20.3-cp39-cp39-manylinux_2_5_x86_64.manylinux1_x86_64.whl (1.0 MB)

Using cached toolz-0.12.1-py3-none-any.whl (56 kB)

Using cached exceptiongroup-1.2.0-py3-none-any.whl (16 kB)

Using cached googleapis_common_protos-1.63.0-py2.py3-none-any.whl (229 kB)

Using cached jsonschema_specifications-2023.12.1-py3-none-any.whl (18 kB)

Using cached Markdown-3.6-py3-none-any.whl (105 kB)

Using cached markdown_it_py-3.0.0-py3-none-any.whl (87 kB)

Using cached referencing-0.34.0-py3-none-any.whl (26 kB)

Using cached rpds_py-0.18.0-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (1.1 MB)

Using cached tensorboard_data_server-0.7.2-py3-none-manylinux_2_31_x86_64.whl (6.6 MB)

Using cached typeguard-2.13.3-py3-none-any.whl (17 kB)

Using cached werkzeug-3.0.2-py3-none-any.whl (226 kB)

Using cached namex-0.0.7-py3-none-any.whl (5.8 kB)

Using cached optree-0.11.0-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (311 kB)

Using cached mdurl-0.1.2-py3-none-any.whl (10.0 kB)

Installing collected packages: toolwrapper, tokenizers, pydub, openfile, namex, libclang, flatbuffers, ffmpeg, docopt, wrapt, werkzeug, websockets, uctools, typeguard, tqdm, toolz, tomlkit, termcolor, tensorflow-io-gcs-file-system, tensorboard-data-server, tabulate, sniffio, shellingham, semantic-version, ruff, rpds-py, regex, pyyaml, python-multipart, pyparsing, pydantic-core, protobuf, promise, portalocker, pillow, orjson, optree, opt-einsum, mock, ml-dtypes, mdurl, lxml, kiwisolver, joblib, importlib-resources, h5py, h11, grpcio, google-pasta, gast, future, fonttools, exceptiongroup, dill, cyclical, contourpy, colorama, click, attrs, astunparse, annotated-types, aiofiles, absl-py, uvicorn, typer, tensorflow-addons, sacremoses, sacrebleu, referencing, pydantic, nltk, mosestokenizer, matplotlib, markdown-it-py, markdown, huggingface-hub, httpcore, googleapis-common-protos, ctranslate2, anyio, transformers, tensorflow-metadata, tensorboard, starlette, rich, jsonschema-specifications, httpx, tensorflow-datasets, keras, jsonschema, gradio-client, fastapi, tensorflow, altair, tf2crf, gradio, urduhack

Successfully installed absl-py-1.4.0 aiofiles-23.2.1 altair-5.3.0 annotated-types-0.6.0 anyio-4.3.0

astunparse-1.6.3 attrs-23.2.0 click-7.1.2 colorama-0.4.6 contourpy-1.2.1 ctranslate2-3.9.0 cyclical-0.12.1

dill-0.3.8 docopt-0.6.2 exceptiongroup-1.2.0 fastapi-0.110.1 ffmpeg-0.3.2 flatbuffers-24.3.25

fonttools-4.51.0 future-1.0.0 gast-0.5.4 google-pasta-0.2.0 googleapis-common-protos-1.63.0

gradio-4.25.0 gradio-client-0.15.0 grpcio-1.62.1 h11-0.14.0 h5py-3.10.0 httpcore-1.0.5 httpx-0.27.0

huggingface-hub-0.22.2 importlib-resources-6.4.0 joblib-1.3.2 jsonschema-4.21.1

jsonschema-specifications-2023.12.1 keras-3.1.1 kiwisolver-1.4.5 libclang-18.1.1 lxml-5.2.1

markdown-3.6 markdown-it-py-3.0.0 matplotlib-3.8.4 mdurl-0.1.2 ml-dtypes-0.3.2 mock-5.1.0

mosestokenizer-1.2.1 namex-0.0.7 nltk-3.8.1 openfile-0.0.7 opt-einsum-3.3.0 optree-0.11.0 orjson-3.10.0

pillow-10.3.0 portalocker-2.8.2 promise-2.3 protobuf-3.20.3 pydantic-2.6.4 pydantic-core-2.16.3
pydub-0.25.1 pyparsing-3.1.2 python-multipart-0.0.9 pyyaml-6.0.1 referencing-0.34.0 regex-2023.12.25
rich-13.7.1 rpds-py-0.18.0 ruff-0.3.5 sacrebleu-2.3.1 sacremoses-0.1.1 semantic-version-2.10.0
shellingham-1.5.4 sniffio-1.3.1 starlette-0.37.2 tabulate-0.9.0 tensorboard-2.16.2
tensorboard-data-server-0.7.2 tensorflow-2.16.1 tensorflow-addons-0.23.0 tensorflow-datasets-3.2.1
tensorflow-io-gcs-filesystem-0.36.0 tensorflow-metadata-1.14.0 termcolor-2.4.0 tf2crf-0.1.33
tokenizers-0.13.3 tomlkit-0.12.0 toolwrapper-2.1.0 toolz-0.12.1 tqdm-4.66.2 transformers-4.28.1
typeguard-2.13.3 typer-0.10.0 uctools-1.3.0 urduhack-1.1.1 uvicorn-0.29.0 websockets-11.0.3
werkzeug-3.0.2 wrapt-1.16.0

2024-04-06 18:49:26.033069: I external/local_tsl/tsl/cuda/cudart_stub.cc:32] Could not find cuda drivers on your machine, GPU will not be used.

2024-04-06 18:49:26.038595: I external/local_tsl/tsl/cuda/cudart_stub.cc:32] Could not find cuda drivers on your machine, GPU will not be used.

2024-04-06 18:49:26.107357: I tensorflow/core/platform/cpu_feature_guard.cc:210] This TensorFlow binary is optimized to use available CPU instructions in performance-critical operations.
To enable the following instructions: AVX2 FMA, in other operations, rebuild TensorFlow with the appropriate compiler flags.

2024-04-06 18:49:27.299595: W tensorflow/compiler/tf2tensorrt/utils/py_utils.cc:38] TF-TRT Warning: Could not find TensorRT

/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages/tensorflow_addons/utils/tfa_eol_msg.py:23: UserWarning:

TensorFlow Addons (TFA) has ended development and introduction of new features.

TFA has entered a minimal maintenance and release mode until a planned end of life in May 2024.

Please modify downstream libraries to take dependencies from other repositories in our TensorFlow community (e.g. Keras, Keras-CV, and Keras-NLP).

For more information see: <https://github.com/tensorflow/addons/issues/2807>

```
warnings.warn(  
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages/tensorflow_addons/utils/ensure_tf_install.py:53: UserWarning: Tensorflow Addons supports using Python ops for all Tensorflow versions above or equal to 2.13.0 and strictly below 2.16.0 (nightly versions are not supported).
```

The versions of TensorFlow you are currently using is 2.16.1 and is not supported.

Some things might work, some things might not.

If you were to encounter a bug, do not file an issue.

If you want to make sure you're using a tested and supported configuration, either change the TensorFlow version or the TensorFlow Addons's version.

You can find the compatibility matrix in TensorFlow Addon's readme:

<https://github.com/tensorflow/addons>

```
warnings.warn(  
Traceback (most recent call last):
```

```
File "<string>", line 1, in <module>  
File "/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages/urduhack/__init__.py",
```

```
line 6, in <module>  
    from .pipeline import Pipeline
```

```
File
```

```
"/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages/urduhack/pipeline/__init__.py",  
line 4, in <module>
```



```

    from .core import Pipeline
File
"/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages/urduhack/pipeline/core.py",
line 7, in <module>
    from .parsers.ner import NerParser
File
"/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages/urduhack/pipeline/parsers/ne
r.py", line 4, in <module>
    from urduhack.models.ner import predict_ner
File
"/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages/urduhack/models/ner/__init_
_.py", line 4, in <module>
    from .predict import predict_ner
File
"/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages/urduhack/models/ner/predict.
py", line 11, in <module>
    from urduhack.models.ner.model import _bi_lstm_crf_model
File
"/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages/urduhack/models/ner/model.
py", line 5, in <module>
    from tf2crf import CRF
File "/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages/tf2crf/__init__.py", line
2, in <module>
    from .crf import CRF
File "/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages/tf2crf/crf.py", line 2, in
<module>
    import tensorflow_addons as tfa
File
"/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages/tensorflow_addons/__init__.p
y", line 23, in <module>
    from tensorflow_addons import activations
File
"/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages/tensorflow_addons/activation
s/__init__.py", line 17, in <module>
    from tensorflow_addons.activations.gelu import gelu
File
"/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages/tensorflow_addons/activation
s/gelu.py", line 19, in <module>
    from tensorflow_addons.utils.types import TensorLike
File
"/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages/tensorflow_addons/utils/type
s.py", line 29, in <module>
    from keras.src.engine import keras_tensor
ModuleNotFoundError: No module named 'keras.src.engine'
[nltk_data] Downloading package punkt to
[nltk_data]   /home/dikshaseth909_ds/nltk_data...
[nltk_data] Package punkt is already up-to-date!
Collecting sentencepiece

```

Using cached
sentencepiece-0.2.0-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (7.7 kB)
Using cached sentencepiece-0.2.0-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (1.3 MB)
Installing collected packages: sentencepiece
Successfully installed sentencepiece-0.2.0
fatal: destination path 'fairseq' already exists and is not an empty directory.
Processing /home/dikshaseth909_ds/IndicTrans2/fairseq
Installing build dependencies ... done
Getting requirements to build wheel ... done
Preparing metadata (pyproject.toml) ... done
Collecting cffi (from fairseq==0.12.2)
Using cached cffi-1.16.0-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (1.5 kB)
Collecting cython (from fairseq==0.12.2)
Using cached Cython-3.0.10-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (3.2 kB)
Collecting hydra-core<1.1,>=1.0.7 (from fairseq==0.12.2)
Using cached hydra_core-1.0.7-py3-none-any.whl.metadata (3.7 kB)
Collecting omegaconf<2.1 (from fairseq==0.12.2)
Using cached omegaconf-2.0.6-py3-none-any.whl.metadata (3.0 kB)
Requirement already satisfied: numpy>=1.21.3 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from fairseq==0.12.2)
(1.26.4)
Requirement already satisfied: regex in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from fairseq==0.12.2)
(2023.12.25)
Requirement already satisfied: sacrebleu>=1.4.12 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from fairseq==0.12.2) (2.3.1)
Requirement already satisfied: torch>=1.13 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from fairseq==0.12.2)
(2.2.2+cu118)
Requirement already satisfied: tqdm in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from fairseq==0.12.2)
(4.66.2)
Collecting bitarray (from fairseq==0.12.2)
Using cached bitarray-2.9.2-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (34 kB)
Collecting torchaudio>=0.8.0 (from fairseq==0.12.2)
Using cached torchaudio-2.2.2-cp39-cp39-manylinux1_x86_64.whl.metadata (6.4 kB)
Collecting scikit-learn (from fairseq==0.12.2)
Using cached
scikit_learn-1.4.1.post1-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (11 kB)
Requirement already satisfied: packaging in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from fairseq==0.12.2) (24.0)
Collecting antlr4-python3-runtime==4.8 (from hydra-core<1.1,>=1.0.7->fairseq==0.12.2)
Using cached antlr4_python3_runtime-4.8-py3-none-any.whl

Requirement already satisfied: PyYAML<=5.1.* in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
omegaconf<2.1->fairseq==0.12.2) (6.0.1)

Requirement already satisfied: typing-extensions in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
omegaconf<2.1->fairseq==0.12.2) (4.11.0)

Requirement already satisfied: portalocker in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
sacrebleu>=1.4.12->fairseq==0.12.2) (2.8.2)

Requirement already satisfied: tabulate>=0.8.9 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
sacrebleu>=1.4.12->fairseq==0.12.2) (0.9.0)

Requirement already satisfied: colorama in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
sacrebleu>=1.4.12->fairseq==0.12.2) (0.4.6)

Requirement already satisfied: lxml in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
sacrebleu>=1.4.12->fairseq==0.12.2) (5.2.1)

Requirement already satisfied: filelock in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
torch>=1.13->fairseq==0.12.2) (3.13.3)

Requirement already satisfied: sympy in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
torch>=1.13->fairseq==0.12.2) (1.12)

Requirement already satisfied: networkx in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
torch>=1.13->fairseq==0.12.2) (3.2.1)

Requirement already satisfied: Jinja2 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
torch>=1.13->fairseq==0.12.2) (3.1.3)

Requirement already satisfied: fsspec in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
torch>=1.13->fairseq==0.12.2) (2024.3.1)

Requirement already satisfied: nvidia-cuda-nvrtc-cu11==11.8.89 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
torch>=1.13->fairseq==0.12.2) (11.8.89)

Requirement already satisfied: nvidia-cuda-runtime-cu11==11.8.89 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
torch>=1.13->fairseq==0.12.2) (11.8.89)

Requirement already satisfied: nvidia-cuda-cupti-cu11==11.8.87 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
torch>=1.13->fairseq==0.12.2) (11.8.87)

Requirement already satisfied: nvidia-cudnn-cu11==8.7.0.84 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
torch>=1.13->fairseq==0.12.2) (8.7.0.84)

Requirement already satisfied: nvidia-cublas-cu11==11.11.3.6 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
torch>=1.13->fairseq==0.12.2) (11.11.3.6)

Requirement already satisfied: nvidia-cufft-cu11==10.9.0.58 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
torch>=1.13->fairseq==0.12.2) (10.9.0.58)

Requirement already satisfied: nvidia-curand-cu11==10.3.0.86 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
torch>=1.13->fairseq==0.12.2) (10.3.0.86)

Requirement already satisfied: nvidia-cusolver-cu11==11.4.1.48 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
torch>=1.13->fairseq==0.12.2) (11.4.1.48)

Requirement already satisfied: nvidia-cuspars-cu11==11.7.5.86 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
torch>=1.13->fairseq==0.12.2) (11.7.5.86)

Requirement already satisfied: nvidia-nccl-cu11==2.19.3 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
torch>=1.13->fairseq==0.12.2) (2.19.3)

Requirement already satisfied: nvidia-nvtx-cu11==11.8.86 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
torch>=1.13->fairseq==0.12.2) (11.8.86)

Requirement already satisfied: triton==2.2.0 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
torch>=1.13->fairseq==0.12.2) (2.2.0)

Collecting pycparser (from cffi->fairseq==0.12.2)
Using cached pycparser-2.22-py3-none-any.whl.metadata (943 bytes)

Collecting scipy>=1.6.0 (from scikit-learn->fairseq==0.12.2)
Using cached scipy-1.13.0-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata
(60 kB)

Requirement already satisfied: joblib>=1.2.0 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
scikit-learn->fairseq==0.12.2) (1.3.2)

Collecting threadpoolctl>=2.0.0 (from scikit-learn->fairseq==0.12.2)
Using cached threadpoolctl-3.4.0-py3-none-any.whl.metadata (13 kB)

Requirement already satisfied: MarkupSafe>=2.0 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
jinja2->torch>=1.13->fairseq==0.12.2) (2.1.5)

Requirement already satisfied: mpmath>=0.19 in
/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages (from
sympy->torch>=1.13->fairseq==0.12.2) (1.3.0)

Using cached hydra_core-1.0.7-py3-none-any.whl (123 kB)

Using cached omegaconf-2.0.6-py3-none-any.whl (36 kB)

Using cached torchaudio-2.2.2-cp39-cp39-manylinux1_x86_64.whl (3.3 MB)

Using cached bitarray-2.9.2-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (286 kB)

Using cached cffi-1.16.0-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (443 kB)

Using cached Cython-3.0.10-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (3.6 MB)

Using cached scikit_learn-1.4.1.post1-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl
(12.2 MB)

Using cached scipy-1.13.0-cp39-cp39-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (38.6 MB)

Using cached threadpoolctl-3.4.0-py3-none-any.whl (17 kB)

Using cached pycparser-2.22-py3-none-any.whl (117 kB)

Building wheels for collected packages: fairseq

Building wheel for fairseq (pyproject.toml) ... error
error: subprocess-exited-with-error

× Building wheel for fairseq (pyproject.toml) did not run successfully.

| exit code: 1

└─> [1688 lines of output]

running bdist_wheel

/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/torch/utils/cpp_extension.py:500:

UserWarning: Attempted to use ninja as the BuildExtension backend but we could not find ninja.. Falling back to using the slow distutils backend.

warnings.warn(msg.format('we could not find ninja.'))

running build

running build_py

copying fairseq/tokenizer.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/incremental_decoding_utils.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/checkpoint_utils.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/token_generation_constraints.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/file_utils.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/search.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/version.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/sequence_generator.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/nan_detector.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/utils.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/registry.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/ngram_repeat_block.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/binarizer.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/options.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/file_io.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/pdb.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/file_chunker_utils.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/speech_generator.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/trainer.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/hub_utils.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/quantization_utils.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/iterative_refinement_generator.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq/sequence_scorer.py -> build/lib.linux-x86_64-cpython-39/fairseq

copying fairseq_cli/eval_lm.py -> build/lib.linux-x86_64-cpython-39/fairseq_cli

copying fairseq_cli/hydra_validate.py -> build/lib.linux-x86_64-cpython-39/fairseq_cli

copying fairseq_cli/hydra_train.py -> build/lib.linux-x86_64-cpython-39/fairseq_cli

copying fairseq_cli/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq_cli

copying fairseq_cli/train.py -> build/lib.linux-x86_64-cpython-39/fairseq_cli

copying fairseq_cli/preprocess.py -> build/lib.linux-x86_64-cpython-39/fairseq_cli

copying fairseq_cli/score.py -> build/lib.linux-x86_64-cpython-39/fairseq_cli

copying fairseq_cli/validate.py -> build/lib.linux-x86_64-cpython-39/fairseq_cli

copying fairseq_cli/generate.py -> build/lib.linux-x86_64-cpython-39/fairseq_cli

copying fairseq_cli/interactive.py -> build/lib.linux-x86_64-cpython-39/fairseq_cli

copying fairseq/examples/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/examples

copying fairseq/config/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/config

copying fairseq/logging/meters.py -> build/lib.linux-x86_64-cpython-39/fairseq/logging
copying fairseq/logging/progress_bar.py -> build/lib.linux-x86_64-cpython-39/fairseq/logging
copying fairseq/logging/metrics.py -> build/lib.linux-x86_64-cpython-39/fairseq/logging
copying fairseq/logging/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/logging
copying fairseq/scoring/tokenizer.py -> build/lib.linux-x86_64-cpython-39/fairseq/scoring
copying fairseq/scoring/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/scoring
copying fairseq/scoring/bertscore.py -> build/lib.linux-x86_64-cpython-39/fairseq/scoring
copying fairseq/scoring/chrf.py -> build/lib.linux-x86_64-cpython-39/fairseq/scoring
copying fairseq/scoring/bleu.py -> build/lib.linux-x86_64-cpython-39/fairseq/scoring
copying fairseq/scoring/wer.py -> build/lib.linux-x86_64-cpython-39/fairseq/scoring
copying fairseq/scoring/meteor.py -> build/lib.linux-x86_64-cpython-39/fairseq/scoring
copying fairseq/criterions/sentence_prediction.py ->
build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/hubert_criterion.py -> build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/speech_ulm_criterion.py ->
build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/label_smoothed_cross_entropy_with_ctc.py ->
build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/tacotron2_loss.py -> build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/speech_to_speech_criterion.py ->
build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/wav2vec_criterion.py -> build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/fairseq_criterion.py -> build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/label_smoothed_cross_entropy_with_alignment.py ->
build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/model_criterion.py -> build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/label_smoothed_cross_entropy_with_rdrop.py ->
build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/adaptive_loss.py -> build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/composite_loss.py -> build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/masked_lm.py -> build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/label_smoothed_cross_entropy.py ->
build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/fastspeech2_loss.py -> build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/sentence_prediction_adapters.py ->
build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/cross_entropy.py -> build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/ctc.py -> build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/sentence_ranking.py -> build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/label_smoothed_cross_entropy_latency_augmented.py ->
build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/nat_loss.py -> build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/speech_dlm_criterion.py ->
build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/criterions/legacy_masked_lm.py -> build/lib.linux-x86_64-cpython-39/fairseq/criterions
copying fairseq/modules/conv_tbc.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/grad_multiply.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules

```
copying fairseq/modules/sparse_transformer_sentence_encoder_layer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/fp32_batch_norm.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/base_layer.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/unfold.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/transformer_layer.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/adaptive_softmax.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/gelu.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/linearized_convolution.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/lightweight_convolution.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/transpose_last.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/same_pad.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/sparse_transformer_sentence_encoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/quant_noise.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/multihead_attention.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/vggblock.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/fp32_instance_norm.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/fairseq_dropout.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/learned_positional_embedding.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/ema_module.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/transformer_sentence_encoder_layer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/dynamic_crf_layer.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/character_token_embedder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/location_attention.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/scalar_bias.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/rotary_positional_embedding.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/downsampled_multihead_attention.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/gumbel_vector_quantizer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/layer_drop.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/kmeans_attention.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/checkpoint_activations.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/fp32_group_norm.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/kmeans_vector_quantizer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/cross_entropy.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/dynamic_convolution.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules
copying fairseq/modules/positional_encoding.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
```

```
    copying fairseq/modules/positional_embedding.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules
    copying fairseq/modules/lstm_cell_with_zoneout.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules
    copying fairseq/modules/transformer_layer_aug.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules
    copying fairseq/modules/beamable_mm.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
    copying fairseq/modules/conformer_layer.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
    copying fairseq/modules/sinusoidal_positional_embedding.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules
    copying fairseq/modules/espnet_multihead_attention.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules
    copying fairseq/modules/transformer_sentence_encoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules
    copying fairseq/modules/layer_norm.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
    copying fairseq/modules/adaptive_input.py -> build/lib.linux-x86_64-cpython-39/fairseq/modules
    copying fairseq/modules/sparse_multihead_attention.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules
    copying fairseq/dataclass/configs.py -> build/lib.linux-x86_64-cpython-39/fairseq/dataclass
    copying fairseq/dataclass/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/dataclass
    copying fairseq/dataclass/constants.py -> build/lib.linux-x86_64-cpython-39/fairseq/dataclass
    copying fairseq/dataclass/utils.py -> build/lib.linux-x86_64-cpython-39/fairseq/dataclass
    copying fairseq/dataclass/initialize.py -> build/lib.linux-x86_64-cpython-39/fairseq/dataclass
    copying fairseq/data/id_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/transform_eos_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/fastq_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/data_utils.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/plasma_utils.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/replace_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/subsample_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/base_wrapper_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/bucket_pad_length_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/list_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/denoising_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/transform_eos_lang_pair_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/noising.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/shorten_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/resampling_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/append_token_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/offset_tokens_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/roll_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/strip_token_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/dictionary.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/num_samples_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/multi_corpus_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/lm_context_window_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
    copying fairseq/data/pad_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
```



```
copying fairseq/data/speech_dlm_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/sort_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/multi_corpus_sampled_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/codedataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/backtranslation_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/concat_sentences_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/add_class_target_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/lru_cache_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/colorize_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/concat_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/round_robin_zip_datasets.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/indexed_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/span_mask_tokens_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/prepend_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/raw_label_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/monolingual_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/fairseq_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/transform_eos_concat_langpair_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/add_target_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/token_block_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/text_compressor.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/numel_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/mask_tokens_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/padding_mask_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/prepend_token_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/language_pair_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/iterators.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/data/nested_dictionary_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data
copying fairseq/tasks/translation_multi_simple_epoch.py ->
build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/nlu_finetuning.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/sentence_prediction.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/online_backtranslation.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/multilingual_translation.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/hubert_pretraining.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/speech_ulm_task.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/speech_to_speech.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/frn_text_to_speech.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/text_to_speech.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/translation_lev.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/cross_lingual_lm.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/audio_pretraining.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/language_modeling.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/translation.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/translation_from_pretrained_bart.py ->
build/lib.linux-x86_64-cpython-39/fairseq/tasks
```

copying fairseq/tasks/multilingual_denoising.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/audio_classification.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/masked_lm.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/denoising.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/multilingual_language_modeling.py ->
build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/sentence_prediction_adapters.py ->
build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/speech_dlm_task.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/sentence_ranking.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/simultaneous_translation.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/semisupervised_translation.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/audio_finetuning.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/translation_from_pretrained_xlm.py ->
build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/multilingual_masked_lm.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/fairseq_task.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/span_masked_lm.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/speech_to_text.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/multires_hubert_pretraining.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/tasks/legacy_masked_lm.py -> build/lib.linux-x86_64-cpython-39/fairseq/tasks
copying fairseq/models/lightconv.py -> build/lib.linux-x86_64-cpython-39/fairseq/models
copying fairseq/models/multilingual_transformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models
copying fairseq/models/lightconv_lm.py -> build/lib.linux-x86_64-cpython-39/fairseq/models
copying fairseq/models/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/models
copying fairseq/models/distributed_fairseq_model.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models
copying fairseq/models/fairseq_incremental_decoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models
copying fairseq/models/lstm.py -> build/lib.linux-x86_64-cpython-39/fairseq/models
copying fairseq/models/transformer_lm.py -> build/lib.linux-x86_64-cpython-39/fairseq/models
copying fairseq/models/transformer_ulm.py -> build/lib.linux-x86_64-cpython-39/fairseq/models
copying fairseq/models/composite_encoder.py -> build/lib.linux-x86_64-cpython-39/fairseq/models
copying fairseq/models/transformer_from_pretrained_xlm.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models
copying fairseq/models/fconv.py -> build/lib.linux-x86_64-cpython-39/fairseq/models
copying fairseq/models/masked_lm.py -> build/lib.linux-x86_64-cpython-39/fairseq/models
copying fairseq/models/lstm_lm.py -> build/lib.linux-x86_64-cpython-39/fairseq/models
copying fairseq/models/fconv_lm.py -> build/lib.linux-x86_64-cpython-39/fairseq/models
copying fairseq/models/model_utils.py -> build/lib.linux-x86_64-cpython-39/fairseq/models
copying fairseq/models/fairseq_encoder.py -> build/lib.linux-x86_64-cpython-39/fairseq/models
copying fairseq/models/fconv_self_att.py -> build/lib.linux-x86_64-cpython-39/fairseq/models
copying fairseq/models/transformer_align.py -> build/lib.linux-x86_64-cpython-39/fairseq/models
copying fairseq/models/fairseq_model.py -> build/lib.linux-x86_64-cpython-39/fairseq/models
copying fairseq/models/fairseq_decoder.py -> build/lib.linux-x86_64-cpython-39/fairseq/models
copying fairseq/benchmark/benchmark_multihead_attention.py ->
build/lib.linux-x86_64-cpython-39/fairseq/benchmark
copying fairseq/benchmark/dummy_model.py -> build/lib.linux-x86_64-cpython-39/fairseq/benchmark

```
copying fairseq/benchmark/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/benchmark
copying fairseq/benchmark/dummy_lm.py -> build/lib.linux-x86_64-cpython-39/fairseq/benchmark
copying fairseq/benchmark/dummy_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/benchmark
copying fairseq/benchmark/dummy_mt.py -> build/lib.linux-x86_64-cpython-39/fairseq/benchmark
copying fairseq/benchmark/dummy_masked_lm.py ->
build/lib.linux-x86_64-cpython-39/fairseq/benchmark
copying fairseq/model_parallel/megatron_trainer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/model_parallel
copying fairseq/model_parallel/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/model_parallel
copying fairseq/optim/composite.py -> build/lib.linux-x86_64-cpython-39/fairseq/optim
copying fairseq/optim/dynamic_loss_scaler.py -> build/lib.linux-x86_64-cpython-39/fairseq/optim
copying fairseq/optim/shard.py -> build/lib.linux-x86_64-cpython-39/fairseq/optim
copying fairseq/optim/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/optim
copying fairseq/optim/adafactor.py -> build/lib.linux-x86_64-cpython-39/fairseq/optim
copying fairseq/optim/bmuf.py -> build/lib.linux-x86_64-cpython-39/fairseq/optim
copying fairseq/optim/adamax.py -> build/lib.linux-x86_64-cpython-39/fairseq/optim
copying fairseq/optim/adadelta.py -> build/lib.linux-x86_64-cpython-39/fairseq/optim
copying fairseq/optim/fused_lamb.py -> build/lib.linux-x86_64-cpython-39/fairseq/optim
copying fairseq/optim/cpu_adam.py -> build/lib.linux-x86_64-cpython-39/fairseq/optim
copying fairseq/optim/nag.py -> build/lib.linux-x86_64-cpython-39/fairseq/optim
copying fairseq/optim/amp_optimizer.py -> build/lib.linux-x86_64-cpython-39/fairseq/optim
copying fairseq/optim/sgd.py -> build/lib.linux-x86_64-cpython-39/fairseq/optim
copying fairseq/optim/fairseq_optimizer.py -> build/lib.linux-x86_64-cpython-39/fairseq/optim
copying fairseq/optim/adagrad.py -> build/lib.linux-x86_64-cpython-39/fairseq/optim
copying fairseq/optim/adam.py -> build/lib.linux-x86_64-cpython-39/fairseq/optim
copying fairseq/optim/fused_adam.py -> build/lib.linux-x86_64-cpython-39/fairseq/optim
copying fairseq/optim/fp16_optimizer.py -> build/lib.linux-x86_64-cpython-39/fairseq/optim
copying fairseq/distributed/distributed_timeout_wrapper.py ->
build/lib.linux-x86_64-cpython-39/fairseq/distributed
copying fairseq/distributed/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/distributed
copying fairseq/distributed/fully_sharded_data_parallel.py ->
build/lib.linux-x86_64-cpython-39/fairseq/distributed
copying fairseq/distributed/utils.py -> build/lib.linux-x86_64-cpython-39/fairseq/distributed
copying fairseq/distributed/legacy_distributed_data_parallel.py ->
build/lib.linux-x86_64-cpython-39/fairseq/distributed
copying fairseq/distributed/module_proxy_wrapper.py ->
build/lib.linux-x86_64-cpython-39/fairseq/distributed
copying fairseq/distributed/tpu_distributed_data_parallel.py ->
build/lib.linux-x86_64-cpython-39/fairseq/distributed
copying fairseq/examples/discriminative_reranking_nmt/drnmt_rerank.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/discriminative_reranking_nmt
copying fairseq/examples/discriminative_reranking_nmt/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/discriminative_reranking_nmt
copying fairseq/examples/speech_recognition/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition
copying fairseq/examples/speech_recognition/infer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition
```

copying fairseq/examples/speech_recognition/w2l_decoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition
copying fairseq/examples/fast_noisy_channel/noisy_channel_sequence_generator.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/fast_noisy_channel
copying fairseq/examples/fast_noisy_channel/noisy_channel_beam_search.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/fast_noisy_channel
copying fairseq/examples/fast_noisy_channel/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/fast_noisy_channel
copying fairseq/examples/fast_noisy_channel/noisy_channel_translation.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/fast_noisy_channel
copying fairseq/examples/data2vec/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec
copying fairseq/examples/data2vec/fb_convert_beit_cp.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec
copying fairseq/examples/adaptive_span/truncated_bptt_lm_task.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/adaptive_span
copying fairseq/examples/adaptive_span/adaptive_span_loss.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/adaptive_span
copying fairseq/examples/adaptive_span/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/adaptive_span
copying fairseq/examples/adaptive_span/adaptive_span_model.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/adaptive_span
copying fairseq/examples/adaptive_span/adaptive_span_model_wrapper.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/adaptive_span
copying fairseq/examples/adaptive_span/adaptive_span_attention.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/adaptive_span
copying fairseq/examples/adaptive_span/adagrad_with_grad_clip.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/adaptive_span
copying fairseq/examples/simultaneous_translation/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation
copying fairseq/examples/speech_to_speech/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech
copying fairseq/examples/speech_to_speech/generate_waveform_from_code.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech
copying fairseq/examples/noisychannel/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/noisychannel
copying fairseq/examples/noisychannel/rerank_options.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/noisychannel
copying fairseq/examples/noisychannel/rerank_score_lm.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/noisychannel
copying fairseq/examples/noisychannel/rerank_generate.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/noisychannel
copying fairseq/examples/noisychannel/rerank_score_bw.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/noisychannel
copying fairseq/examples/noisychannel/rerank_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/noisychannel
copying fairseq/examples/noisychannel/rerank_tune.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/noisychannel

```
copying fairseq/examples/noisychannel/rerank.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/noisychannel
copying fairseq/examples/rxf/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/examples/rxf
copying fairseq/examples/speech_synthesis/data_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis
copying fairseq/examples/speech_synthesis/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis
copying fairseq/examples/speech_synthesis/utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis
copying fairseq/examples/speech_synthesis/generate_waveform.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis
copying fairseq/examples/truncated_bptt/truncated_bptt_lm_task.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/truncated_bptt
copying fairseq/examples/truncated_bptt/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/truncated_bptt
copying fairseq/examples/truncated_bptt/transformer_xl_model.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/truncated_bptt
copying fairseq/examples/wav2vec/vq-wav2vec_featurize.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec
copying fairseq/examples/wav2vec/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec
copying fairseq/examples/wav2vec/libri_labels.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec
copying fairseq/examples/wav2vec/wav2vec_featurize.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec
copying fairseq/examples/wav2vec/wav2vec_manifest.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec
copying fairseq/examples/speech_text_joint_to_text/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text
copying fairseq/examples/discriminative_reranking_nmt/criterions/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/discriminative_reranking_nmt/criterions
copying
fairseq/examples/discriminative_reranking_nmt/criterions/discriminative_reranking_criterion.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/discriminative_reranking_nmt/criterions
copying fairseq/examples/discriminative_reranking_nmt/tasks/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/discriminative_reranking_nmt/tasks
copying fairseq/examples/discriminative_reranking_nmt/tasks/discriminative_reranking_task.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/discriminative_reranking_nmt/tasks
copying fairseq/examples/discriminative_reranking_nmt/models/discriminative_reranking_model.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/discriminative_reranking_nmt/models
copying fairseq/examples/discriminative_reranking_nmt/models/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/discriminative_reranking_nmt/models
copying fairseq/examples/speech_recognition/criterions/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/criterions
copying fairseq/examples/speech_recognition/criterions/ASG_loss.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/criterions
copying fairseq/examples/speech_recognition/criterions/cross_entropy_acc.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/criterions
```

```
copying fairseq/examples/speech_recognition/data/data_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/data
copying fairseq/examples/speech_recognition/data/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/data
copying fairseq/examples/speech_recognition/data/asr_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/data
copying fairseq/examples/speech_recognition/data/collaters.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/data
copying fairseq/examples/speech_recognition/data/relabels.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/data
copying fairseq/examples/speech_recognition/tasks/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/tasks
copying fairseq/examples/speech_recognition/tasks/speech_recognition.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/tasks
copying fairseq/examples/speech_recognition/models/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/models
copying fairseq/examples/speech_recognition/models/w2l_conv_glu_enc.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/models
copying fairseq/examples/speech_recognition/models/vggtransformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/models
copying fairseq/examples/speech_recognition/new/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/new
copying fairseq/examples/speech_recognition/new/infer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/new
copying fairseq/examples/speech_recognition/kaldi/kaldi_initializer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/kaldi
copying fairseq/examples/speech_recognition/kaldi/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/kaldi
copying fairseq/examples/speech_recognition/kaldi/kaldi_decoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/kaldi
copying fairseq/examples/speech_recognition/new/decoders/decoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/new/decoders
copying fairseq/examples/speech_recognition/new/decoders/decoder_config.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/new/decoders
copying fairseq/examples/speech_recognition/new/decoders/viterbi_decoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/new/decoders
copying fairseq/examples/speech_recognition/new/decoders/flashlight_decoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/new/decoders
copying fairseq/examples/speech_recognition/new/decoders/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/new/decoders
copying fairseq/examples/speech_recognition/new/decoders/base_decoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/new/decoders
copying fairseq/examples/data2vec/data/modality.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/data
copying fairseq/examples/data2vec/data/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/data
copying fairseq/examples/data2vec/data/path_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/data
```

copying fairseq/examples/data2vec/data/image_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/data
copying fairseq/examples/data2vec/data/mae_image_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/data
copying fairseq/examples/data2vec/data/add_class_target_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/data
copying fairseq/examples/data2vec/data/mae_finetuning_image_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/data
copying fairseq/examples/data2vec/tasks/mae_image_pretraining.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/tasks
copying fairseq/examples/data2vec/tasks/mae_image_classification.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/tasks
copying fairseq/examples/data2vec/tasks/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/tasks
copying fairseq/examples/data2vec/tasks/image_pretraining.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/tasks
copying fairseq/examples/data2vec/tasks/image_classification.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/tasks
copying fairseq/examples/data2vec/tasks/audio_classification.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/tasks
copying fairseq/examples/data2vec/tasks/multimodal.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/tasks
copying fairseq/examples/data2vec/models/mae_image_classification.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models
copying fairseq/examples/data2vec/models/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models
copying fairseq/examples/data2vec/models/data2vec2.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models
copying fairseq/examples/data2vec/models/mae.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models
copying fairseq/examples/data2vec/models/data2vec_vision.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models
copying fairseq/examples/data2vec/models/data2vec_image_classification.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models
copying fairseq/examples/data2vec/models/utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models
copying fairseq/examples/data2vec/models/audio_classification.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models
copying fairseq/examples/data2vec/models/data2vec_text.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models
copying fairseq/examples/data2vec/models/data2vec_text_classification.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models
copying fairseq/examples/data2vec/models/data2vec_audio.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models
copying fairseq/examples/data2vec/models/modalities/text.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models/modalities
copying fairseq/examples/data2vec/models/modalities/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models/modalities

copying fairseq/examples/data2vec/models/modalities/modules.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models/modalities
copying fairseq/examples/data2vec/models/modalities/images.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models/modalities
copying fairseq/examples/data2vec/models/modalities/base.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models/modalities
copying fairseq/examples/data2vec/models/modalities/audio.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models/modalities
copying fairseq/examples/simultaneous_translation/modules/fixed_pre_decision.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/modules
copying fairseq/examples/simultaneous_translation/modules/monotonic_multihead_attention.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/modules
copying fairseq/examples/simultaneous_translation/modules/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/modules
copying fairseq/examples/simultaneous_translation/modules/monotonic_transformer_layer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/modules
copying fairseq/examples/simultaneous_translation/models/convtransformer_simul_trans.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/models
copying fairseq/examples/simultaneous_translation/models/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/models
copying fairseq/examples/simultaneous_translation/models/transformer_monotonic_attention.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/models
copying fairseq/examples/simultaneous_translation/utils/monotonic_attention.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/utils
copying fairseq/examples/simultaneous_translation/utils/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/utils
copying fairseq/examples/simultaneous_translation/utils/functions.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/utils
copying fairseq/examples/simultaneous_translation/utils/p_choose_strategy.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/utils
copying fairseq/examples/speech_to_speech/preprocessing/data_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/preprocessing
copying fairseq/examples/speech_to_speech/preprocessing/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/preprocessing
copying fairseq/examples/speech_to_speech/preprocessing/prep_s2ut_data.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/preprocessing
copying fairseq/examples/speech_to_speech/preprocessing/prep_sn_output_data.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/preprocessing
copying fairseq/examples/speech_to_speech/preprocessing/prep_s2spect_data.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/preprocessing
copying fairseq/examples/speech_to_speech/preprocessing/prep_sn_data.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/preprocessing
copying fairseq/examples/speech_to_speech/unity/sequence_generator_multi_decoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/unity
copying fairseq/examples/speech_to_speech/unity/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/unity
copying fairseq/examples/speech_to_speech/unity/sequence_generator.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/unity

copying fairseq/examples/speech_to_speech/asr_bleu/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/asr_bleu
copying fairseq/examples/speech_to_speech/asr_bleu/compute_asr_bleu.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/asr_bleu
copying fairseq/examples/speech_to_speech/asr_bleu/utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/asr_bleu
copying fairseq/examples/rxf/rxf_src/label_smoothed_cross_entropy_r3f.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/rxf/rxf_src
copying fairseq/examples/rxf/rxf_src/sentence_prediction_r3f.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/rxf/rxf_src
copying fairseq/examples/rxf/rxf_src/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/rxf/rxf_src
copying fairseq/examples/speech_synthesis/preprocessing/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing
copying fairseq/examples/speech_synthesis/preprocessing/denoise_and_vad_audio.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing
copying fairseq/examples/speech_synthesis/preprocessing/get_vctk_audio_manifest.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing
copying fairseq/examples/speech_synthesis/preprocessing/get_speaker_embedding.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing
copying fairseq/examples/speech_synthesis/preprocessing/get_common_voice_audio_manifest.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing
copying fairseq/examples/speech_synthesis/preprocessing/get_ljspeech_audio_manifest.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing
copying fairseq/examples/speech_synthesis/preprocessing/get_feature_manifest.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing
copying fairseq/examples/speech_synthesis/evaluation/eval_f0.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/evaluation
copying fairseq/examples/speech_synthesis/evaluation/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/evaluation
copying fairseq/examples/speech_synthesis/evaluation/eval_sp.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/evaluation
copying fairseq/examples/speech_synthesis/evaluation/get_eval_manifest.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/evaluation
copying fairseq/examples/speech_synthesis/evaluation/eval_asr.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/evaluation
copying fairseq/examples/speech_synthesis/preprocessing/speaker_embedder/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing/speaker_embedder
copying fairseq/examples/speech_synthesis/preprocessing/vad/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing/vad
copying fairseq/examples/speech_synthesis/preprocessing/denoiser/pretrained.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing/denoiser
copying fairseq/examples/speech_synthesis/preprocessing/denoiser/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing/denoiser
copying fairseq/examples/speech_synthesis/preprocessing/denoiser/resample.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing/denoiser
copying fairseq/examples/speech_synthesis/preprocessing/denoiser/utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing/denoiser

```
copying fairseq/examples/speech_synthesis/preprocessing/denoiser/demucs.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing/denoiser
copying fairseq/examples/wav2vec/unsupervised/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised
copying fairseq/examples/wav2vec/unsupervised/w2vu_generate.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised
copying fairseq/examples/wav2vec/unsupervised/data/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/data
copying fairseq/examples/wav2vec/unsupervised/data/extracted_features_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/data
copying fairseq/examples/wav2vec/unsupervised/data/random_input_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/data
copying fairseq/examples/wav2vec/unsupervised/tasks/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/tasks
copying fairseq/examples/wav2vec/unsupervised/tasks/unpaired_audio_text.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/tasks
copying fairseq/examples/wav2vec/unsupervised/models/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/models
copying fairseq/examples/wav2vec/unsupervised/models/wav2vec_u.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/models
copying fairseq/examples/speech_text_joint_to_text/criterions/multi_modality_cross_entropy.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/criterions
copying fairseq/examples/speech_text_joint_to_text/criterions/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/criterions
copying fairseq/examples/speech_text_joint_to_text/criterions/text_guide_cross_entropy_acc.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/criterions
copying fairseq/examples/speech_text_joint_to_text/criterions/multi_modality_compound.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/criterions
copying fairseq/examples/speech_text_joint_to_text/tasks/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/tasks
copying fairseq/examples/speech_text_joint_to_text/tasks/speech_text_denoise_pretrain.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/tasks
copying fairseq/examples/speech_text_joint_to_text/tasks/speech_text_joint.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/tasks
copying fairseq/examples/speech_text_joint_to_text/tasks/pair_denoising.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/tasks
copying fairseq/examples/speech_text_joint_to_text/models/s2t_dualinputtransformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/models
copying
fairseq/examples/speech_text_joint_to_text/models/joint_speech_text_pretrain_transformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/models
copying fairseq/examples/speech_text_joint_to_text/models/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/models
copying fairseq/examples/speech_text_joint_to_text/models/s2t_dualinputwavtransformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/models
copying fairseq/examples/speech_text_joint_to_text/models/s2t_dualinputxmtransformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/models
copying fairseq/modules/lightconv_layer/setup.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/lightconv_layer
```

copying fairseq/modules/lightconv_layer/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/lightconv_layer
copying fairseq/modules/lightconv_layer/lightconv_layer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/lightconv_layer
copying fairseq/modules/lightconv_layer/cuda_function_gen.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/lightconv_layer
copying fairseq/modules/quantization/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/quantization
copying fairseq/modules/quantization/quantization_options.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/quantization
copying fairseq/modules/dynamicconv_layer/setup.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/dynamicconv_layer
copying fairseq/modules/dynamicconv_layer/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/dynamicconv_layer
copying fairseq/modules/dynamicconv_layer/cuda_function_gen.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/dynamicconv_layer
copying fairseq/modules/dynamicconv_layer/dynamicconv_layer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/dynamicconv_layer
copying fairseq/modules/quantization/pq/pq.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/quantization/pq
copying fairseq/modules/quantization/pq/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/quantization/pq
copying fairseq/modules/quantization/pq/em.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/quantization/pq
copying fairseq/modules/quantization/pq/utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/quantization/pq
copying fairseq/modules/quantization/scalar/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/quantization/scalar
copying fairseq/modules/quantization/scalar/ops.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/quantization/scalar
copying fairseq/modules/quantization/scalar/utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/quantization/scalar
copying fairseq/modules/quantization/pq/modules/qemb.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/quantization/pq/modules
copying fairseq/modules/quantization/pq/modules/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/quantization/pq/modules
copying fairseq/modules/quantization/pq/modules/qlinear.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/quantization/pq/modules
copying fairseq/modules/quantization/pq/modules/qconv.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/quantization/pq/modules
copying fairseq/modules/quantization/scalar/modules/qemb.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/quantization/scalar/modules
copying fairseq/modules/quantization/scalar/modules/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/quantization/scalar/modules
copying fairseq/modules/quantization/scalar/modules/qact.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/quantization/scalar/modules
copying fairseq/modules/quantization/scalar/modules/qlinear.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/quantization/scalar/modules

```
    copying fairseq/modules/quantization/scalar/modules/qconv.py ->
build/lib.linux-x86_64-cpython-39/fairseq/modules/quantization/scalar/modules
    copying fairseq/data/audio/text_to_speech_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/audio
    copying fairseq/data/audio/frn_text_to_speech_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/audio
    copying fairseq/data/audio/audio_utils.py -> build/lib.linux-x86_64-cpython-39/fairseq/data/audio
    copying fairseq/data/audio/speech_to_text_joint_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/audio
    copying fairseq/data/audio/speech_to_speech_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/audio
    copying fairseq/data/audio/data_cfg.py -> build/lib.linux-x86_64-cpython-39/fairseq/data/audio
    copying fairseq/data/audio/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/data/audio
    copying fairseq/data/audio/hubert_dataset.py -> build/lib.linux-x86_64-cpython-39/fairseq/data/audio
    copying fairseq/data/audio/speech_to_text_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/audio
    copying fairseq/data/audio/multi_modality_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/audio
    copying fairseq/data/audio/raw_audio_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/audio
    copying fairseq/data/multilingual/sampled_multi_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/multilingual
    copying fairseq/data/multilingual/multilingual_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/multilingual
    copying fairseq/data/multilingual/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/multilingual
    copying fairseq/data/multilingual/multilingual_data_manager.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/multilingual
    copying fairseq/data/multilingual/sampling_method.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/multilingual
    copying fairseq/data/multilingual/sampled_multi_epoch_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/multilingual
    copying fairseq/data/huffman/huffman_coder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/huffman
    copying fairseq/data/huffman/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/data/huffman
    copying fairseq/data/huffman/huffman_mmap_indexed_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/huffman
    copying fairseq/data/legacy/masked_lm_dictionary.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/legacy
    copying fairseq/data/legacy/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/data/legacy
    copying fairseq/data/legacy/masked_lm_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/legacy
    copying fairseq/data/legacy/block_pair_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/legacy
    copying fairseq/data/encoders/bytes.py -> build/lib.linux-x86_64-cpython-39/fairseq/data/encoders
    copying fairseq/data/encoders/fastbpe.py -> build/lib.linux-x86_64-cpython-39/fairseq/data/encoders
    copying fairseq/data/encoders/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/data/encoders
    copying fairseq/data/encoders/hf_byte_bpe.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/encoders
```

```
    copying fairseq/data/encoders/characters.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/encoders
    copying fairseq/data/encoders/byte_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/encoders
    copying fairseq/data/encoders/sentencepiece_bpe.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/encoders
    copying fairseq/data/encoders/utils.py -> build/lib.linux-x86_64-cpython-39/fairseq/data/encoders
    copying fairseq/data/encoders/gpt2_bpe_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/encoders
    copying fairseq/data/encoders/nltk_tokenizer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/encoders
    copying fairseq/data/encoders/space_tokenizer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/encoders
    copying fairseq/data/encoders/gpt2_bpe.py -> build/lib.linux-x86_64-cpython-39/fairseq/data/encoders
    copying fairseq/data/encoders/subword_nmt_bpe.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/encoders
    copying fairseq/data/encoders/byte_bpe.py -> build/lib.linux-x86_64-cpython-39/fairseq/data/encoders
    copying fairseq/data/encoders/hf_bert_bpe.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/encoders
    copying fairseq/data/encoders/moses_tokenizer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/encoders
    copying fairseq/data/audio/waveform_transforms/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/audio/waveform_transforms
    copying fairseq/data/audio/waveform_transforms/noiseaugment.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/audio/waveform_transforms
    copying fairseq/data/audio/dataset_transforms/noisyoverlapaugment.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/audio/dataset_transforms
    copying fairseq/data/audio/dataset_transforms/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/audio/dataset_transforms
    copying fairseq/data/audio/dataset_transforms/concataugment.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/audio/dataset_transforms
    copying fairseq/data/audio/feature_transforms/specaugment.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/audio/feature_transforms
    copying fairseq/data/audio/feature_transforms/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/audio/feature_transforms
    copying fairseq/data/audio/feature_transforms/global_cmvn.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/audio/feature_transforms
    copying fairseq/data/audio/feature_transforms/utterance_cmvn.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/audio/feature_transforms
    copying fairseq/data/audio/feature_transforms/delta_deltas.py ->
build/lib.linux-x86_64-cpython-39/fairseq/data/audio/feature_transforms
    copying fairseq/models/hubert/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/models/hubert
    copying fairseq/models/hubert/hubert_asr.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/hubert
    copying fairseq/models/hubert/hubert.py -> build/lib.linux-x86_64-cpython-39/fairseq/models/hubert
    copying fairseq/models/ema/ema.py -> build/lib.linux-x86_64-cpython-39/fairseq/models/ema
    copying fairseq/models/ema/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/models/ema
    copying fairseq/models/speech_dlm/hub_interface.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_dlm
```

```
    copying fairseq/models/speech_dlm/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_dlm
    copying fairseq/models/speech_dlm/speech_dlm.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_dlm
    copying fairseq/models/xmod/hub_interface.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/xmod
    copying fairseq/models/xmod/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/models/xmod
    copying fairseq/models/xmod/transformer_layer_xmod.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/xmod
    copying fairseq/models/xmod/model.py -> build/lib.linux-x86_64-cpython-39/fairseq/models/xmod
    copying fairseq/models/nat/fairseq_nat_model.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/nat
    copying fairseq/models/nat/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/models/nat
    copying fairseq/models/nat/nonautoregressive_transformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/nat
    copying fairseq/models/nat/nonautoregressive_ensembles.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/nat
    copying fairseq/models/nat/iterative_nonautoregressive_transformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/nat
    copying fairseq/models/nat/nat_crf_transformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/nat
    copying fairseq/models/nat/cmlm_transformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/nat
    copying fairseq/models/nat/levenshtein_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/nat
    copying fairseq/models/nat/levenshtein_transformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/nat
    copying fairseq/models/nat/insertion_transformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/nat
    copying fairseq/models/bart/hub_interface.py -> build/lib.linux-x86_64-cpython-39/fairseq/models/bart
    copying fairseq/models/bart/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/models/bart
    copying fairseq/models/bart/model.py -> build/lib.linux-x86_64-cpython-39/fairseq/models/bart
    copying fairseq/models/speech_to_speech/s2s_conformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_speech
    copying fairseq/models/speech_to_speech/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_speech
    copying fairseq/models/speech_to_speech/s2s_conformer_translatotron2.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_speech
    copying fairseq/models/speech_to_speech/s2s_transformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_speech
    copying fairseq/models/speech_to_speech/s2s_conformer_unity.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_speech
    copying fairseq/models/multires_hubert/multires_hubert.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/multires_hubert
    copying fairseq/models/multires_hubert/multires_hubert_asr.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/multires_hubert
    copying fairseq/models/multires_hubert/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/multires_hubert
```

```
copying fairseq/models/huggingface/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/huggingface
copying fairseq/models/huggingface/hf_gpt2.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/huggingface
copying fairseq/models/speech_to_text/s2t_conformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_text
copying fairseq/models/speech_to_text/hub_interface.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_text
copying fairseq/models/speech_to_text/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_text
copying fairseq/models/speech_to_text/multi_modality_model.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_text
copying fairseq/models/speech_to_text/utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_text
copying fairseq/models/speech_to_text/s2t_transformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_text
copying fairseq/models/speech_to_text/convtransformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_text
copying fairseq/models/speech_to_text/s2t_wav_transformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_text
copying fairseq/models/speech_to_text/berard.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_text
copying fairseq/models/speech_to_text/xm_transformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_text
copying fairseq/models/speech_to_text/xm_transformer_unity.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_text
copying fairseq/models/roberta/hub_interface.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/roberta
copying fairseq/models/roberta/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/models/roberta
copying fairseq/models/roberta/model_gottbert.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/roberta
copying fairseq/models/roberta/alignment_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/roberta
copying fairseq/models/roberta/model_xlmr.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/roberta
copying fairseq/models/roberta/model.py -> build/lib.linux-x86_64-cpython-39/fairseq/models/roberta
copying fairseq/models/roberta/enc_dec.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/roberta
copying fairseq/models/roberta/model_camembert.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/roberta
copying fairseq/models/wav2vec/wav2vec2_asr.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/wav2vec
copying fairseq/models/wav2vec/wav2vec2_classification.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/wav2vec
copying fairseq/models/wav2vec/wav2vec.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/wav2vec
copying fairseq/models/wav2vec/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/wav2vec
copying fairseq/models/wav2vec/utils.py -> build/lib.linux-x86_64-cpython-39/fairseq/models/wav2vec
```

```
copying fairseq/models/wav2vec/wav2vec2.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/wav2vec
copying fairseq/models/wav2vec/wav2vec2_laser.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/wav2vec
copying fairseq/models/text_to_speech/vocoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/text_to_speech
copying fairseq/models/text_to_speech/hub_interface.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/text_to_speech
copying fairseq/models/text_to_speech/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/text_to_speech
copying fairseq/models/text_to_speech/codehifigan.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/text_to_speech
copying fairseq/models/text_to_speech/fastspeech2.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/text_to_speech
copying fairseq/models/text_to_speech/tacotron2.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/text_to_speech
copying fairseq/models/text_to_speech/tts_transformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/text_to_speech
copying fairseq/models/text_to_speech/hifigan.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/text_to_speech
copying fairseq/models/transformer/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/transformer
copying fairseq/models/transformer/transformer_encoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/transformer
copying fairseq/models/transformer/transformer_decoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/transformer
copying fairseq/models/transformer/transformer_base.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/transformer
copying fairseq/models/transformer/transformer_decoder_aug.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/transformer
copying fairseq/models/transformer/transformer_legacy.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/transformer
copying fairseq/models/transformer/transformer_config.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/transformer
copying fairseq/models/speech_dlm/modules/speech_dlm_decoder_layer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_dlm/modules
copying fairseq/models/speech_dlm/modules/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_dlm/modules
copying fairseq/models/speech_dlm/modules/speech_dlm_decoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_dlm/modules
copying fairseq/models/speech_dlm/sequence_generator/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_dlm/sequence_generator
copying fairseq/models/speech_dlm/sequence_generator/multichannel_sequence_generator.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_dlm/sequence_generator
copying fairseq/models/speech_dlm/sequence_generator/multichannel_search.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_dlm/sequence_generator
copying fairseq/models/speech_to_speech/modules/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_speech/modules
```



```
copying fairseq/models/speech_to_speech/modules/transformer_encoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_speech/modules
copying fairseq/models/speech_to_speech/modules/stacked_embedding.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_speech/modules
copying fairseq/models/speech_to_speech/modules/transformer_decoder_aug.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_speech/modules
copying fairseq/models/speech_to_speech/modules/ctc_decoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_speech/modules
copying fairseq/models/speech_to_text/modules/augmented_memory_attention.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_text/modules
copying fairseq/models/speech_to_text/modules/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_text/modules
copying fairseq/models/speech_to_text/modules/convolution.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_text/modules
copying fairseq/models/speech_to_text/modules/emformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/models/speech_to_text/modules
copying fairseq/model_parallel/criterions/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/model_parallel/criterions
copying fairseq/model_parallel/criterions/vocab_parallel_cross_entropy.py ->
build/lib.linux-x86_64-cpython-39/fairseq/model_parallel/criterions
copying fairseq/model_parallel/modules/transformer_layer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/model_parallel/modules
copying fairseq/model_parallel/modules/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/model_parallel/modules
copying fairseq/model_parallel/modules/multihead_attention.py ->
build/lib.linux-x86_64-cpython-39/fairseq/model_parallel/modules
copying fairseq/model_parallel/models/transformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/model_parallel/models
copying fairseq/model_parallel/models/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/model_parallel/models
copying fairseq/model_parallel/models/transformer_lm.py ->
build/lib.linux-x86_64-cpython-39/fairseq/model_parallel/models
copying fairseq/model_parallel/models/pipeline_parallel_transformer/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/model_parallel/models/pipeline_parallel_transformer
copying fairseq/model_parallel/models/pipeline_parallel_transformer/layers.py ->
build/lib.linux-x86_64-cpython-39/fairseq/model_parallel/models/pipeline_parallel_transformer
copying fairseq/model_parallel/models/pipeline_parallel_transformer/model.py ->
build/lib.linux-x86_64-cpython-39/fairseq/model_parallel/models/pipeline_parallel_transformer
copying fairseq/model_parallel/models/roberta/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/model_parallel/models/roberta
copying fairseq/model_parallel/models/roberta/model.py ->
build/lib.linux-x86_64-cpython-39/fairseq/model_parallel/models/roberta
copying fairseq/optim/lr_scheduler/inverse_square_root_schedule.py ->
build/lib.linux-x86_64-cpython-39/fairseq/optim/lr_scheduler
copying fairseq/optim/lr_scheduler/fixed_schedule.py ->
build/lib.linux-x86_64-cpython-39/fairseq/optim/lr_scheduler
copying fairseq/optim/lr_scheduler/pass_through.py ->
build/lib.linux-x86_64-cpython-39/fairseq/optim/lr_scheduler
```

```
copying fairseq/optim/lr_scheduler/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/optim/lr_scheduler
copying fairseq/optim/lr_scheduler/reduce_lr_on_plateau.py ->
build/lib.linux-x86_64-cpython-39/fairseq/optim/lr_scheduler
copying fairseq/optim/lr_scheduler/triangular_lr_scheduler.py ->
build/lib.linux-x86_64-cpython-39/fairseq/optim/lr_scheduler
copying fairseq/optim/lr_scheduler/manual_lr_scheduler.py ->
build/lib.linux-x86_64-cpython-39/fairseq/optim/lr_scheduler
copying fairseq/optim/lr_scheduler/cosine_lr_scheduler.py ->
build/lib.linux-x86_64-cpython-39/fairseq/optim/lr_scheduler
copying fairseq/optim/lr_scheduler/tri_stage_lr_scheduler.py ->
build/lib.linux-x86_64-cpython-39/fairseq/optim/lr_scheduler
copying fairseq/optim/lr_scheduler/step_lr_scheduler.py ->
build/lib.linux-x86_64-cpython-39/fairseq/optim/lr_scheduler
copying fairseq/optim/lr_scheduler/polynomial_decay_schedule.py ->
build/lib.linux-x86_64-cpython-39/fairseq/optim/lr_scheduler
copying fairseq/optim/lr_scheduler/fairseq_lr_scheduler.py ->
build/lib.linux-x86_64-cpython-39/fairseq/optim/lr_scheduler
copying fairseq/examples/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/examples
copying fairseq/examples/.gitignore -> build/lib.linux-x86_64-cpython-39/fairseq/examples
copying fairseq/examples/conv_seq2seq/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/conv_seq2seq
copying fairseq/examples/translation_moe/score.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/translation_moe
copying fairseq/examples/translation_moe/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/translation_moe
copying fairseq/examples/translation_moe/translation_moe_src/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/translation_moe/translation_moe_src
copying fairseq/examples/translation_moe/translation_moe_src/logsumexp_moe.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/translation_moe/translation_moe_src
copying fairseq/examples/translation_moe/translation_moe_src/translation_moe.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/translation_moe/translation_moe_src
copying fairseq/examples/translation_moe/translation_moe_src/mean_pool_gating_network.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/translation_moe/translation_moe_src
copying fairseq/examples/flores101/flores_logo.png ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/flores101
copying fairseq/examples/flores101/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/flores101
copying fairseq/examples/language_model/prepare-wikitext-103.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/language_model
copying fairseq/examples/language_model/README.adaptive_inputs.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/language_model
copying fairseq/examples/language_model/README.conv.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/language_model
copying fairseq/examples/language_model/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/language_model
copying fairseq/examples/discriminative_reranking_nmt/drnmt_rerank.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/discriminative_reranking_nmt
```

copying fairseq/examples/discriminative_reranking_nmt/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/discriminative_reranking_nmt
copying fairseq/examples/discriminative_reranking_nmt/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/discriminative_reranking_nmt
copying fairseq/examples/discriminative_reranking_nmt/config/deen.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/discriminative_reranking_nmt/config
copying fairseq/examples/discriminative_reranking_nmt/criterions/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/discriminative_reranking_nmt/criterions
copying
fairseq/examples/discriminative_reranking_nmt/criterions/discriminative_reranking_criterion.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/discriminative_reranking_nmt/criterions
copying fairseq/examples/discriminative_reranking_nmt/tasks/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/discriminative_reranking_nmt/tasks
copying fairseq/examples/discriminative_reranking_nmt/tasks/discriminative_reranking_task.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/discriminative_reranking_nmt/tasks
copying fairseq/examples/discriminative_reranking_nmt/models/discriminative_reranking_model.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/discriminative_reranking_nmt/models
copying fairseq/examples/discriminative_reranking_nmt/models/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/discriminative_reranking_nmt/models
copying fairseq/examples/discriminative_reranking_nmt/scripts/prepare_data.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/discriminative_reranking_nmt/scripts
copying fairseq/examples/hubert/measure_teacher_quality.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert
copying fairseq/examples/hubert/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert
copying fairseq/examples/hubert/update_checkpoint.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert
copying fairseq/examples/hubert/simple_kmeans/learn_kmeans.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/simple_kmeans
copying fairseq/examples/hubert/simple_kmeans/dump_w2v2_feature.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/simple_kmeans
copying fairseq/examples/hubert/simple_kmeans/feature_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/simple_kmeans
copying fairseq/examples/hubert/simple_kmeans/dump_kmeans_label.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/simple_kmeans
copying fairseq/examples/hubert/simple_kmeans/dump_hubert_feature_s2t.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/simple_kmeans
copying fairseq/examples/hubert/simple_kmeans/dump_mfcc_feature.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/simple_kmeans
copying fairseq/examples/hubert/simple_kmeans/dump_hubert_feature.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/simple_kmeans
copying fairseq/examples/hubert/simple_kmeans/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/simple_kmeans
copying fairseq/examples/hubert/config/pretrain/hubert_large_librivox.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/config/pretrain
copying fairseq/examples/hubert/config/pretrain/hubert_xlarge_librivox.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/config/pretrain
copying fairseq/examples/hubert/config/pretrain/hubert_base_librispeech.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/config/pretrain

copying fairseq/examples/hubert/config/pretrain/data/iter1.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/config/pretrain/data
copying fairseq/examples/hubert/config/pretrain/data/iter2.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/config/pretrain/data
copying fairseq/examples/hubert/config/pretrain/run/submitit_reg.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/config/pretrain/run
copying fairseq/examples/hubert/config/finetune/base_10h.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/config/finetune
copying fairseq/examples/hubert/config/finetune/ckpt/it1.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/config/finetune/ckpt
copying fairseq/examples/hubert/config/finetune/run/submitit_reg.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/config/finetune/run
copying fairseq/examples/hubert/config/finetune/lm/lm_4gram.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/config/finetune/lm
copying fairseq/examples/hubert/config/decode/infer_fsqm.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/config/decode
copying fairseq/examples/hubert/config/decode/infer_viterbi.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/config/decode
copying fairseq/examples/hubert/config/decode/infer_kenlm.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/config/decode
copying fairseq/examples/hubert/config/decode/ax_sweep/ngram.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/config/decode/ax_sweep
copying fairseq/examples/hubert/config/decode/ax_sweep/transformer.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/config/decode/ax_sweep
copying fairseq/examples/hubert/config/decode/run/submitit_slurm_8gpu.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/config/decode/run
copying fairseq/examples/hubert/config/decode/run/submitit_slurm.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/config/decode/run
copying fairseq/examples/hubert/tests/test_feature_and_unit.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/tests
copying fairseq/examples/hubert/tests/sample.base.L9.len ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/tests
copying fairseq/examples/hubert/tests/sample.large.L20.len ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/tests
copying fairseq/examples/hubert/tests/sample.large.L20.npy ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/tests
copying fairseq/examples/hubert/tests/sample.xlarge.L30.len ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/tests
copying fairseq/examples/hubert/tests/sample.base.L9.npy ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/tests
copying fairseq/examples/hubert/tests/6313-76958-0021.flac ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/tests
copying fairseq/examples/hubert/tests/sample.xlarge.hypo.word ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/tests
copying fairseq/examples/hubert/tests/sample.base.L9.km500.km ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/tests
copying fairseq/examples/hubert/tests/sample.large.hypo.word ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/tests

```
    copying fairseq/examples/hubert/tests/sample.xlarge.L30.npy ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/tests
    copying fairseq/examples/hubert/tests/test_finetuned_asr.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/hubert/tests
    copying fairseq/examples/multilingual/multilingual_fairseq_gen.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual
    copying fairseq/examples/multilingual/finetune_multilingual_model.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual
    copying fairseq/examples/multilingual/train_multilingual_model.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual
    copying fairseq/examples/multilingual/ML50_langs.txt ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual
    copying fairseq/examples/multilingual/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual
    copying fairseq/examples/multilingual/data_scripts/check_iswlt_test_data.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual/data_scripts
    copying fairseq/examples/multilingual/data_scripts/check_self_overlaps.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual/data_scripts
    copying fairseq/examples/multilingual/data_scripts/requirement.txt ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual/data_scripts
    copying fairseq/examples/multilingual/data_scripts/download_flores_data.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual/data_scripts
    copying fairseq/examples/multilingual/data_scripts/download_iitb.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual/data_scripts
    copying fairseq/examples/multilingual/data_scripts/dedup_all.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual/data_scripts
    copying fairseq/examples/multilingual/data_scripts/download_wat19_my.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual/data_scripts
    copying fairseq/examples/multilingual/data_scripts/download_ML50_v1.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual/data_scripts
    copying fairseq/examples/multilingual/data_scripts/download_af_xh.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual/data_scripts
    copying fairseq/examples/multilingual/data_scripts/binarize.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual/data_scripts
    copying fairseq/examples/multilingual/data_scripts/remove_valid_test_in_train.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual/data_scripts
    copying fairseq/examples/multilingual/data_scripts/check_valid_test_overlaps.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual/data_scripts
    copying fairseq/examples/multilingual/data_scripts/download_wmt19_and_before.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual/data_scripts
    copying fairseq/examples/multilingual/data_scripts/download_ted_and_extract.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual/data_scripts
    copying fairseq/examples/multilingual/data_scripts/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual/data_scripts
    copying fairseq/examples/multilingual/data_scripts/download_wmt20.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual/data_scripts
    copying fairseq/examples/multilingual/data_scripts/download_iwslt_and_extract.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual/data_scripts
```

```
copying fairseq/examples/multilingual/data_scripts/download_lotus.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual/data_scripts
copying fairseq/examples/multilingual/data_scripts/preprocess_ML50_v1.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual/data_scripts
copying fairseq/examples/multilingual/data_scripts/utils/strip_sgm.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual/data_scripts/utils
copying fairseq/examples/multilingual/data_scripts/utils/fasttext_multi_filter.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual/data_scripts/utils
copying fairseq/examples/multilingual/data_scripts/utils/dedup.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/multilingual/data_scripts/utils
copying fairseq/examples/layerdrop/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/layerdrop
copying fairseq/examples/unsupervised_quality_estimation/aggregate_scores.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/unsupervised_quality_estimation
copying fairseq/examples/unsupervised_quality_estimation/repeat_lines.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/unsupervised_quality_estimation
copying fairseq/examples/unsupervised_quality_estimation/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/unsupervised_quality_estimation
copying fairseq/examples/unsupervised_quality_estimation/meteor.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/unsupervised_quality_estimation
copying fairseq/examples/wmt20/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wmt20
copying fairseq/examples/speech_recognition/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition
copying fairseq/examples/speech_recognition/infer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition
copying fairseq/examples/speech_recognition/w2l_decoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition
copying fairseq/examples/speech_recognition/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition
copying fairseq/examples/speech_recognition/datasets/asr_prep_json.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/datasets
copying fairseq/examples/speech_recognition/datasets/prepare-librispeech.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/datasets
copying fairseq/examples/speech_recognition/criterions/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/criterions
copying fairseq/examples/speech_recognition/criterions/ASG_loss.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/criterions
copying fairseq/examples/speech_recognition/criterions/cross_entropy_acc.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/criterions
copying fairseq/examples/speech_recognition/data/data_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/data
copying fairseq/examples/speech_recognition/data/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/data
copying fairseq/examples/speech_recognition/data/asr_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/data
copying fairseq/examples/speech_recognition/data/collaters.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/data
```

```
copying fairseq/examples/speech_recognition/data/relabels.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/data
copying fairseq/examples/speech_recognition/tasks/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/tasks
copying fairseq/examples/speech_recognition/tasks/speech_recognition.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/tasks
copying fairseq/examples/speech_recognition/models/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/models
copying fairseq/examples/speech_recognition/models/w2l_conv_glu_enc.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/models
copying fairseq/examples/speech_recognition/models/vggtransformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/models
copying fairseq/examples/speech_recognition/new/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/new
copying fairseq/examples/speech_recognition/new/infer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/new
copying fairseq/examples/speech_recognition/new/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/new
copying fairseq/examples/speech_recognition/new/conf/infer.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/new/conf
copying fairseq/examples/speech_recognition/new/conf/run_config/fb_slurm_1.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/new/conf/run_config
copying fairseq/examples/speech_recognition/new/conf/run_config/fb_slurm_2g.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/new/conf/run_config
copying fairseq/examples/speech_recognition/new/conf/hydra/sweeper/ax.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/new/conf/hydra/sweeper
copying fairseq/examples/speech_recognition/new/conf/hydra/sweeper/ax_sil.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/new/conf/hydra/sweeper
copying fairseq/examples/speech_recognition/new/decoders/decoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/new/decoders
copying fairseq/examples/speech_recognition/new/decoders/decoder_config.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/new/decoders
copying fairseq/examples/speech_recognition/new/decoders/viterbi_decoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/new/decoders
copying fairseq/examples/speech_recognition/new/decoders/flashlight_decoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/new/decoders
copying fairseq/examples/speech_recognition/new/decoders/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/new/decoders
copying fairseq/examples/speech_recognition/new/decoders/base_decoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/new/decoders
copying fairseq/examples/speech_recognition/kaldi/kaldi_initializer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/kaldi
copying fairseq/examples/speech_recognition/kaldi/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/kaldi
copying fairseq/examples/speech_recognition/kaldi/add-self-loop-simple.cc ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/kaldi
copying fairseq/examples/speech_recognition/kaldi/kaldi_decoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/kaldi
```

copying fairseq/examples/speech_recognition/kaldi/config/kaldi_initializer.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/kaldi/config
copying fairseq/examples/speech_recognition/utils/wer_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_recognition/utils
copying fairseq/examples/mr_hubert/train.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert
copying fairseq/examples/mr_hubert/finetune.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert
copying fairseq/examples/mr_hubert/decode.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert
copying fairseq/examples/mr_hubert/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert
copying fairseq/examples/mr_hubert/simple_kmeans/learn_kmeans.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert/simple_kmeans
copying fairseq/examples/mr_hubert/simple_kmeans/dump_w2v2_feature.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert/simple_kmeans
copying fairseq/examples/mr_hubert/simple_kmeans/feature_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert/simple_kmeans
copying fairseq/examples/mr_hubert/simple_kmeans/dump_km_label.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert/simple_kmeans
copying fairseq/examples/mr_hubert/simple_kmeans/dump_hubert_feature_s2t.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert/simple_kmeans
copying fairseq/examples/mr_hubert/simple_kmeans/dump_mfcc_feature.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert/simple_kmeans
copying fairseq/examples/mr_hubert/simple_kmeans/dump_hubert_feature.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert/simple_kmeans
copying fairseq/examples/mr_hubert/simple_kmeans/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert/simple_kmeans
copying fairseq/examples/mr_hubert/config/pretrain/mrhubert_base_librispeech.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert/config/pretrain
copying fairseq/examples/mr_hubert/config/pretrain/mrhubert_large_librilight.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert/config/pretrain
copying fairseq/examples/mr_hubert/config/pretrain/run/submitit_reg.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert/config/pretrain/run
copying fairseq/examples/mr_hubert/config/finetune/base_1h.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert/config/finetune
copying fairseq/examples/mr_hubert/config/finetune/base_1h_large.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert/config/finetune
copying fairseq/examples/mr_hubert/config/finetune/base_100h_large.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert/config/finetune
copying fairseq/examples/mr_hubert/config/finetune/base_10h_large.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert/config/finetune
copying fairseq/examples/mr_hubert/config/finetune/base_100h.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert/config/finetune
copying fairseq/examples/mr_hubert/config/finetune/base_10h.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert/config/finetune
copying fairseq/examples/mr_hubert/config/decode/infer_lm.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert/config/decode


```
copying fairseq/examples/mr_hubert/config/decode/infer.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert/config/decode
copying fairseq/examples/mr_hubert/config/decode/run/submitit_slurm_8gpu.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert/config/decode/run
copying fairseq/examples/mr_hubert/config/decode/run/submitit_slurm.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mr_hubert/config/decode/run
copying fairseq/examples/gottbert/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/gottbert
copying fairseq/examples/normformer/train_lm.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/normformer
copying fairseq/examples/normformer/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/normformer
copying fairseq/examples/womens_bios/query_occupations_from_wikidata.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/womens_bios
copying fairseq/examples/womens_bios/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/womens_bios
copying fairseq/examples/fast_noisy_channel/noisy_channel_sequence_generator.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/fast_noisy_channel
copying fairseq/examples/fast_noisy_channel/noisy_channel_beam_search.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/fast_noisy_channel
copying fairseq/examples/fast_noisy_channel/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/fast_noisy_channel
copying fairseq/examples/fast_noisy_channel/noisy_channel_translation.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/fast_noisy_channel
copying fairseq/examples/fast_noisy_channel/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/fast_noisy_channel
copying fairseq/examples/pointer_generator/preprocess.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/pointer_generator
copying fairseq/examples/pointer_generator/postprocess.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/pointer_generator
copying fairseq/examples/pointer_generator/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/pointer_generator
copying fairseq/examples/pointer_generator/README.xsum.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/pointer_generator
copying fairseq/examples/pointer_generator/pointer_generator_src/transformer_pg.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/pointer_generator/pointer_generator_src
copying fairseq/examples/pointer_generator/pointer_generator_src/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/pointer_generator/pointer_generator_src
copying fairseq/examples/attention_head_selection/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/attention_head_selection
copying fairseq/examples/attention_head_selection/src/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/attention_head_selection/src
copying fairseq/examples/attention_head_selection/src/speech_to_text_head_selection.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/attention_head_selection/src
copying fairseq/examples/attention_head_selection/src/modules/head_selection_transformer_layer.py
-> build/lib.linux-x86_64-cpython-39/fairseq/examples/attention_head_selection/src/modules
copying fairseq/examples/attention_head_selection/src/modules/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/attention_head_selection/src/modules
```

```
copying fairseq/examples/attention_head_selection/src/modules/multihead_functional.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/attention_head_selection/src/modules
copying fairseq/examples/attention_head_selection/src/modules/attn_head_selector.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/attention_head_selection/src/modules
copying fairseq/examples/attention_head_selection/src/modules/multihead_attention_selection.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/attention_head_selection/src/modules
copying fairseq/examples/attention_head_selection/src/data/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/attention_head_selection/src/data
copying fairseq/examples/attention_head_selection/src/data/speech_to_text_dataset_with_domain.py
-> build/lib.linux-x86_64-cpython-39/fairseq/examples/attention_head_selection/src/data
copying fairseq/examples/attention_head_selection/src/loss/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/attention_head_selection/src/loss
copying fairseq/examples/attention_head_selection/src/loss/attention_head_selection.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/attention_head_selection/src/loss
copying fairseq/examples/attention_head_selection/src/models/head_selection_transformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/attention_head_selection/src/models
copying fairseq/examples/attention_head_selection/src/models/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/attention_head_selection/src/models
copying fairseq/examples/attention_head_selection/src/models/head_selection_s2t_transformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/attention_head_selection/src/models
copying fairseq/examples/mms/MODEL_CARD.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mms
copying fairseq/examples/mms/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mms
copying fairseq/examples/mms/data_prep/punctuations.lst ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mms/data_prep
copying fairseq/examples/mms/data_prep/norm_config.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mms/data_prep
copying fairseq/examples/mms/data_prep/align_and_segment.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mms/data_prep
copying fairseq/examples/mms/data_prep/align_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mms/data_prep
copying fairseq/examples/mms/data_prep/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mms/data_prep
copying fairseq/examples/mms/data_prep/text_normalization.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mms/data_prep
copying fairseq/examples/mms/lid/infer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mms/lid
copying fairseq/examples/mms/lid/tutorial/MMS_LID_Inference_Colab.ipynb ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mms/lid/tutorial
copying fairseq/examples/mms/asr/config/infer_common.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mms/asr/config
copying fairseq/examples/mms/asr/tutorial/MMS_ASR_Inference_Colab.ipynb ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mms/asr/tutorial
copying fairseq/examples/mms/asr/infer/mms_infer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mms/asr/infer
copying fairseq/examples/mms/asr/infer/example_infer_adapter.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mms/asr/infer
```

```
copying fairseq/examples/mms/tts/infer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mms/tts
copying fairseq/examples/mms/tts/tutorial/MMS_TTS_Inference_Colab.ipynb ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mms/tts/tutorial
copying fairseq/examples/mms/misc/get_sample_size.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mms/misc
copying fairseq/examples/data2vec/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec
copying fairseq/examples/data2vec/fb_convert_beit_cp.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec
copying fairseq/examples/data2vec/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec
copying fairseq/examples/data2vec/config/audio/classification/base_classification.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/config/audio/classification
copying fairseq/examples/data2vec/config/audio/classification/run_config/slurm_2.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/config/audio/classification/run_config
copying fairseq/examples/data2vec/config/audio/classification/run_config/slurm_1.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/config/audio/classification/run_config
copying fairseq/examples/data2vec/config/audio/classification/run_config/slurm_1g.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/config/audio/classification/run_config
copying fairseq/examples/data2vec/config/audio/pretraining/base_librispeech.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/config/audio/pretraining
copying fairseq/examples/data2vec/config/audio/pretraining/audioset.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/config/audio/pretraining
copying fairseq/examples/data2vec/config/audio/pretraining/run_config/slurm_2.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/config/audio/pretraining/run_config
copying fairseq/examples/data2vec/config/audio/pretraining/run_config/slurm_6_aws.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/config/audio/pretraining/run_config
copying fairseq/examples/data2vec/config/audio/pretraining/run_config/slurm_3.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/config/audio/pretraining/run_config
copying fairseq/examples/data2vec/config/audio/pretraining/run_config/slurm_8_aws.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/config/audio/pretraining/run_config
copying fairseq/examples/data2vec/config/audio/pretraining/run_config/local.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/config/audio/pretraining/run_config
copying fairseq/examples/data2vec/config/audio/pretraining/run_config/slurm_1.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/config/audio/pretraining/run_config
copying fairseq/examples/data2vec/config/audio/pretraining/run_config/slurm_2_aws.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/config/audio/pretraining/run_config
copying fairseq/examples/data2vec/config/audio/pretraining/run_config/slurm_1_aws.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/config/audio/pretraining/run_config
copying fairseq/examples/data2vec/config/audio/pretraining/run_config/slurm_4_aws.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/config/audio/pretraining/run_config
copying fairseq/examples/data2vec/config/audio/pretraining/run_config/slurm_4.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/config/audio/pretraining/run_config
copying fairseq/examples/data2vec/config/v2/large_images_only_task.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/config/v2
copying fairseq/examples/data2vec/config/v2/large_text_only_task.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/config/v2
```



```
copying fairseq/examples/data2vec/tasks/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/tasks
copying fairseq/examples/data2vec/tasks/image_pretraining.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/tasks
copying fairseq/examples/data2vec/tasks/image_classification.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/tasks
copying fairseq/examples/data2vec/tasks/audio_classification.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/tasks
copying fairseq/examples/data2vec/tasks/multimodal.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/tasks
copying fairseq/examples/data2vec/models/mae_image_classification.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models
copying fairseq/examples/data2vec/models/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models
copying fairseq/examples/data2vec/models/data2vec2.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models
copying fairseq/examples/data2vec/models/mae.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models
copying fairseq/examples/data2vec/models/data2vec_vision.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models
copying fairseq/examples/data2vec/models/data2vec_image_classification.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models
copying fairseq/examples/data2vec/models/utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models
copying fairseq/examples/data2vec/models/audio_classification.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models
copying fairseq/examples/data2vec/models/data2vec_text.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models
copying fairseq/examples/data2vec/models/data2vec_text_classification.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models
copying fairseq/examples/data2vec/models/data2vec_audio.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models
copying fairseq/examples/data2vec/models/modalities/text.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models/modalities
copying fairseq/examples/data2vec/models/modalities/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models/modalities
copying fairseq/examples/data2vec/models/modalities/modules.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models/modalities
copying fairseq/examples/data2vec/models/modalities/images.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models/modalities
copying fairseq/examples/data2vec/models/modalities/base.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models/modalities
copying fairseq/examples/data2vec/models/modalities/audio.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/models/modalities
copying fairseq/examples/data2vec/scripts/convert_audioset_labels.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts
copying fairseq/examples/data2vec/scripts/multi/finetune_all_fair_local_lr.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts/multi
```

```
copying fairseq/examples/data2vec/scripts/multi/finetune_all_fair_aws_local_lr_nodep.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts/multi
copying fairseq/examples/data2vec/scripts/multi/finetune_all_fair_aws_local_lr.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts/multi
copying fairseq/examples/data2vec/scripts/text/finetune_all_fair_aws_lr.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts/text
copying fairseq/examples/data2vec/scripts/text/finetune_all_fair_nodep_aws_lr.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts/text
copying fairseq/examples/data2vec/scripts/text/finetune_all_fair_local_lr.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts/text
copying fairseq/examples/data2vec/scripts/text/valids.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts/text
copying fairseq/examples/data2vec/scripts/text/finetune_all_fair_aws.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts/text
copying fairseq/examples/data2vec/scripts/text/unprocess_data.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts/text
copying fairseq/examples/data2vec/scripts/text/finetune_all_fair.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts/text
copying fairseq/examples/data2vec/scripts/text/finetune_all_char_fair_aws_local_lr.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts/text
copying fairseq/examples/data2vec/scripts/text/finetune_sst2_qnli_sweep_fair_nodep.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts/text
copying fairseq/examples/data2vec/scripts/text/finetune_all_large_fair_local_lr.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts/text
copying fairseq/examples/data2vec/scripts/text/finetune_all_fair_aws_local_lr.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts/text
copying fairseq/examples/data2vec/scripts/text/finetune_all_fair_nodep.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts/text
copying fairseq/examples/data2vec/scripts/text/glue.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts/text
copying fairseq/examples/data2vec/scripts/text/finetune_all_fair_nodep_aws_local_lr.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts/text
copying fairseq/examples/data2vec/scripts/text/finetune_all_fair_nodep_aws_lr_nopos.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts/text
copying fairseq/examples/data2vec/scripts/text/finetune_all_large_fair_aws_local_lr.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts/text
copying fairseq/examples/data2vec/scripts/text/glue_lr.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts/text
copying fairseq/examples/data2vec/scripts/text/finetune_all_large_fair_nodep_aws_local_lr.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts/text
copying fairseq/examples/data2vec/scripts/text/finetune_all_fair_nodep_aws.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/data2vec/scripts/text
copying fairseq/examples/megatron_11b/detok.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/megatron_11b
copying fairseq/examples/megatron_11b/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/megatron_11b
copying fairseq/examples/operators/alignment_train_cuda.cpp ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/operators
```



```
    copying fairseq/examples/operators/alignment_train_kernel.cu ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/operators
    copying fairseq/examples/operators/alignment_train_cuda.h ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/operators
    copying fairseq/examples/operators/utils.h ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/operators
    copying fairseq/examples/operators/alignment_train_cpu.cpp ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/operators
    copying fairseq/examples/criss/save_encoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/criss
    copying fairseq/examples/criss/download_and_preprocess_flores_test.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/criss
    copying fairseq/examples/criss/download_and_preprocess_tatoeba.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/criss
    copying fairseq/examples/criss/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/criss
    copying fairseq/examples/criss/sentence_retrieval/encoder_analysis.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/criss/sentence_retrieval
    copying fairseq/examples/criss/sentence_retrieval/sentence_retrieval_tatoeba.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/criss/sentence_retrieval
    copying fairseq/examples/criss/unsupervised_mt/eval.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/criss/unsupervised_mt
    copying fairseq/examples/criss/mining/mine.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/criss/mining
    copying fairseq/examples/criss/mining/mine_example.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/criss/mining
    copying fairseq/examples/adaptive_span/truncated_bptt_lm_task.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/adaptive_span
    copying fairseq/examples/adaptive_span/adaptive_span_loss.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/adaptive_span
    copying fairseq/examples/adaptive_span/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/adaptive_span
    copying fairseq/examples/adaptive_span/adaptive_span_model.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/adaptive_span
    copying fairseq/examples/adaptive_span/adaptive_span_model_wrapper.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/adaptive_span
    copying fairseq/examples/adaptive_span/adaptive_span_attention.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/adaptive_span
    copying fairseq/examples/adaptive_span/adagrad_with_grad_clip.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/adaptive_span
    copying fairseq/examples/adaptive_span/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/adaptive_span
    copying fairseq/examples/xmod/preprocess_nli.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/xmod
    copying fairseq/examples/xmod/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/xmod
    copying fairseq/examples/laser/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/laser
```

copying fairseq/examples/laser/laser_src/laser_transformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/laser/laser_src
copying fairseq/examples/laser/laser_src/multitask_data_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/laser/laser_src
copying fairseq/examples/laser/laser_src/laser_task.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/laser/laser_src
copying fairseq/examples/laser/laser_src/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/laser/laser_src
copying fairseq/examples/laser/laser_src/laser_lstm.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/laser/laser_src
copying fairseq/examples/quant_noise/transformer_quantization_config.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/quant_noise
copying fairseq/examples/quant_noise/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/quant_noise
copying fairseq/examples/emotion_conversion/requirements.txt ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/emotion_conversion
copying fairseq/examples/emotion_conversion/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/emotion_conversion
copying fairseq/examples/emotion_conversion/synthesize.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/emotion_conversion
copying fairseq/examples/emotion_conversion/emotion_models/pitch_predictor.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/emotion_conversion/emotion_models
copying fairseq/examples/emotion_conversion/emotion_models/pitch_predictor.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/emotion_conversion/emotion_models
copying fairseq/examples/emotion_conversion/emotion_models/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/emotion_conversion/emotion_models
copying fairseq/examples/emotion_conversion/emotion_models/utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/emotion_conversion/emotion_models
copying fairseq/examples/emotion_conversion/emotion_models/duration_predictor.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/emotion_conversion/emotion_models
copying fairseq/examples/emotion_conversion/emotion_models/duration_predictor.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/emotion_conversion/emotion_models
copying fairseq/examples/emotion_conversion/preprocess/split_emov_km_tsv_by_uttid.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/emotion_conversion/preprocess
copying fairseq/examples/emotion_conversion/preprocess/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/emotion_conversion/preprocess
copying fairseq/examples/emotion_conversion/preprocess/split_km_tsv.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/emotion_conversion/preprocess
copying fairseq/examples/emotion_conversion/preprocess/build_translation_manifests.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/emotion_conversion/preprocess
copying fairseq/examples/emotion_conversion/preprocess/process_km.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/emotion_conversion/preprocess
copying fairseq/examples/emotion_conversion/preprocess/extract_f0.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/emotion_conversion/preprocess
copying fairseq/examples/emotion_conversion/preprocess/split_km.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/emotion_conversion/preprocess
copying fairseq/examples/emotion_conversion/preprocess/build_hifigan_manifest.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/emotion_conversion/preprocess

```
copying fairseq/examples/emotion_conversion/preprocess/create_core_manifest.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/emotion_conversion/preprocess
copying fairseq/examples/emotion_conversion/fairseq_models/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/emotion_conversion/fairseq_models
copying fairseq/examples/simultaneous_translation/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation
copying fairseq/examples/simultaneous_translation/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation
copying fairseq/examples/simultaneous_translation/modules/fixed_pre_decision.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/modules
copying fairseq/examples/simultaneous_translation/modules/monotonic_multihead_attention.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/modules
copying fairseq/examples/simultaneous_translation/modules/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/modules
copying fairseq/examples/simultaneous_translation/modules/monotonic_transformer_layer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/modules
copying fairseq/examples/simultaneous_translation/models/convtransformer_simul_trans.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/models
copying fairseq/examples/simultaneous_translation/models/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/models
copying fairseq/examples/simultaneous_translation/models/transformer_monotonic_attention.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/models
copying fairseq/examples/simultaneous_translation/eval/agents/simul_t2t_enja.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/eval/agents
copying fairseq/examples/simultaneous_translation/tests/test_alignment_train.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/tests
copying fairseq/examples/simultaneous_translation/tests/test_text_models.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/tests
copying fairseq/examples/simultaneous_translation/utils/monotonic_attention.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/utils
copying fairseq/examples/simultaneous_translation/utils/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/utils
copying fairseq/examples/simultaneous_translation/utils/functions.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/utils
copying fairseq/examples/simultaneous_translation/utils/p_choose_strategy.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/utils
copying fairseq/examples/simultaneous_translation/docs/ende-mma.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/docs
copying fairseq/examples/simultaneous_translation/docs/enja-waitk.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/simultaneous_translation/docs
copying fairseq/examples/linformer/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/linformer
copying fairseq/examples/linformer/linformer_src/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/linformer/linformer_src
copying fairseq/examples/linformer/linformer_src/modules/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/linformer/linformer_src/modules
copying fairseq/examples/linformer/linformer_src/modules/linformer_sentence_encoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/linformer/linformer_src/modules
```

```
copying fairseq/examples/linformer/linformer_src/modules/linformer_sentence_encoder_layer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/linformer/linformer_src/modules
copying fairseq/examples/linformer/linformer_src/modules/multihead_linear_attention.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/linformer/linformer_src/modules
copying fairseq/examples/linformer/linformer_src/models/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/linformer/linformer_src/models
copying fairseq/examples/linformer/linformer_src/models/linformer_roberta.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/linformer/linformer_src/models
copying fairseq/examples/bart/README.glue.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/bart
copying fairseq/examples/bart/README.summarization.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/bart
copying fairseq/examples/bart/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/bart
copying fairseq/examples/bart/summarize.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/bart
copying fairseq/examples/byte_level_bpe/gru_transformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/byte_level_bpe
copying fairseq/examples/byte_level_bpe/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/byte_level_bpe
copying fairseq/examples/byte_level_bpe/get_bitext.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/byte_level_bpe
copying fairseq/examples/byte_level_bpe/get_data.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/byte_level_bpe
copying fairseq/examples/speech_to_speech/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech
copying fairseq/examples/speech_to_speech/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech
copying fairseq/examples/speech_to_speech/generate_waveform_from_code.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech
copying fairseq/examples/speech_to_speech/preprocessing/data_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/preprocessing
copying fairseq/examples/speech_to_speech/preprocessing/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/preprocessing
copying fairseq/examples/speech_to_speech/preprocessing/prep_s2ut_data.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/preprocessing
copying fairseq/examples/speech_to_speech/preprocessing/prep_sn_output_data.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/preprocessing
copying fairseq/examples/speech_to_speech/preprocessing/prep_s2spect_data.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/preprocessing
copying fairseq/examples/speech_to_speech/preprocessing/prep_sn_data.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/preprocessing
copying fairseq/examples/speech_to_speech/unity/sequence_generator_multi_decoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/unity
copying fairseq/examples/speech_to_speech/unity/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/unity
copying fairseq/examples/speech_to_speech/unity/sequence_generator.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/unity
```

copying fairseq/examples/speech_to_speech/asr_bleu/requirements.txt ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/asr_bleu
copying fairseq/examples/speech_to_speech/asr_bleu/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/asr_bleu
copying fairseq/examples/speech_to_speech/asr_bleu/compute_asr_bleu.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/asr_bleu
copying fairseq/examples/speech_to_speech/asr_bleu/utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/asr_bleu
copying fairseq/examples/speech_to_speech/asr_bleu/asr_model_cfgs.json ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/asr_bleu
copying fairseq/examples/speech_to_speech/asr_bleu/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/asr_bleu
copying fairseq/examples/speech_to_speech/benchmarking/data_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/benchmarking
copying fairseq/examples/speech_to_speech/benchmarking/get_metrics.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/benchmarking
copying fairseq/examples/speech_to_speech/benchmarking/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/benchmarking
copying fairseq/examples/speech_to_speech/benchmarking/core.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/benchmarking
copying fairseq/examples/speech_to_speech/benchmarking/configs/S2T.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/benchmarking/configs
copying fairseq/examples/speech_to_speech/benchmarking/configs/3StageS2ST.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/benchmarking/configs
copying fairseq/examples/speech_to_speech/benchmarking/configs/2StageS2ST.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/benchmarking/configs
copying fairseq/examples/speech_to_speech/benchmarking/configs/DirectS2U.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/benchmarking/configs
copying fairseq/examples/speech_to_speech/docs/direct_s2st_discrete_units.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/docs
copying fairseq/examples/speech_to_speech/docs/data_augmentation.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/docs
copying fairseq/examples/speech_to_speech/docs/textless_s2st_real_data.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/docs
copying fairseq/examples/speech_to_speech/docs/enhanced_direct_s2st_discrete_units.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_speech/docs
copying fairseq/examples/noisychannel/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/noisychannel
copying fairseq/examples/noisychannel/rerank_options.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/noisychannel
copying fairseq/examples/noisychannel/rerank_score_lm.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/noisychannel
copying fairseq/examples/noisychannel/rerank_generate.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/noisychannel
copying fairseq/examples/noisychannel/rerank_score_bw.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/noisychannel
copying fairseq/examples/noisychannel/rerank_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/noisychannel

```
copying fairseq/examples/noisychannel/rerank_tune.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/noisychannel
copying fairseq/examples/noisychannel/rerank.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/noisychannel
copying fairseq/examples/noisychannel/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/noisychannel
copying fairseq/examples/mbart/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/mbart
copying fairseq/examples/m2m_100/install_dependencies.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/m2m_100
copying fairseq/examples/m2m_100/tok.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/m2m_100
copying fairseq/examples/m2m_100/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/m2m_100
copying fairseq/examples/m2m_100/process_data/dedup_data.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/m2m_100/process_data
copying fairseq/examples/m2m_100/process_data/remove_too_much_punc.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/m2m_100/process_data
copying fairseq/examples/m2m_100/process_data/clean_histogram.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/m2m_100/process_data
copying fairseq/examples/m2m_100/tokenizers/tokenize_indic.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/m2m_100/tokenizers
copying fairseq/examples/m2m_100/tokenizers/tokenize_thai.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/m2m_100/tokenizers
copying fairseq/examples/m2m_100/tokenizers/seg_ko.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/m2m_100/tokenizers
copying fairseq/examples/m2m_100/tokenizers/seg_ja.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/m2m_100/tokenizers
copying fairseq/examples/m2m_100/tokenizers/tokenize_zh.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/m2m_100/tokenizers
copying fairseq/examples/m2m_100/tokenizers/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/m2m_100/tokenizers
copying fairseq/examples/m2m_100/tokenizers/tokenizer_ar.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/m2m_100/tokenizers
copying fairseq/examples/m2m_100/tokenizers/thirdparty/.gitignore ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/m2m_100/tokenizers/thirdparty
copying fairseq/examples/textless_nlp/dgslm/sample_speech_dlm.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/dgslm
copying fairseq/examples/textless_nlp/dgslm/dgslm_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/dgslm
copying fairseq/examples/textless_nlp/dgslm/create_code_file.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/dgslm
copying fairseq/examples/textless_nlp/dgslm/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/dgslm
copying fairseq/examples/textless_nlp/dgslm/vocoder_hifigan/generate_stereo_waveform.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/dgslm/vocoder_hifigan
copying fairseq/examples/textless_nlp/dgslm/vocoder_hifigan/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/dgslm/vocoder_hifigan
```

copying fairseq/examples/textless_nlp/dgslm/hubert_fisher/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/dgslm/hubert_fisher
copying fairseq/examples/textless_nlp/speech-resynth/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/speech-resynth
copying fairseq/examples/textless_nlp/speech-resynth/img/fig.png ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/speech-resynth/img
copying fairseq/examples/textless_nlp/pgslm/data_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/pgslm
copying fairseq/examples/textless_nlp/pgslm/prepare_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/pgslm
copying fairseq/examples/textless_nlp/pgslm/naive_decoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/pgslm
copying fairseq/examples/textless_nlp/pgslm/preprocess_f0.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/pgslm
copying fairseq/examples/textless_nlp/pgslm/quantize_f0.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/pgslm
copying fairseq/examples/textless_nlp/pgslm/inference_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/pgslm
copying fairseq/examples/textless_nlp/pgslm/generate_waveform.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/pgslm
copying fairseq/examples/textless_nlp/pgslm/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/pgslm
copying fairseq/examples/textless_nlp/pgslm/truncated_laplace.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/pgslm
copying fairseq/examples/textless_nlp/pgslm/eval/cont_metrics.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/pgslm/eval
copying fairseq/examples/textless_nlp/pgslm/eval/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/pgslm/eval
copying fairseq/examples/textless_nlp/pgslm/sample/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/pgslm/sample
copying fairseq/examples/textless_nlp/pgslm/sample/sample.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/pgslm/sample
copying fairseq/examples/textless_nlp/pgslm/scripts/prepare_data.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/pgslm/scripts
copying fairseq/examples/textless_nlp/pgslm/scripts/join_units_manifest.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/pgslm/scripts
copying fairseq/examples/textless_nlp/pgslm/scripts/prepare_f0_quantization.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/pgslm/scripts
copying fairseq/examples/textless_nlp/gslm/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm
copying fairseq/examples/textless_nlp/gslm/speech2unit/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/speech2unit
copying fairseq/examples/textless_nlp/gslm/speech2unit/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/speech2unit
copying fairseq/examples/textless_nlp/gslm/speech2unit/clustering/cluster_kmeans.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/speech2unit/clustering
copying fairseq/examples/textless_nlp/gslm/speech2unit/clustering/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/speech2unit/clustering

copying fairseq/examples/textless_nlp/gslm/speech2unit/clustering/utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/speech2unit/clustering
copying fairseq/examples/textless_nlp/gslm/speech2unit/clustering/quantize_with_kmeans.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/speech2unit/clustering
copying fairseq/examples/textless_nlp/gslm/speech2unit/clustering/dump_feats.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/speech2unit/clustering
copying fairseq/examples/textless_nlp/gslm/speech2unit/pretrained/w2v2_feature_reader.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/speech2unit/pretrained
copying fairseq/examples/textless_nlp/gslm/speech2unit/pretrained/logmel_feature_reader.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/speech2unit/pretrained
copying fairseq/examples/textless_nlp/gslm/speech2unit/pretrained/utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/speech2unit/pretrained
copying fairseq/examples/textless_nlp/gslm/speech2unit/pretrained/cpc_feature_reader.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/speech2unit/pretrained
copying fairseq/examples/textless_nlp/gslm/speech2unit/pretrained/hubert_feature_reader.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/speech2unit/pretrained
copying fairseq/examples/textless_nlp/gslm/tools/resynthesize_speech.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/tools
copying fairseq/examples/textless_nlp/gslm/tools/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/tools
copying fairseq/examples/textless_nlp/gslm/ulm/sample.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/ulm
copying fairseq/examples/textless_nlp/gslm/ulm/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/ulm
copying fairseq/examples/textless_nlp/gslm/metrics/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/metrics
copying fairseq/examples/textless_nlp/gslm/metrics/asr_metrics/continuation_eval.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/metrics/asr_metrics
copying fairseq/examples/textless_nlp/gslm/metrics/asr_metrics/self_auto_bleu.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/metrics/asr_metrics
copying fairseq/examples/textless_nlp/gslm/metrics/asr_metrics/ppx.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/metrics/asr_metrics
copying fairseq/examples/textless_nlp/gslm/metrics/asr_metrics/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/metrics/asr_metrics
copying fairseq/examples/textless_nlp/gslm/metrics/asr_metrics/misc/cut_as.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/metrics/asr_metrics/misc
copying fairseq/examples/textless_nlp/gslm/metrics/asr_metrics/misc/dict.ltr.txt ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/metrics/asr_metrics/misc
copying fairseq/examples/textless_nlp/gslm/metrics/asr_metrics/misc/bleu_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/metrics/asr_metrics/misc
copying fairseq/examples/textless_nlp/gslm/metrics/abx_metrics/dump_abx_feats.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/metrics/abx_metrics
copying fairseq/examples/textless_nlp/gslm/metrics/abx_metrics/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/metrics/abx_metrics
copying fairseq/examples/textless_nlp/gslm/unit2speech/glow.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/unit2speech
copying fairseq/examples/textless_nlp/gslm/unit2speech/synthesize_audio_from_units.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/unit2speech


```
copying fairseq/examples/textless_nlp/gslm/unit2speech/utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/unit2speech
copying fairseq/examples/textless_nlp/gslm/unit2speech/convert_to_16k.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/unit2speech
copying fairseq/examples/textless_nlp/gslm/unit2speech/multiproc.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/unit2speech
copying fairseq/examples/textless_nlp/gslm/unit2speech/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/unit2speech
copying fairseq/examples/textless_nlp/gslm/unit2speech/tts_data.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/unit2speech
copying fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2/stft.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2
copying fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2/text.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2
copying fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2
copying fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2/symbols.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2
copying fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2/numbers.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2
copying fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2/layers.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2
copying fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2/cleaners.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2
copying fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2/utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2
copying fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2/cmudict.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2
copying fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2/waveglow_denoiser.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2
copying fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2/audio_processing.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2
copying fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2/model.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/textless_nlp/gslm/unit2speech/tacotron2
copying fairseq/examples/xlmr/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/xlmr
copying fairseq/examples/speech_to_text/prep_librispeech_data.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_text
copying fairseq/examples/speech_to_text/prep_covost_data.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_text
copying fairseq/examples/speech_to_text/data_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_text
copying fairseq/examples/speech_to_text/prep_mustc_data.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_text
copying fairseq/examples/speech_to_text/prep_mtedx_data.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_text
copying fairseq/examples/speech_to_text/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_text
```

```
copying fairseq/examples/speech_to_text/seg_mustc_data.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_text
copying fairseq/examples/speech_to_text/simultaneous_translation/agents/fairseq_simul_st_agent.py
-> build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_text/simultaneous_translation/agents
copying fairseq/examples/speech_to_text/docs/mtdex_example.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_text/docs
copying fairseq/examples/speech_to_text/docs/librispeech_example.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_text/docs
copying fairseq/examples/speech_to_text/docs/mustc_example.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_text/docs
copying fairseq/examples/speech_to_text/docs/covost_example.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_text/docs
copying fairseq/examples/speech_to_text/docs/simulst_mustc_example.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_to_text/docs
copying fairseq/examples/stories/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/stories
copying fairseq/examples/paraphraser/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/paraphraser
copying fairseq/examples/paraphraser/paraphrase.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/paraphraser
copying fairseq/examples/fully_sharded_data_parallel/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/fully_sharded_data_parallel
copying fairseq/examples/wmt21/eval.sh -> build/lib.linux-x86_64-cpython-39/fairseq/examples/wmt21
copying fairseq/examples/wmt21/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wmt21
copying fairseq/examples/wmt21/scripts/replace-unicode-punctuation.perl ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wmt21/scripts
copying fairseq/examples/wmt21/scripts/normalize-punctuation.perl ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wmt21/scripts
copying fairseq/examples/wmt19/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wmt19
copying fairseq/examples/rxf/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/examples/rxf
copying fairseq/examples/rxf/README.md -> build/lib.linux-x86_64-cpython-39/fairseq/examples/rxf
copying fairseq/examples/rxf/rxf_src/label_smoothed_cross_entropy_r3f.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/rxf/rxf_src
copying fairseq/examples/rxf/rxf_src/sentence_prediction_r3f.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/rxf/rxf_src
copying fairseq/examples/rxf/rxf_src/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/rxf/rxf_src
copying fairseq/examples/camembert/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/camembert
copying fairseq/examples/MMPT/pretraining.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT
copying fairseq/examples/MMPT/setup.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT
copying fairseq/examples/MMPT/vlm.png ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT
copying fairseq/examples/MMPT/CONFIG.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT
```

```
copying fairseq/examples/MMPT/locallaunch.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT
copying fairseq/examples/MMPT/videoclip.png ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT
copying fairseq/examples/MMPT/DATASET.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT
copying fairseq/examples/MMPT/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT
copying fairseq/examples/MMPT/.gitignore ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT
copying fairseq/examples/MMPT/endtask.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT
copying fairseq/examples/MMPT/projects/mfmmlm.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/projects
copying fairseq/examples/MMPT/projects/mtm/vlm.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/projects/mtm
copying fairseq/examples/MMPT/projects/mtm/mmfusionmtm.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/projects/mtm
copying fairseq/examples/MMPT/projects/mtm/vlm/crosstask.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/projects/mtm/vlm
copying fairseq/examples/MMPT/projects/mtm/vlm/how2.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/projects/mtm/vlm
copying fairseq/examples/MMPT/projects/mtm/vlm/test_youcookcap.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/projects/mtm/vlm
copying fairseq/examples/MMPT/projects/mtm/vlm/youcook.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/projects/mtm/vlm
copying fairseq/examples/MMPT/projects/mtm/vlm/vtt.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/projects/mtm/vlm
copying fairseq/examples/MMPT/projects/mtm/vlm/test_crosstask_zs.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/projects/mtm/vlm
copying fairseq/examples/MMPT/projects/mtm/vlm/youcookcap.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/projects/mtm/vlm
copying fairseq/examples/MMPT/projects/mtm/vlm/test_youcook.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/projects/mtm/vlm
copying fairseq/examples/MMPT/projects/mtm/vlm/vttqa.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/projects/mtm/vlm
copying fairseq/examples/MMPT/projects/mtm/vlm/test_crosstask.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/projects/mtm/vlm
copying fairseq/examples/MMPT/projects/mtm/vlm/test_coin.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/projects/mtm/vlm
copying fairseq/examples/MMPT/projects/mtm/vlm/test_vtt.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/projects/mtm/vlm
copying fairseq/examples/MMPT/projects/mtm/vlm/coin.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/projects/mtm/vlm
copying fairseq/examples/MMPT/projects/mtm/vlm/test_vttqa.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/projects/mtm/vlm
copying fairseq/examples/MMPT/projects/task/test_vtt_videoclip.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/projects/task
```


copying fairseq/examples/MMPT/projects/retri/videoclip/crosstask_videoclip.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/projects/retri/videoclip
copying fairseq/examples/MMPT/projects/retri/videoclip/vtt_videoclip.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/projects/retri/videoclip
copying fairseq/examples/MMPT/projects/retri/videoclip/test_coin_videoclip.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/projects/retri/videoclip
copying fairseq/examples/MMPT/mmpmt/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmpmt
copying fairseq/examples/MMPT/mmpmt/datasets/mmdataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmpmt/datasets
copying fairseq/examples/MMPT/mmpmt/datasets/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmpmt/datasets
copying fairseq/examples/MMPT/mmpmt/datasets/fairseqmmdataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmpmt/datasets
copying fairseq/examples/MMPT/mmpmt/modules/retri.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmpmt/modules
copying fairseq/examples/MMPT/mmpmt/modules/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmpmt/modules
copying fairseq/examples/MMPT/mmpmt/modules/vectorpool.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmpmt/modules
copying fairseq/examples/MMPT/mmpmt/modules/mm.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmpmt/modules
copying fairseq/examples/MMPT/mmpmt/losses/fairseqmmloss.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmpmt/losses
copying fairseq/examples/MMPT/mmpmt/losses/nce.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmpmt/losses
copying fairseq/examples/MMPT/mmpmt/losses/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmpmt/losses
copying fairseq/examples/MMPT/mmpmt/losses/loss.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmpmt/losses
copying fairseq/examples/MMPT/mmpmt/tasks/fairseqmmtask.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmpmt/tasks
copying fairseq/examples/MMPT/mmpmt/tasks/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmpmt/tasks
copying fairseq/examples/MMPT/mmpmt/tasks/retritask.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmpmt/tasks
copying fairseq/examples/MMPT/mmpmt/tasks/vlmtask.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmpmt/tasks
copying fairseq/examples/MMPT/mmpmt/tasks/task.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmpmt/tasks
copying fairseq/examples/MMPT/mmpmt/tasks/milncetask.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmpmt/tasks
copying fairseq/examples/MMPT/mmpmt/models/mmfusionnlg.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmpmt/models
copying fairseq/examples/MMPT/mmpmt/models/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmpmt/models
copying fairseq/examples/MMPT/mmpmt/models/fairseqmmodel.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmpmt/models

copying fairseq/examples/MMPT/mmppt/models/mmfusion.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmppt/models
copying fairseq/examples/MMPT/mmppt/models/transformermodel.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmppt/models
copying fairseq/examples/MMPT/mmppt/utils/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmppt/utils
copying fairseq/examples/MMPT/mmppt/utils/load_config.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmppt/utils
copying fairseq/examples/MMPT/mmppt/utils/shardedtensor.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmppt/utils
copying fairseq/examples/MMPT/mmppt/evaluators/evaluator.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmppt/evaluators
copying fairseq/examples/MMPT/mmppt/evaluators/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmppt/evaluators
copying fairseq/examples/MMPT/mmppt/evaluators/predictor.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmppt/evaluators
copying fairseq/examples/MMPT/mmppt/evaluators/metric.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmppt/evaluators
copying fairseq/examples/MMPT/mmppt/processors/how2processor.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmppt/processors
copying fairseq/examples/MMPT/mmppt/processors/how2retriprocessor.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmppt/processors
copying fairseq/examples/MMPT/mmppt/processors/processor.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmppt/processors
copying fairseq/examples/MMPT/mmppt/processors/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmppt/processors
copying fairseq/examples/MMPT/mmppt/processors/dsprocessor.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmppt/processors
copying fairseq/examples/MMPT/mmppt/processors/dedupprocessor.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmppt/processors
copying fairseq/examples/MMPT/mmppt/processors/models/s3dg.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmppt/processors/models
copying fairseq/examples/MMPT/mmppt_cli/predict.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmppt_cli
copying fairseq/examples/MMPT/mmppt_cli/localjob.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/mmppt_cli
copying fairseq/examples/MMPT/scripts/text_token_extractor/pretokenization.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/scripts/text_token_extractor
copying fairseq/examples/MMPT/scripts/text_token_extractor/configs/bert-base-uncased.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/scripts/text_token_extractor/configs
copying fairseq/examples/MMPT/scripts/video_feature_extractor/random_sequence_shuffler.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/scripts/video_feature_extractor
copying fairseq/examples/MMPT/scripts/video_feature_extractor/preprocessing.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/scripts/video_feature_extractor
copying fairseq/examples/MMPT/scripts/video_feature_extractor/pathbuilder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/scripts/video_feature_extractor
copying fairseq/examples/MMPT/scripts/video_feature_extractor/extract.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/scripts/video_feature_extractor

```
copying fairseq/examples/MMPT/scripts/video_feature_extractor/model.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/scripts/video_feature_extractor
copying fairseq/examples/MMPT/scripts/video_feature_extractor/shard_feature.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/scripts/video_feature_extractor
copying fairseq/examples/MMPT/scripts/video_feature_extractor/videoreader.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/scripts/video_feature_extractor
copying fairseq/examples/MMPT/scripts/video_feature_extractor/how2/s3d.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/MMPT/scripts/video_feature_extractor/how2
copying
fairseq/examples/joint_alignment_translation/prepare-wmt18en2de_no_norm_no_escape_no_aggressive.s
h -> build/lib.linux-x86_64-cpython-39/fairseq/examples/joint_alignment_translation
copying fairseq/examples/joint_alignment_translation/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/joint_alignment_translation
copying fairseq/examples/xformers/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/xformers
copying fairseq/examples/scaling_nmt/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/scaling_nmt
copying fairseq/examples/speech_synthesis/data_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis
copying fairseq/examples/speech_synthesis/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis
copying fairseq/examples/speech_synthesis/utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis
copying fairseq/examples/speech_synthesis/generate_waveform.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis
copying fairseq/examples/speech_synthesis/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis
copying fairseq/examples/speech_synthesis/preprocessing/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing
copying fairseq/examples/speech_synthesis/preprocessing/denoise_and_vad_audio.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing
copying fairseq/examples/speech_synthesis/preprocessing/get_vctk_audio_manifest.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing
copying fairseq/examples/speech_synthesis/preprocessing/get_speaker_embedding.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing
copying fairseq/examples/speech_synthesis/preprocessing/get_common_voice_audio_manifest.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing
copying fairseq/examples/speech_synthesis/preprocessing/get_ljspeech_audio_manifest.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing
copying fairseq/examples/speech_synthesis/preprocessing/get_feature_manifest.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing
copying fairseq/examples/speech_synthesis/preprocessing/speaker_embedder/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing/speaker_embedder
copying fairseq/examples/speech_synthesis/preprocessing/vad/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing/vad
copying fairseq/examples/speech_synthesis/preprocessing/denoiser/pretrained.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing/denoiser
copying fairseq/examples/speech_synthesis/preprocessing/denoiser/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing/denoiser
```


copying fairseq/examples/speech_synthesis/preprocessing/denoiser/resample.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing/denoiser
copying fairseq/examples/speech_synthesis/preprocessing/denoiser/utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing/denoiser
copying fairseq/examples/speech_synthesis/preprocessing/denoiser/demucs.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/preprocessing/denoiser
copying fairseq/examples/speech_synthesis/docs/vctk_example.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/docs
copying fairseq/examples/speech_synthesis/docs/ljspeech_example.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/docs
copying fairseq/examples/speech_synthesis/docs/common_voice_example.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/docs
copying fairseq/examples/speech_synthesis/evaluation/eval_f0.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/evaluation
copying fairseq/examples/speech_synthesis/evaluation/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/evaluation
copying fairseq/examples/speech_synthesis/evaluation/eval_sp.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/evaluation
copying fairseq/examples/speech_synthesis/evaluation/get_eval_manifest.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/evaluation
copying fairseq/examples/speech_synthesis/evaluation/eval_asr.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_synthesis/evaluation
copying fairseq/examples/cross_lingual_language_model/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/cross_lingual_language_model
copying fairseq/examples/xglm/model_card.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/xglm
copying fairseq/examples/xglm/XStoryCloze.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/xglm
copying fairseq/examples/xglm/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/xglm
copying fairseq/examples/shuffled_word_order/README.finetuning.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/shuffled_word_order
copying fairseq/examples/shuffled_word_order/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/shuffled_word_order
copying fairseq/examples/latent_depth/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/latent_depth
copying fairseq/examples/latent_depth/latent_depth_src/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/latent_depth/latent_depth_src
copying fairseq/examples/latent_depth/latent_depth_src/multilingual_translation_latent_depth.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/latent_depth/latent_depth_src
copying fairseq/examples/latent_depth/latent_depth_src/modules/latent_layers.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/latent_depth/latent_depth_src/modules
copying fairseq/examples/latent_depth/latent_depth_src/modules/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/latent_depth/latent_depth_src/modules
copying fairseq/examples/latent_depth/latent_depth_src/loss/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/latent_depth/latent_depth_src/loss
copying fairseq/examples/latent_depth/latent_depth_src/loss/latent_depth.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/latent_depth/latent_depth_src/loss

copying fairseq/examples/latent_depth/latent_depth_src/models/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/latent_depth/latent_depth_src/models
copying fairseq/examples/latent_depth/latent_depth_src/models/latent_transformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/latent_depth/latent_depth_src/models
copying fairseq/examples/latent_depth/latent_depth_src/models/latent_multilingual_transformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/latent_depth/latent_depth_src/models
copying fairseq/examples/translation/prepare-wmt14en2de.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/translation
copying fairseq/examples/translation/prepare-iwslt17-multilingual.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/translation
copying fairseq/examples/translation/prepare-iwslt14.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/translation
copying fairseq/examples/translation/prepare-wmt14en2fr.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/translation
copying fairseq/examples/translation/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/translation
copying fairseq/examples/moe_lm/model_card.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/moe_lm
copying fairseq/examples/moe_lm/data_card.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/moe_lm
copying fairseq/examples/moe_lm/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/moe_lm
copying fairseq/examples/backtranslation/deduplicate_lines.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/backtranslation
copying fairseq/examples/backtranslation/sacrebleu.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/backtranslation
copying fairseq/examples/backtranslation/prepare-wmt18en2de.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/backtranslation
copying fairseq/examples/backtranslation/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/backtranslation
copying fairseq/examples/backtranslation/tokenized_bleu.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/backtranslation
copying fairseq/examples/backtranslation/extract_bt_data.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/backtranslation
copying fairseq/examples/backtranslation/prepare-de-monolingual.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/backtranslation
copying fairseq/examples/roberta/README.glue.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta
copying fairseq/examples/roberta/README.custom_classification.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta
copying fairseq/examples/roberta/README.race.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta
copying fairseq/examples/roberta/preprocess_GLUE_tasks.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta
copying fairseq/examples/roberta/preprocess_RACE.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta
copying fairseq/examples/roberta/README.pretraining.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta

copying fairseq/examples/roberta/multiprocessing_bpe_encoder.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta
copying fairseq/examples/roberta/preprocess_RACE.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta
copying fairseq/examples/roberta/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta
copying fairseq/examples/roberta/commonsense_qa/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/commonsense_qa
copying fairseq/examples/roberta/commonsense_qa/commonsense_qa_task.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/commonsense_qa
copying fairseq/examples/roberta/commonsense_qa/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/commonsense_qa
copying fairseq/examples/roberta/commonsense_qa/download_cqa_data.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/commonsense_qa
copying fairseq/examples/roberta/config/pretraining/base.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/config/pretraining
copying fairseq/examples/roberta/config/pretraining/run_config/slurm_2.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/config/pretraining/run_config
copying fairseq/examples/roberta/config/pretraining/run_config/slurm_3.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/config/pretraining/run_config
copying fairseq/examples/roberta/config/pretraining/run_config/local.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/config/pretraining/run_config
copying fairseq/examples/roberta/config/pretraining/run_config/slurm_2_aws.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/config/pretraining/run_config
copying fairseq/examples/roberta/config/pretraining/run_config/slurm_4.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/config/pretraining/run_config
copying fairseq/examples/roberta/config/finetuning/sts_b.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/config/finetuning
copying fairseq/examples/roberta/config/finetuning/qnli.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/config/finetuning
copying fairseq/examples/roberta/config/finetuning/qqp.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/config/finetuning
copying fairseq/examples/roberta/config/finetuning/cola.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/config/finetuning
copying fairseq/examples/roberta/config/finetuning/mrpc.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/config/finetuning
copying fairseq/examples/roberta/config/finetuning/mnli.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/config/finetuning
copying fairseq/examples/roberta/config/finetuning/sst_2.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/config/finetuning
copying fairseq/examples/roberta/config/finetuning/rte.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/config/finetuning
copying fairseq/examples/roberta/config/finetuning/run_config/local.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/config/finetuning/run_config
copying fairseq/examples/roberta/config/finetuning/run_config/slurm_1g.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/config/finetuning/run_config
copying fairseq/examples/roberta/config/finetuning/run_config/slurm_1g_aws.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/config/finetuning/run_config

copying fairseq/examples/roberta/fb_multilingual/README.multilingual.pretraining.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/fb_multilingual
copying fairseq/examples/roberta/wsc/wsc_task.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/wsc
copying fairseq/examples/roberta/wsc/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/wsc
copying fairseq/examples/roberta/wsc/wsc_utils.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/wsc
copying fairseq/examples/roberta/wsc/wsc_criterion.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/wsc
copying fairseq/examples/roberta/wsc/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/roberta/wsc
copying fairseq/examples/pay_less_attention_paper/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/pay_less_attention_paper
copying fairseq/examples/nonautoregressive_translation/scripts.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/nonautoregressive_translation
copying fairseq/examples/nonautoregressive_translation/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/nonautoregressive_translation
copying fairseq/examples/truncated_bptt/truncated_bptt_lm_task.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/truncated_bptt
copying fairseq/examples/truncated_bptt/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/truncated_bptt
copying fairseq/examples/truncated_bptt/transformer_xl_model.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/truncated_bptt
copying fairseq/examples/truncated_bptt/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/truncated_bptt
copying fairseq/examples/constrained_decoding/normalize.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/constrained_decoding
copying fairseq/examples/constrained_decoding/tok.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/constrained_decoding
copying fairseq/examples/constrained_decoding/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/constrained_decoding
copying fairseq/examples/wav2vec/vq-wav2vec_featurize.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec
copying fairseq/examples/wav2vec/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec
copying fairseq/examples/wav2vec/libri_labels.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec
copying fairseq/examples/wav2vec/wav2vec_featurize.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec
copying fairseq/examples/wav2vec/wav2vec_manifest.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec
copying fairseq/examples/wav2vec/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec
copying fairseq/examples/wav2vec/unsupervised/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised
copying fairseq/examples/wav2vec/unsupervised/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised

copying fairseq/examples/wav2vec/unsupervised/w2vu_generate.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised
copying fairseq/examples/wav2vec/unsupervised/config/gan/w2vu2.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/config/gan
copying fairseq/examples/wav2vec/unsupervised/config/gan/w2vu.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/config/gan
copying fairseq/examples/wav2vec/unsupervised/config/timit_matched/train.uid ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/config/timit_matched
copying fairseq/examples/wav2vec/unsupervised/config/timit_matched/valid.uid ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/config/timit_matched
copying fairseq/examples/wav2vec/unsupervised/config/timit_matched/train_text.uid ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/config/timit_matched
copying fairseq/examples/wav2vec/unsupervised/config/timit_matched/test.uid ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/config/timit_matched
copying fairseq/examples/wav2vec/unsupervised/config/timit_unmatched/train.uid ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/config/timit_unmatched
copying fairseq/examples/wav2vec/unsupervised/config/timit_unmatched/valid.uid ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/config/timit_unmatched
copying fairseq/examples/wav2vec/unsupervised/config/timit_unmatched/train_text.uid ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/config/timit_unmatched
copying fairseq/examples/wav2vec/unsupervised/config/timit_unmatched/test.uid ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/config/timit_unmatched
copying fairseq/examples/wav2vec/unsupervised/config/generate/viterbi.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/config/generate
copying fairseq/examples/wav2vec/unsupervised/config/finetuning/w2v_finetune.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/config/finetuning
copying fairseq/examples/wav2vec/unsupervised/data/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/data
copying fairseq/examples/wav2vec/unsupervised/data/extracted_features_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/data
copying fairseq/examples/wav2vec/unsupervised/data/random_input_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/data
copying fairseq/examples/wav2vec/unsupervised/tasks/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/tasks
copying fairseq/examples/wav2vec/unsupervised/tasks/unpaired_audio_text.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/tasks
copying fairseq/examples/wav2vec/unsupervised/kaldi_self_train/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/kaldi_self_train
copying fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/path.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st
copying fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/decode_word_step1.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st
copying fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/cmd.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st
copying fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/train.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st
copying fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/decode_phone.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st

```
copying fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/decode_word_step2.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st
copying fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/steps_gan/train_lda_mllt.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/steps_gan
copying fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/steps_gan/train_sat.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/steps_gan
copying fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/steps_gan/train_deltas.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/steps_gan
copying fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local/prepare_lang.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local
copying fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local/prepare_lm.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local
copying fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local/train_subset_lgbeam.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local
copying fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local/show_wer.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local
copying fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local/copy_aligned_text.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local
copying fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local/score.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local
copying fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local/unsup_select_decode.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local
copying fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local/prepare_lang_word.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local
copying fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local/decode.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local
copying fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local/prepare_data_from_w2v.py
-> build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local
copying
fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local/unsup_select_decode_word.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local
copying fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local/unsup_select.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/kaldi_self_train/st/local
copying fairseq/examples/wav2vec/unsupervised/models/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/models
copying fairseq/examples/wav2vec/unsupervised/models/wav2vec_u.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/models
copying fairseq/examples/wav2vec/unsupervised/scripts/copy_labels.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
copying fairseq/examples/wav2vec/unsupervised/scripts/wrd_to_ltr.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
copying fairseq/examples/wav2vec/unsupervised/scripts/pca.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
copying fairseq/examples/wav2vec/unsupervised/scripts/prepare_text.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
copying fairseq/examples/wav2vec/unsupervised/scripts/normalize_text.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
copying fairseq/examples/wav2vec/unsupervised/scripts/wav2vec_cluster_faiss.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
```

copying fairseq/examples/wav2vec/unsupervised/scripts/prepare_audio_v2.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
copying fairseq/examples/wav2vec/unsupervised/scripts/normalize_and_filter_text.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
copying fairseq/examples/wav2vec/unsupervised/scripts/remove_silence.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
copying fairseq/examples/wav2vec/unsupervised/scripts/filter_lexicon.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
copying fairseq/examples/wav2vec/unsupervised/scripts/g2p_wrd_to_phn.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
copying fairseq/examples/wav2vec/unsupervised/scripts/merge_clusters.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
copying fairseq/examples/wav2vec/unsupervised/scripts/vads.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
copying fairseq/examples/wav2vec/unsupervised/scripts/wav2vec_apply_cluster_faiss.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
copying fairseq/examples/wav2vec/unsupervised/scripts/filter_tsv.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
copying fairseq/examples/wav2vec/unsupervised/scripts/apply_pca.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
copying fairseq/examples/wav2vec/unsupervised/scripts/phonemize_with_sil.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
copying fairseq/examples/wav2vec/unsupervised/scripts/ltr_to_wrd.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
copying fairseq/examples/wav2vec/unsupervised/scripts/prepare_timit.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
copying fairseq/examples/wav2vec/unsupervised/scripts/mean_pool.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
copying fairseq/examples/wav2vec/unsupervised/scripts/prepare_audio.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
copying fairseq/examples/wav2vec/unsupervised/scripts/wav2vec_extract_features.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
copying fairseq/examples/wav2vec/unsupervised/scripts/wer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/unsupervised/scripts
copying fairseq/examples/wav2vec/config/pretraining/wav2vec2_large_librivox_tpu-pod.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/config/pretraining
copying fairseq/examples/wav2vec/config/pretraining/wav2vec2_base_librispeech.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/config/pretraining
copying fairseq/examples/wav2vec/config/pretraining/wav2vec2_large_librivox.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/config/pretraining
copying fairseq/examples/wav2vec/config/pretraining/wav2vec2_conformer_base_librispeech.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/config/pretraining
copying fairseq/examples/wav2vec/config/pretraining/wav2vec2_conformer_large_librivox.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/config/pretraining
copying fairseq/examples/wav2vec/config/pretraining/wav2vec2_large_librivox_tpu.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/config/pretraining
copying fairseq/examples/wav2vec/config/finetuning/base_1h.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/config/finetuning


```
copying fairseq/examples/wav2vec/config/finetuning/vox_10h_aws.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/config/finetuning
copying fairseq/examples/wav2vec/config/finetuning/vox_10h_2_aws.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/config/finetuning
copying fairseq/examples/wav2vec/config/finetuning/vox_960h_2_aws.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/config/finetuning
copying fairseq/examples/wav2vec/config/finetuning/run_config/slurm_2.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/config/finetuning/run_config
copying fairseq/examples/wav2vec/config/finetuning/run_config/slurm_16.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/config/finetuning/run_config
copying fairseq/examples/wav2vec/config/finetuning/run_config/slurm_8.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/config/finetuning/run_config
copying fairseq/examples/wav2vec/config/finetuning/run_config/slurm_3.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/config/finetuning/run_config
copying fairseq/examples/wav2vec/config/finetuning/run_config/slurm_1_old.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/config/finetuning/run_config
copying fairseq/examples/wav2vec/config/finetuning/run_config/slurm_4g_aws.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/config/finetuning/run_config
copying fairseq/examples/wav2vec/config/finetuning/run_config/slurm_4g.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/config/finetuning/run_config
copying fairseq/examples/wav2vec/config/finetuning/run_config/slurm_1.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/config/finetuning/run_config
copying fairseq/examples/wav2vec/config/finetuning/run_config/slurm_2_aws.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/config/finetuning/run_config
copying fairseq/examples/wav2vec/config/finetuning/run_config/slurm_2g.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/config/finetuning/run_config
copying fairseq/examples/wav2vec/config/finetuning/run_config/slurm_1_aws.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/config/finetuning/run_config
copying fairseq/examples/wav2vec/xlsr/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/xlsr
copying fairseq/examples/wav2vec/xlsr/config/finetune.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/xlsr/config
copying fairseq/examples/wav2vec/xlsr/scripts/gen_audio_embedding.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/xlsr/scripts
copying fairseq/examples/wav2vec/xlsr/scripts/eval_speaker_clf_task.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/xlsr/scripts
copying fairseq/examples/wav2vec/scripts/binarize_manifest.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/wav2vec/scripts
copying fairseq/examples/speech_text_joint_to_text/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text
copying fairseq/examples/speech_text_joint_to_text/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text
copying fairseq/examples/speech_text_joint_to_text/criterions/multi_modality_cross_entropy.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/criterions
copying fairseq/examples/speech_text_joint_to_text/criterions/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/criterions
copying fairseq/examples/speech_text_joint_to_text/criterions/text_guide_cross_entropy_acc.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/criterions
```

```
    copying fairseq/examples/speech_text_joint_to_text/criterions/multi_modality_compound.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/criterions
    copying fairseq/examples/speech_text_joint_to_text/data/pair_denoising_dataset.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/data
    copying fairseq/examples/speech_text_joint_to_text/tasks/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/tasks
    copying fairseq/examples/speech_text_joint_to_text/tasks/speech_text_denoise_pretrain.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/tasks
    copying fairseq/examples/speech_text_joint_to_text/tasks/speech_text_joint.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/tasks
    copying fairseq/examples/speech_text_joint_to_text/tasks/pair_denoising.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/tasks
    copying fairseq/examples/speech_text_joint_to_text/models/s2t_dualinputtransformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/models
    copying
fairseq/examples/speech_text_joint_to_text/models/joint_speech_text_pretrain_transformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/models
    copying fairseq/examples/speech_text_joint_to_text/models/__init__.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/models
    copying fairseq/examples/speech_text_joint_to_text/models/s2t_dualinputwavtransformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/models
    copying fairseq/examples/speech_text_joint_to_text/models/s2t_dualinputxmtransformer.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/models
    copying fairseq/examples/speech_text_joint_to_text/docs/iwslt2021.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/docs
    copying fairseq/examples/speech_text_joint_to_text/docs/ende-mustc.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/docs
    copying fairseq/examples/speech_text_joint_to_text/docs/pre-training.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/docs
    copying fairseq/examples/speech_text_joint_to_text/scripts/convert_model.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/scripts
    copying fairseq/examples/speech_text_joint_to_text/scripts/g2p_encode.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/scripts
    copying fairseq/examples/speech_text_joint_to_text/configs/mustc_noise.list ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/speech_text_joint_to_text/configs
    copying fairseq/examples/audio_nlp/nlu/create_dict_stop.sh ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/audio_nlp/nlu
    copying fairseq/examples/audio_nlp/nlu/generate_manifests.py ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/audio_nlp/nlu
    copying fairseq/examples/audio_nlp/nlu/README.md ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/audio_nlp/nlu
    copying fairseq/examples/audio_nlp/nlu/configs/nlu_finetuning.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/examples/audio_nlp/nlu/configs
    copying fairseq/config/__init__.py -> build/lib.linux-x86_64-cpython-39/fairseq/config
    copying fairseq/config/config.yaml -> build/lib.linux-x86_64-cpython-39/fairseq/config
    copying fairseq/config/model/wav2vec2/wav2vec2_large.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/config/model/wav2vec2
    copying fairseq/config/model/wav2vec2/wav2vec2_base.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/config/model/wav2vec2
```

```
copying fairseq/config/model/wav2vec/vq_wav2vec_gumbel.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/config/model/wav2vec
copying fairseq/config/model/transformer_lm/transformer_lm_wiki103.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/config/model/transformer_lm
copying fairseq/config/model/transformer_lm/transformer_lm_gpt2_small.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/config/model/transformer_lm
copying fairseq/config/model/transformer_lm/transformer_lm_gbw.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/config/model/transformer_lm
copying fairseq/config/model/transformer_lm/transformer_lm_baevski_gbw.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/config/model/transformer_lm
copying fairseq/config/model/transformer_lm/transformer_lm_gpt2_big.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/config/model/transformer_lm
copying fairseq/config/model/transformer_lm/transformer_lm_baevski_wiki103.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/config/model/transformer_lm
copying fairseq/config/model/transformer_lm/transformer_lm_gpt2_medium.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/config/model/transformer_lm
copying fairseq/config/model/transformer_lm/transformer_lm_big.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/config/model/transformer_lm
copying fairseq/config/model/transformer_lm/transformer_lm_gpt.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/config/model/transformer_lm
copying fairseq/config/fb_run_config/slurm.yaml ->
build/lib.linux-x86_64-cpython-39/fairseq/config/fb_run_config
running build_ext
Traceback (most recent call last):
  File
"/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages/pip/_vendor/pyproject_hooks
/_in_process/_in_process.py", line 353, in <module>
    main()
  File
"/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages/pip/_vendor/pyproject_hooks
/_in_process/_in_process.py", line 335, in main
    json_out['return_val'] = hook(**hook_input['kwargs'])
  File
"/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/site-packages/pip/_vendor/pyproject_hooks
/_in_process/_in_process.py", line 251, in build_wheel
    return _build_backend().build_wheel(wheel_directory, config_settings,
    File "/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/setuptools/build_meta.py", line
410, in build_wheel
    return self._build_with_temp_dir(
    File "/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/setuptools/build_meta.py", line
395, in _build_with_temp_dir
    self.run_setup()
    File "/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/setuptools/build_meta.py", line
311, in run_setup
    exec(code, locals())
  File "<string>", line 254, in <module>
  File "<string>", line 164, in do_setup
  File "/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/setuptools/__init__.py", line
104, in setup
```

```
    return distutils.core.setup(**attrs)
File "/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/setuptools/_distutils/core.py",
line 185, in setup
    return run_commands(dist)
File "/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/setuptools/_distutils/core.py",
line 201, in run_commands
    dist.run_commands()
File "/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/setuptools/_distutils/dist.py",
line 969, in run_commands
    self.run_command(cmd)
File "/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/setuptools/dist.py", line 967, in
run_command
    super().run_command(command)
File "/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/setuptools/_distutils/dist.py",
line 988, in run_command
    cmd_obj.run()
File "/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/wheel/bdist_wheel.py", line
368, in run
    self.run_command("build")
File "/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/setuptools/_distutils/cmd.py",
line 318, in run_command
    self.distribution.run_command(command)
File "/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/setuptools/dist.py", line 967, in
run_command
    super().run_command(command)
File "/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/setuptools/_distutils/dist.py",
line 988, in run_command
    cmd_obj.run()
File
"/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/setuptools/_distutils/command/build.py",
line 131, in run
    self.run_command(cmd_name)
File "/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/setuptools/_distutils/cmd.py",
line 318, in run_command
    self.distribution.run_command(command)
File "/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/setuptools/dist.py", line 967, in
run_command
    super().run_command(command)
File "/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/setuptools/_distutils/dist.py",
line 988, in run_command
    cmd_obj.run()
File
"/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/setuptools/command/build_ext.py", line
91, in run
    _build_ext.run(self)
File
"/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/setuptools/_distutils/command/build_ext
.py", line 345, in run
    self.build_extensions()
```

```
File "/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/torch/utils/cpp_extension.py",
line 509, in build_extensions
    compiler_name, compiler_version = self._check_abi()
File "/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/torch/utils/cpp_extension.py",
line 895, in _check_abi
    _, version = get_compiler_abi_compatibility_and_version(compiler)
File "/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/torch/utils/cpp_extension.py",
line 359, in get_compiler_abi_compatibility_and_version
    if not check_compiler_ok_for_platform(compiler):
File "/tmp/pip-build-env-s496f5_d/overlay/lib/python3.9/site-packages/torch/utils/cpp_extension.py",
line 312, in check_compiler_ok_for_platform
    which = subprocess.check_output(['which', compiler], stderr=subprocess.STDOUT)
File "/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/subprocess.py", line 424, in
check_output
    return run(*popenargs, stdout=PIPE, timeout=timeout, check=True,
File "/home/dikshaseth909_ds/miniconda3/envs/itv2/lib/python3.9/subprocess.py", line 528, in run
    raise CalledProcessError(retcode, process.args,
subprocess.CalledProcessError: Command '['which', 'g++']' returned non-zero exit status 1.
[end of output]
```

note: This error originates from a subprocess, and is likely not a problem with pip.

ERROR: Failed building wheel for fairseq

Failed to build fairseq

ERROR: Could not build wheels for fairseq, which is required to install pyproject.toml-based projects

Setup completed!