



CLEAN UP NEPAL (स्वच्छ सफा नेपाल)

Baluwatar, Kathmandu-4, Kathmandu, Nepal

Contact no.: 977-1-4373175 | 9823083505

Email: info@cleanupnepal.org.np

feedback@cleanupnepal.org.np

DAO Registration # 792

SWC Affiliation # 39519

PAN Number # 602174026

www.cleanupnepal.org.np

Date: 18 August 2026

Request for Sealed Quotation (RFQ)

This is for your reference that, CLEAN UP NEPAL is planning to procure the items /services mentioned below for **Green Job Creation through Recycling and Upcycling (GCRU) Project In Pokhara** and thus invites Quotations from interested / potential Suppliers. The details items & specifications and terms and conditions are as below:

S. N	Description/Specifications	Unit	Total Quantity Required	Rate per Unit	Total Amount	Remarks
Supply, Delivery & installation of Construction Materials at Pokhara Metropolitan city various wards						
1	Coarse Sand	Gh.m	65			
2	Coarse Aggregate	Gh.m	60			
3	Boulder Stone	Gh.m	60			
4	Red Brick - First Class	pcs	11,000			
5	Hollow Concrete Block (16" x 8" x 8")	pcs	1050			
6	Floor Concreting over Existing Boulder Flooring - M15 grade	Ghm	32			
7	OPC Cement 53 Grade	Bag	820			
8	Exterior (Weather Coat) Paint	liter	20			
9	CP Angle Cock 15mm heavy	pcs	10			
10	CP Cock 15mm heavy	pcs	10			
11	Plumbing Pipes - PVC 4"dia x 20 feet x 4kgf/(cm ²) including delivery	pcs	13			
12	Soap Holder SS - Normal quality 6" size	pcs	5			
13	Simple Wash Basin with Screws set	pcs	5			
14	Toilet Pan - Heavy Quality	pcs	5			
15	UPVC Pipe - 20 mm (3 meter length)	pcs	13			
16	Water Pump - 1 HP-Centrifugal Type	unit	5			
	Sub total					
	Other costs					
	VAT 13 %					
	Grand Total					





Note: Construction Materials should be same as or equivalent to above mentioned specifications. You can also provide further details in additional sheets if needed.

We can do order on partial/as whole or on need basis. Materials quantity can be added or subtracted as per organizational requirement.

Total Amount in Figure (hDdf /sd) :

Total Amount in Word (hDdf /sd clf/df) :

Terms and Conditions:

- a) Quotation should be submitted by **24/August/2026 before 17:00 hrs.** It shall remain your responsibility to ensure that your quotation will reach the address on or before the deadline. Quotations that are received by CLEAN UP NEPAL after the deadline indicated above, for whatever reason, shall not be considered for evaluation.
- b) Quoted rate should be inclusive of 13% VAT and TDS 1.5% will be deducted as per Rules & Regulations of Nepal Government.
- c) Any discrepancy between prices in figures and words, the amounts in words will govern.
- d) Any discrepancy between unit rate and line-item total resulting from miscalculation, the unit rate will govern.
- e) CLEAN UP NEPAL is in no way obligated to select the lowest bidder.
- f) The successful bidder will be notified at the earliest date possible.
- g) Selected supplier may have to perform offer verification, which will be conducted by the CLEAN UP NEPAL Representative, and supplier need to brief offer services/items before purchase agreement and purchase order. If CLEAN UP NEPAL found less quality sample service than required, then CLEAN UP NEPAL can switch the supplier.
- h) Suppliers must provide copy of firm registration certificate, VAT registration certificate, and TAX clearance document while submitting RFQ.
- i) After the delivery of service/materials payment will be made via online connect ips in favour of your Company/Supplier.
- j) Payments will be made within 15 (fifteen days) or at earliest convenience after receiving undisputable invoice.
- k) If you have any objection or expectation in payment terms, please clarify

CLEAN UP NEPAL reserves all the rights to accept or reject any or all quotation/(s), in part or in full, alter any provisions of this RFQ as deemed necessary at any time without assigning any reason or whatever.



CLEAN UP NEPAL (स्वच्छ सफा नेपाल)

Baluwatar, Kathmandu-4, Kathmandu, Nepal

Contact no.: 977-1-4373175 | 9823083505

Email: info@cleanupnepal.org.np

feedback@cleanupnepal.org.np

DAO Registration # 792

SWC Affiliation # 39519

PAN Number # 602174026

www.cleanupnepal.org.np

Rabindra Lamichhane

Executive Director

CLEAN UP NEPAL

firm's Word:

To,

Executive Director

CLEAN UP Nepal

Baluwatar, Kathmandu

I hereby provide you the rate of above specified service of RFQ including VAT. Above mentioned service will be delivered on..... and along with that given rate of RFQ will be valid till.....

.....
Name of Supplier:

Address:

Phone No:

Stamp:

Date:

If the above Terms and Conditions are acceptable, please submit a sealed quotation.



SECTION 1 : TECHNICAL SPECIFICATIONS

The following specifications represent the minimum acceptable standards for each hardware materials. Suppliers must meet or exceed these specifications or same as or equivalents. Any deviation from the specifications must be clearly noted and justified in the bid. CLEAN UP NEPAL reserves the right to reject bids that do not meet minimum specifications.

PACKAGE G — CONSTRUCTION MATERIALS

S. N	Materials	Detail Technical Specifications
1	Coarse Sand	Supply and delivery of good quality clean river sand/pit sand at site for use in brick masonry works, including royalty, taxes, loading, unloading, transportation, and stacking, free from clay, silt, organic matter, salts, and other substances, well-graded coarse to medium sand conforming to IS 383, free from lumps and foreign particles, and approved by the Engineer prior to use; measured per m ³ and paid as per approved BOQ rates for quantity actually used in the work.
2	Coarse Aggregate	Supply and delivery of good quality crushed stone aggregate at site for use in concrete works, including, taxes, loading, unloading, transportation, and stacking : hard, dense, durable, and free from soft particles, clay lumps, organic impurities, and well-graded within specified nominal size 20mm to 40mm (tested as per NS/IS 2386) and approved by the Engineer prior to use; measured per m ³ , and paid as per approved BOQ rates for quantity actually used in the work
3	Boulder Stone	Supply and delivery of good quality hard, dense, and durable boulders at site for use in foundation, filling, or gabion works, including taxes, loading, unloading, transportation, and stacking, free from cracks, weathering, and compact in structure of size ranging typically 150mm to 300mm roughly rounded to sub-angular in shape, free from flaky and elongated pieces, and free from clay, silt, and other foreign matter measured per m ³ , and paid as per approved BOQ rates for quantity actually used in the work
4	Red Brick - First Class	Supply and delivery of good quality First Class Red Bricks at site, including loading, unloading, transportation, and stacking, conforming to standard size (240mm x 115mm x 57mm), well-burnt, free from cracks, flaws, and lime nodules, with minimum compressive strength of 8 N/mm ² , nil to slight efflorescence, uniform in color, shape, and size, giving a clear metallic ring on striking, with breakage not exceeding 5% and no visible warping, tested as per NS/IS 3495

5	Hollow Concrete Block (16" x 8" x 8")	Supply and delivery of good quality machine-made Hollow Concrete Blocks (HCB) at site of size 16" x 8" x 8" including taxes, loading, unloading, transportation, and stacking, manufactured from cement, sand, and graded aggregate, cured for a minimum of 28 days prior to use, with minimum compressive strength of 40 kg/cm ² (4 N/mm ²) tested as per NS/IS 2185, having sharp, true, and square edges with uniform hollow cores (not less than 50% solid volume), free from cracks, chips, and uniform in size, shape, and color throughout the lot, and measured per number (nos.) and paid as per approved BOQ rates for quantity actually used in the work.
6	Floor Concreting over Existing Boulder Flooring	Transportation, Supply & laying of M15 grade Ready Mix Concrete (RMC) floor slab over the existing boulder/rubble flooring within a plan area of 23.5 ft × 32 ft, to a finished thickness of 4 inches
7	OPC Cement 53 Grade	Supply and delivery of good quality Ordinary Portland Cement (OPC) 53 Grade at site, including taxes, loading, unloading, transportation, and stacking, conforming to NS 87/IS 12269, fresh, uniform in color (grey), free from lumps, adulteration, and foreign matter, measured per bag (50kg), and paid as per approved BOQ rates for quantity actually used in the work.
8	Exterior (Weather Coat) Paint	High-grade acrylic-based exterior emulsion formulated to provide weather resistance, anti-fungal protection, and UV resistance. It shall comply with NS specs for exterior paints, delivering a durable, wash-resistant matte or satin finish suitable for exterior plaster surfaces. The material must be non-toxic, alkali-resistant, and suitable for high-humidity outdoor applications.
9	CP Angle Cock 15 mm Heavy Quality	Heavy-duty 15mm (1/2") chrome-plated solid brass angle valve designed for regulating water supply to sanitary fixtures. It shall feature a high-durability ceramic disc cartridge for leak-proof operation under variable pressure with minimum 5 years warranty.
10	CP Cock Long Body 15mm Heavy Quality	Heavy-weight brass body chrome-plated tap designed to withstand high working water pressure and frequent usage. It shall incorporate smooth ceramic cartridge technology to ensure drip-free service. The exterior must feature electroplated chrome finishing resistant to tarnishing, scaling, and corrosion with minimum 5 years warranty.
11	Wastewater Pipes - Standard PVC 4" diameter x 20 feet x 4kgf/ (cm ²) including delivery	4"dia x 20 feet x 4kgf/(cm ²) heavy quality PVC Pipes and should have the NS Standard or IS standards Rigid unplasticized PVC drainage pipe measuring 4 inches (110mm) in outer diameter, 20 feet (6m) in length, rated for 4kgf/cm ² working pressure (NS-206 certified). It shall be lightweight, chemically inert, and resistant to soil and biological corrosion. The pipe must and should have the feature uniform wall thickness and smooth internal surfaces ideal for waste, soil, and rainwater lines.



CLEAN UP NEPAL (स्वच्छ सफा नेपाल)

Baluwatar, Kathmandu-4, Kathmandu, Nepal

Contact no.: 977-1-4373175 | 9823083505

Email: info@cleanupnepal.org.np

feedback@cleanupnepal.org.np

DAO Registration # 792

SWC Affiliation # 39519

PAN Number # 602174026

www.cleanupnepal.org.np

12	Soap Holder SS - Normal quality 6" size	Standard 6-inch wall-mounted bathroom soap dish constructed from durable ceramic, ABS plastic, or stainless steel. It shall feature built-in drainage slots to prevent water accumulation and extend soap life. The unit must come complete with wall plugs and corrosion-resistant mounting screws for quick installation.
13	High-Quality Wash Basin with Screws set	Simple Ceramic Wash Basin with Screw
14	Toilet Pan - Heavy Quality	Heavey toilets pan
15	Standard UPVC Plumbing Pipe - 20 mm (3-meter length)	Lead-free, rigid uPVC pipe with a 20mm outer diameter and a standard length of 3 meters conforming to NS standards. It shall be corrosion-proof, non-conductive, and suitable for cold-water supply or electrical conduit applications. The pipe must allow secure socket joints using standard solvent cement. should have the NS Standard or IS standards
16	Water Pump - 1 HP- Centrifugal Type	1 Hp, Centrifugal Water Pump
Construction Materials should be same as or equivalent to above mentioned specifications. You can also provide further details in additional sheets if needed.		

