The International Journal of Entrepreneurship & Technopreneur

Journal homepage: https://ojs.unikom.ac.id/index.php/injetech

Title Lorem Ipsum

Author name, Author name ***

*Author Affiliation, Country
**Author Affiliation, Country
*Corresponding Email:

ABSTRACTS

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum. Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum.

© 2021 Tim Konferensi UNIKOM

ARTICLE INFO

Article History:
Received 00 May 20xx
Revised 00 May 20xx
Accepted 00 Jun 20xx
Available online 00 Jun 20xx

Keywords:
Technology,
Information System,
Computer Science

1. INTRODUCTION

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed dapibus et neque eget congue. In ac nulla nec nunc pretium porttitor ut et augue. Duis ligula ante, eleifend ut ex sed, cursus tempus felis. Aliquam eget interdum

sapien. Sed elementum varius leo, sit amet rutrum ipsum ultricies in (Westall & Brack, 2018). Aenean id mi arcu. Phasellus semper efficitur eros eu laoreet. Vivamus vitae malesuada turpis. Morbi interdum orci iaculis tempor facilisis (Khechekhouche, *et al.*, 2020; Sadasivuni, *et al.*, 2020; Yahiaoui, *et al.*, 2020; Kim, *et al.*, 2019). ed egestas mattis condimentum. Etiam et tristique turpis. Ut tincidunt velit vitae hendrerit euismod. Sed molestie volutpat orci ut placerat. Ut sit amet lorem urna. Donec luctus pharetra venenatis. Ut vel orci venenatis, tincidunt orci sit amet, pharetra ipsum. Pellentesque commodo nulla vitae ex blandit, ut sagittis turpis vestibulum (Nguyen & Juang 2013).

Cras aliquet nisi rutrum, sagittis enim id, sodales augue. Suspendisse venenatis metus nec ante volutpat, vitae condimentum erat condimentum. Nam ligula erat, eleifend et felis non, tincidunt pharetra est. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia curae; Maecenas cursus leo urna, vitae scelerisque magna ultricies a. Nullam imperdiet augue eget dictum scelerisque. Donec pulvinar enim lectus.

2. METHOD

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed dapibus et neque eget congue. In ac nulla nec nunc pretium porttitor ut et augue. Duis ligula ante, eleifend ut ex sed, cursus tempus felis. Aliquam eget interdum sapien. Sed elementum varius leo, sit amet rutrum ipsum ultricies in. Proin placerat risus et augue aliquet posuere. Nulla sodales efficitur metus. Integer vitae sodales nisi. Curabitur mauris massa, vulputate ut enim sed, vehicula dignissim ante. Mauris in lacus erat. Curabitur eleifend dui at lorem rutrum ornare.

In molestie ipsum lorem. Aenean id mi arcu. Phasellus semper efficitur eros eu laoreet. Vivamus vitae malesuada turpis. Morbi interdum orci iaculis tempor facilisis. Suspendisse euismod commodo nulla. Nullam eget congue justo. Phasellus vestibulum quis risus ut pharetra.

2.1. Presentation of the wastewater treatment plant

The treatment in this station goes through several phases shown schematically Fig. 1.

2.2. Wastewater and industrial water purification processes in the station

Sed egestas mattis condimentum. Etiam et tristique turpis. Ut tincidunt velit vitae hendrerit euismod. Sed molestie volutpat orci ut placerat. Ut sit amet lorem urna. Donec luctus pharetra venenatis. Ut vel orci venenatis, tincidunt orci sit amet, pharetra ipsum. Pellentesque commodo nulla vitae ex blandit, ut sagittis turpis vestibulum.

2.3. Mixing and equalization basin n° 1

Duis non mollis mi as shown in Fig. 2, Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed finibus, lectus ac ornare ornare, enim purus consectetur ex, non lobortis magna leo eget tortor. Phasellus efficitur imperdiet ultricies Equation. Etiam tincidunt orci nec dui bibendum venenatis.

2.4. Rapid mixing and neutralization basin (physicochemical treatment)

Nam feugiat ultrices nulla non facilisis as shown in Fig. 3, Duis

pellentesque sem sed nulla rhoncus, sit amet ultrices urna fermentum. Nam at est in massa lobortis finibus sit amet sit amet augue. Aenean iaculis, metus vel fringilla feugiat, nisl nisi ullamcorper odio, quis consectetur augue elit vel mauris. Curabitur sed ipsum id tortor accumsan aliquet a nec justo. Mauris blandit eleifend ante, vulputate tempor risus laoreet vitae.




Fig. 1. Schematic diagram of the physicochemical treatment process in the station of the textile industrial unit.



Fig. 2. Photo of mixing and equalization basin N ° 1.




Fig. 3. Mixing and neutralization basin N °2.

$$GPM = \Sigma_{tr=1}^{tr} (S \,.\, \eta - RM)PC \,.\, Q \,.\, t \quad (1)$$

S is the total sales, RM is the total raw materials, PC is the production capacity, Q is the capacity of raw materials that are included and used in the process (kg/hour), and t is the production time.

- Internal Rate Return is a presentation that describes the average interest profit per year from all expenses and income of the same amount. If the Internal Rate Return is greater than the prevailing real interest (current bank loan interest), then the factory is considered profitable, but if the Internal Rate Return is less than the prevailing real interest (current bank loan interest), then the factory is considered a loss.

$$NPV = \Sigma_{tr=1}^{tr} \frac{C_o}{(1+i)^{tr}} - \text{Co} \quad (2)$$

Co is the total investment cost, Ct is the net cash inflows during the period, tr is the project time (in years), and *i* is the discount rate that can be obtained in alternative investments.

- Break-Even Point (BEP) is the minimum amount of product value that must be sold at a certain price to cover the total cost of production. Break-Even Point can be calculated by dividing fixed costs by profit.

- Payback Period (PBP) is a calculation to predict the length of time required for an investment to return the initial capital expenditure. In short, the Payback Period is calculated when the Cumulative Net Present Value reaches zero.

- Cumulative Net Present Value (CNPV) is the total value of Net Present Value (NPV) from the beginning of the factory construction until the factory ends operation.

$$NPV = \Sigma_{tr=1}^{tr} \left(\frac{R_t}{(1+i)^{tr}} \right) \quad (3)$$

3. RESULTS AND DISCUSSION

3.1. Procedure

uspendisse in aliquam est, at consequat quam. Morbi porttitor orci augue. Vestibulum volutpat justo sed urna dictum, consequat condimentum nunc vestibulum. Ut nisi sem, consectetur at posuere nec, rhoncus sit amet magna. Phasellus eleifend orci dui, sit amet fringilla est malesuada non (Behera, *et al.*, 2020). According to the results obtained in Table 1, 2 and Fig. 4, Donec ac orci lacinia, imperdiet leo ut, blandit metus. Nam ut ante in velit fringilla luctus sit amet in purus. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia curae; Nam venenatis ipsum metus, eget lacinia odio gravida ac. Sed quis porttitor nisi. Nam tincidunt dapibus dui, vitae pulvinar nulla tincidunt sit amet. Nullam at mauris nulla. Aliquam ullamcorper metus eu dui auctor pulvinar. Vestibulum id ligula at lacus auctor euismod (Nolte, *et al.*, 2020).

There are several assumptions used to ensure economic analysis. This assumption is needed to analyze and predict several possibilities that occur during the project. The assumptions are:

Economic evaluation is carried out to test the feasibility of the project. This economic evaluation is carried out by varying the value of raw materials, utilities, sales, salary, and taxes under several conditions. Variations in raw materials, utilities, sales, and salary were carried out at 50, 75, 100, 125, 150, 175, and 200%. Tax variations are carried out at 10, 25, 50, 75, and 100%.

Table 1. The COD and BOD values for the last week of the month (final clarification output).

FINAL CLARIFICATION OUTPUT									
Day N°1		**Day N°2**		**Day N°3**		**Day N°4**		**Day N°5**	
COD mg/	COD mg/	COD mg/	COD mg/	COD mg/	COD mg/	COD mg/	COD mg/	COD mg/	COD mg/
130	36	162	44	153	28	160	32	167	39




Fig. 4. Diagram analysis

Table 2. Table of a process flow diagram for the manufacture of magnesium oxide nanoparticles.

No	Symbol	Information
1	R-1	Reaktor-1
2	R-2	Reaktor-2
3	PU-1	Pump-1

4	PU-2	Pump-2
5	FI-1	Filtrasi-1

3.2. System Evaluation

3.2.1. Ideal Condition

Figure 3. shows a graph of the relationship between Cumulative Net Present Value/Total Investment Cost with respect to time. Donec ac orci lacinia, imperdiet leo ut, blandit metus. Nam ut ante in velit fringilla luctus sit amet in purus. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia curae; Nam venenatis ipsum metus, eget lacinia odio gravida ac. Sed quis porttitor nisi. Nam tincidunt dapibus dui, vitae pulvinar nulla tincidunt sit amet. Nullam at mauris nulla. Aliquam ullamcorper metus eu dui auctor pulvinar. Vestibulum id ligula at lacus auctor euismod. In Table 2. the kumulative jom Param Value/Total Investment Cost is negative from the first year to the second year. Then the value of Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed finibus, lectus ac ornare ornare, enim purus consectetur ex, non lobortis magna leo eget tortor. Phasellus efficitur imperdiet ultricies. Etiam tincidunt orci nec dui bibendum venenatis. Mauris convallis pellentesque lorem, et malesuada quam imperdiet eu. Praesent maximus nibh est, ac varius massa accumsan ut. Vivamus eget nisl a massa vestibulum porta vel sed nibh. Orci varius natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.

4. CONCLUSION

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed finibus, lectus ac ornare ornare, enim purus consectetur ex, non lobortis magna leo eget tortor. Phasellus efficitur imperdiet ultricies. Etiam tincidunt orci nec dui bibendum venenatis. Mauris convallis pellentesque lorem, et malesuada quam imperdiet eu. Praesent maximus nibh est, ac varius massa accumsan ut. Vivamus eget nisl a massa vestibulum porta vel sed nibh. Orci varius natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Cras gravida ex in felis auctor consectetur sed eget augue. Nullam eget hendrerit felis, eget aliquam turpis. Vestibulum eu ullamcorper justo. Quisque fermentum pellentesque lectus, vel posuere ligula venenatis eget. Vestibulum mi orci, pharetra sit amet ullamcorper ut, pharetra non mauris. Suspendisse tempus ex at eros placerat, non viverra tortor pretium. Quisque mi nunc, tincidunt non elementum vel, accumsan eget felis. Aliquam id consequat elit.

Nam feugiat ultrices nulla non facilisis. Curabitur facilisis commodo sapien vitae lobortis. Interdum et malesuada fames ac ante ipsum primis in faucibus. Nullam nibh nibh, suscipit vel magna a, tristique consequat ligula. Sed tempus metus leo, vel tempor lectus consequat ac. Donec semper et diam ac gravida. Sed vitae bibendum purus, ut ultricies nibh. Nunc consectetur euismod turpis, id molestie magna euismod a. Integer interdum iaculis venenatis. Quisque pellentesque pretium justo, nec congue nisl convallis sed. Etiam volutpat venenatis tortor, in tincidunt justo tristique non.

ACKNOWLEDGMENTS

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed finibus, lectus ac ornare ornare, enim purus consectetur ex, non lobortis magna leo eget tortor. Phasellus efficitur imperdiet ultricies. Etiam tincidunt orci nec dui bibendum venenatis.

REFERENCES

Balakrishnan, G., Velavan, R., Batoo, K. M., & Raslan, E. H. (2020). Microstructure, optical and photocatalytic properties of MgO nanoparticles. *Results in Physics*, *16*, pp. 103013.

Dobrucka, R. (2018). Synthesis of MgO nanoparticles using Artemisia abrotanum herba extract and their antioxidant and photocatalytic properties. *Iranian Journal of Science and Technology, Transactions A: Science*, *42*(2), pp. 547-555.

Essien, E. R., Atasie, V. N., Okeafor, A. O., & Nwude, D. O. (2020). Biogenic synthesis of magnesium oxide nanoparticles using Manihot esculenta (Crantz) leaf extract. *International Nano Letters*, *10*(1), pp. 43-48.

Garrett, D. E. (2012). *Potash: deposits, processing, properties and uses*. Springer Science & Business Media.

Mguni, L. L., Mukenga, M., Jalama, K., & Meijboom, R. (2013). Effect of calcination temperature and MgO crystallite size on MgO/TiO2 catalyst system for soybean oil transesterification. *Catalysis Communications*, *34*, pp. 52-57.

Nandatamadini, F., Karina, S., Nandiyanto, A. B. D., & Ragadhita, R. (2019). Feasibility study based on economic perspective of cobalt nanoparticle synthesis with chemical reduction method. *Cakra Kimia (Indonesian E-Journal of Applied Chemistry)*, *7*(1), pp. 61-68.

Nandiyanto, A. B. D. (2018). Cost analysis and economic evaluation for the fabrication of activated carbon and silica particles from rice straw waste. *Journal of Engineering Science and Technology*, *13*(6), pp. 1523-1539.

Nassar, M. Y., Mohamed, T. Y., Ahmed, I. S., & Samir, I. (2017). MgO nanostructure via a sol-gel combustion synthesis method using different fuels: an efficient nano-adsorbent for the removal of some anionic textile dyes. *Journal of Molecular Liquids*, *225*, pp. 730-740.

Prasanth, R., Kumar, S. D., Jayalakshmi, A., Singaravelu, G., Govindaraju, K., & Kumar, V. G. (2019). Green synthesis of magnesium oxide nanoparticles and their antibacterial activity. *Indian Journal of Geo Marine Sciences*, 48(08), pp. 1210-1215.

Zhang, H., Hu, J., Xie, J., Wang, S., & Cao, Y. (2019). A solid-state chemical method for synthesizing MgO nanoparticles with superior adsorption properties. *RSC advances*, *9*(4), pp. 2011-2017.