

MACP BIOMETRIC DEVICE CERTIFICATION FRAMEWORK FOR QUALITY (V 1.1)

REVIEW CANDIDATE.
DRAFT DOCUMENT.



Created in collaboration with [BixeLab](#), with assistance from the members of the Biometric Working Group.

Table of Contents

1.0	Introduction	2
1.1.	Objectives	3
1.2.	Scope	3
1.2.1.	Within Scope	4
1.2.2.	Outside of Scope for This Document	4
2.0	Biometric Device Requirements for SBI 1.0/L0	6
2.1.	Quality Specifications	6
3.0	Testing for MACP: Biometric compliance	8
3.1.	Laboratory Qualification Criteria	8
3.2.	Test Planning	8
3.3.	Reporting the Results	15

1.0 Introduction

It is fairly universally accepted that issuance of identity is a complex exercise. In digital identity systems based on platforms like MOSIP, biometrics, where needed, provide an essential integrity measure for establishing uniqueness. As MOSIP adoptions accelerate across the world, a growing community of partners and vendors are geared up to make MOSIP-compliant biometric devices and solutions available worldwide.

It is important to recognise that the quality of biometric images acquired helps determine the overall efficiency of a system, and has a direct impact on a system's ability to perform deduplication and authentication functions. In order to provide an independent "certification" or "assurance" mechanism for the biometric devices that MOSIP users are deploying, MOSIP has initiated the drafting of a modular, globally adoptable, certification framework.

The objective of this effort, is to:

1. Arrive at a framework that provides standardised assessment criteria and standard operating procedures to test devices/solutions against these criteria
2. Enable the establishment of standardised MOSIP biometric device certification programmes which are capable of providing independent certifications to MOSIP users

The vision is to arrive at a framework for the assessment of full compliance at the levels of image quality, software interfaces, and hardware-based security implementation levels, in a way that offers meaningful and realistic results. Adopting countries should be able to rely on these results while making decisions on biometric devices in their ecosystems.

An independent mechanism for biometric certification will offer users the flexibility to rely on empanelled, independent laboratories to ascertain the quality of devices. This will reduce the risks and effort associated with establishing full-fledged programmes, which may be resource-intensive and time-consuming.

The decided-upon standard assessment criteria have to be independently adoptable by global laboratories; those that can support both global and

geography-specific needs for compliance; that MOSIP-adopting countries can rely on. These labs will offer an MACP (MOSIP Advanced Compliance Programme) certification; that will be structured with country needs in mind and developed in consultation with the ecosystem.

The framework will be developed in a staged manner, and the output of the work will be published regularly to the ecosystem for their feedback.


1.1. Objectives

High quality enrolment standards must be set so that biometric enrolment and matching can be used accurately in a wide variety of environments and also supporting most, if not all, demographics. It is necessary to have a certification standard that can ensure consistency in the capture quality across different modalities. This also applies to authentication devices.

This document sets out the MOSIP Advanced Compliance Program (MACP) requirements applicable to qualified third-party testing laboratories providing certification of eligible biometric device providers against the respective MACP specifications. A more comprehensive end-to-end framework will be created as the MACP matures over time.

1.2. Scope

Current specifications only relate to requirements set out in this framework for qualified testing labs undertaking biometric device testing related to quality. All other certification activities that are not related to quality testing are out of scope for the current project.



Here, “Registration” corresponds to an individual providing their biometrics to the biometric capture device for enrolment¹.

1.2.1. Within Scope

- Specifications for testing for compliance to the MACP quality standards for face, finger, and iris modalities
- Sample quality compliance report
- Standards compliant delivery of biometric samples

1.2.2. Outside of Scope for This Document

- All non-quality certification including:
 - Accuracy and vulnerability components within the MOSIP ecosystem architecture
 - Biometric algorithm requirements
 - Security and fraud control requirements
 - Risk management, usability testing
 - Durability testing
 - Technical testing
 - General IT requirements
 - Privacy, and governance

¹ The terms ‘enrolment’ is used throughout the document for consistency and simplicity.

- All relevant non-quality related parameters and their assessment framework will be appended to the master certification framework document. Quality is one section in the overall framework.

2.0 Biometric Device Requirements for SBI 1.0/L0

Biometric device requirements include:

Any biometric device tested for MACP compliance will be integrated with the MOSIP Software. Therefore, verification that the biometric device is communicating with the MOSIP structure properly is the first step towards ensuring compliance to MOSIP requirements.

Other requirements are listed in the sections below.

2.1. Quality Specifications

Table 1 MACP Quality Specifications Overview

Criteria	Description
Test Planning	
Test Plan	The test plan document is compliant with section 3.2 of this document
Testing	
Test Execution	The test execution is informed by section 3.2 of this document and requirements on Image Quality and Image Formats.
Image Quality	Image acquisition errors such as failure to enrol which is the expected proportion of the population for whom the system is unable to generate repeatable templates. This will include those unable to present the required biometric feature, those unable to produce an image of sufficient quality at enrolment. The failure to enrol rate will depend on the enrolment policy. For example, in the case of failure to enrol, enrolment might be re-attempted later. Quality 1. Compliance a. Face/Finger/Iris: Current MOSIP Compliance specifications for ISO/IEC 19794 series (Biometric Specification - MOSIP Docs 1.1.5) 2. Best Practice

Criteria	Description
Test Planning	
	a. Compliance to the specifications of Image Quality Standards and Technical Reports is considered best practice: i. ISO/IEC 29794-2:2017- Biometric Sample Quality (Finger Image Data) ii. ISO/IEC 29794-6:2015- Biometric Sample Quality (Iris Image Data) iii. ISO/IEC 29794-5:2010- Technical Report for Biometric Sample Quality (Face Image Data)² iv. ISO/IEC 24358: Specifications for face-aware capture subsystems v. Compliance to NFIQ 2 for enrolment and NFIQ 1 for authentication fingerprint devices
Image Formats	Image formats are compliant with the MOSIP Docs 1.1.5 Biometric Specification: Image Formats for Fingerprint, Iris, and Face Capture (as applicable)
Test Reporting	
Test Report	The test report document is compliant with section 3.3 of this document

² Working draft to be published

3.0 Testing for MACP: Biometric compliance

3.1. Laboratory Qualification Criteria

Biometric testing must be conducted by a qualified, third-party, biometrics testing entity which, at minimum, displays the following characteristics:

- Be a certified ISO 17025 laboratory
- Has the ability to provide relevant policies and procedures for working with human test subjects that have been approved by a relevant national body. The lab shall implement this policy to:
 - o ensure the physical and psychological well-being of human subjects throughout testing.
 - o act as a safeguard to prevent against ethical judgement errors
 - o ensure that human subject testing complies with applicable national legislation
- At a minimum has personnel with demonstrated expertise in biometric evaluation (more than two years), and can provide evidence of proficiency in standardised ISO compliant biometric testing and reporting
- Is able to show evidence that they are an independent entity with no apparent or actual conflict of interest³

3.2. Test Planning

The test plan document shall be informed by the recommendations of the following standards and frameworks, as applicable for the test type planned i.e., scenario, technology type evaluation⁴, in conjunction with other applicable standards and frameworks:

- ISO/IEC 19795-1 (2021)
- ISO/IEC 19795-2 (2007)
- ISO/IEC 19795-3 (2007)

³ NOTE: an entity accredited to perform Biometric Testing under the NVLAP coordinated by NIST would meet the above requirements.

⁴ Refer to ISO/IEC 19795-1:2021 for evaluation definitions

The tables below provides guidance and recommendations for the testing laboratories to prepare the original test plan. The test planning is directed by the MACP compliance requirements as listed in Table 1 MACP Quality Specifications Overview, and is constrained by characteristics of the biometric device tested and specific requirements which should not be altered for the purpose of testing.

The test plan shall specify:

- Target of Evaluation
- Data overview
- Planned evaluation methodology including the metrics that will be calculated

The test plan shall not specify the method(s) by which the biometric device implements its functions, as it is the responsibility of the biometric device to perform its functions in its own way.

To prepare for an MACP evaluation test plan, the evaluator should refer to the table below to determine:

- Which recommendations are implemented
- Which approach is used to verify MACP compliance and what it entails for the data collected

Deviations must be included in the final test report, along with a reasonable justification.

Comments from WG on Device Profile for face modality.

*“Some of this should be informed by ISO/IEC 24358 –
Face-aware capture subsystem specifications”*

NOTE: *It is key to note that in real-world laboratory testing, a device profile approach for various deployment use cases is proposed. These device profiles will be included over time in the framework itself and informed by the exploratory testing undertaken on various device types to have requirements in relation to number of people, environmental conditions etc.*

Table 2 Summary of recommendations for test plan preparation

Item	Requirement Category	Description	Specification	
Target of evaluation⁵	Requirements for the biometric device to be tested for MACP Compliance	Single operating threshold	YES	
		Documented device enrolment policy covering the maximum number of enrolment attempts allowed in a transaction		
	Data accessibility	Ability to export results		
Data Collection	Subject Diversity ⁶	Collected data should be diverse with regard to age ⁷	Age	Distribution
			18-30	25-40%
			31-50	25-40%
			51-70	25-40%
		Collected data should be diverse with regard to gender	Gender	Distribution
			Male	40-60%
			Female	40-60%
		Collected data should be diverse with regard to ethnic origin <i>Comments from WG: feasible ways to avoid multiple runs per demographic. "one approach could be country PoC's"</i>	A biometric system tuned to a specific target population can perform less well if used with a different ethnic mix. Hence, the dataset to be utilised for testing shall be reflective of the target populations' ethnic origins	
	Subject Training	The evaluator should provide written or verbal instructions to the participating test subjects	YES	

⁵ ISO/IEC 19795-9 (2019)⁶ ISO/IEC 19795-5 (2011)⁷ The age group and gender demographic distributions are informed by the ISO/IEC 19795-5 standard. As the framework matures overtime, considerations can be made to modify these distributions in accordance with the target deployment use-case. For instance, inclusion of under 18 age groups for national identity use case.

Item	Requirement Category	Description	Specification
	Subject Collection	Minimum number of subjects	The evaluator must employ at least 10 unique and demographically diverse individuals. Due to practical limitations on test corpus size for quality assessment the core focus must be on testing under various environmental conditions that affect quality. For each modality there will be a device profile that will specify the range of conditions to be tested.
	Test Case suitability	Are the planned test cases relevant for the selected device profile	YES
		Are the planned test cases representative of the biometric device use case?	
		Do the planned test cases allow the evaluator to understand how the solution performs in less optimal environmental conditions (e.g., poorer lighting, high humidity, poor user compliance)	
		During test planning and dataset collection, have considerations been made for factors influencing quality e.g., environmental variables, age of samples etc. ?	

Item	Requirement Category	Description		Specification
Lab Evaluation	Methodology and biometric failure criteria	Biometric	Failure to Enrol (FTE)	For FTEs: explanation on what constitutes the FTE is recommended. FTE should be calculated to get an indication of usability.
		Quality		Required: Biometric images for various modalities are represented and exchanged as per the Image formats in MOSIP Docs 1.1.15 . Recommended: Compliance to the image quality specifications (as applicable) in: a. ISO/IEC 29794-2:2017- Biometric Sample Quality (Finger Image Data) b. ISO/IEC 29794-6:2015- Biometric Sample Quality (Iris Image Data) c. ISO/IEC 29794-5:2010- Technical Report for Biometric Sample Quality (Face Image Data)
	Test Plan structure	Test plan structure follows recommendations in Table 3		YES

Table 3 - Summary of recommendations for Test Plan structure

Item	Subheading	Description
Preface	Glossary	Terms, definitions, and abbreviations and related documents for referencing compliance
	Related Documents	
Introduction	Purpose, scope, users	Provide an overview the expected outcomes of the evaluation, a primer on the test strategy and characteristics of the data that will be used in the evaluation.
	Applicable device profile	
	Limitations	
Test Strategy	Data collection	The test strategy will provide the background to the system under test
	Execution	

Item	Subheading	Description
	Reporting	and the approach taken for testing. This will identify the incoming requirements to achieve the testing objectives and the expected outputs based on limitations identified.
Data privacy and management	PII Handling SOP and privacy policy	Handling of PII utilised for the evaluation
System overview	System Under Test	Description of the system under test. The system under test demonstrates compliance to the specifications discussed in Deviations must be included in the final test report, along with a reasonable justification. <i>Comments from WG on Device Profile for face modality.</i> <i>“Some of this should be informed by ISO/IEC 24358 – Face-aware capture subsystem specifications”</i> NOTE: <i>It is key to note that in real-world laboratory testing, a device profile approach for various deployment use cases is proposed. These device profiles will be included over time in the framework itself and informed by the exploratory testing undertaken on various device types to have requirements in relation to number of people, environmental conditions etc.</i> Table 2 Summary of recommendations for test plan preparation
Data	Dataset Preparation	Description of the dataset used in the testing; attributes of the test data based on the requirements established.
	Datasets	
	Naming convention	Planned data to demonstrate compliance to specifications discussed in Table 2
	Suitability	

Item	Subheading	Description
Pre- testing	Pre-test readiness review	Pre-testing and set up description to ensure correct system operation and configuration
Test Method	Calculation of metrics	Test method to measure metrics to demonstrate compliance to specifications discussed in Deviations must be included in the final test report, along with a reasonable justification. Comments from WG on Device Profile for face modality. <i>“Some of this should be informed by ISO/IEC 24358 – Face-aware capture subsystem specifications”</i> NOTE: It is key to note that in real-world laboratory testing, a device profile approach for various deployment use cases is proposed. These device profiles will be included over time in the framework itself and informed by the exploratory testing undertaken on various device types to have requirements in relation to number of people, environmental conditions etc. Table 2 Summary of recommendations for test plan preparation
Test Cases	Test Case Setup	Individual test cases to measure the system performance
	Unconstrained Testing	

3.3. Reporting the Results

Table below provides a summary of guidance and recommendations for test report produced as a result of MACP evaluation.

The guidance and recommendations herein are in accordance with various ISO/IEC 19795 series standards for testing and reporting.

Deviations can be made in depending on the type of evaluation and the modality used, with legitimate explanation for deviation is provided in the test report.

Table 4 - Recommendations on reporting the results

Item	Subheading	Description
Preface	Glossary	Terms, definitions, and abbreviations and related documents for referencing compliance
	Related Documents	
	Notices	
Introduction	Purpose, scope, users	Provide an overview the expected outcomes of the evaluation, a primer on the test strategy and characteristics of the data that will be used in the evaluation.
	Limitations	
Scenario description	Device Profile Utilised	Evaluator references the device profile used
	System Under Test	Description of system under test, summary of operating environment, summary of pretesting activities for set up, additional information concerning continual audit checks of the system configuration, expected outputs. The goal of test will be to evaluate performance within the concept of operations, hence it should be designed and executed so that it mimics the functional and procedural aspects of such concept of operations. System information such as manufacturer, model, version, and firmware as applicable must be reported. A chronological record of the test events should also be covered by this report.
	Definition of Test Criteria	
	Concept of Operations	
	System Information	
	Configuration audits	
	Test observation and problem log, Test log	
	Expected outputs	
Data	Characteristics of Data	The test report should document whether the data utilised meets the requirements of the MACP testing. Examples of data collection may be provided in the form of spreadsheets and logs
	Data Collection	
	Pretesting with data and final test data for analysis	
Performance Results	Interim Analysis Results	Evaluator provides basis and narrative for management of interim analysis.

Item	Subheading	Description
<i>Note: benchmarks will be determined based on modality and feedback based on exploratory evaluations to set the baseline</i>	Final Analysis Results	For the final analysis, the performance results are reported in accordance with the recommendations in Table 1
	Overall assessment of the biometric device tested	
	Conformance to the test plan	
Test Cases	Detailed test results for the test cases	The test cases planned and executed for MACP compliance may be informed by: • NIST Fingerprint Image Quality (NFIQ) Compliance for fingerprint • IREX II for iris • ISO/IEC 29794-5 (WD) which establishes requirements for face image quality based on ISO/IEC 39794-5 standard for face modality. The test cases must be planned and executed in the manner which ensures verification of biometric device performance against the specific requirements listed in Table 1
	Summary of test results, findings, and recommendations	
Deviations and exclusions	Deviations from the test cases/procedures	Explanations associated with any deviations made from the planned test cases or the requirements of this compliance framework must be provided in the test report.
Full Test Plan		As per Table 2 and Table 3