Paper Name use Times New Roman Size 18 Bold

Name Surname* and Name Surname** Times New Roman Size 14 Bold

*Corresponding Author, Name Surname:…….. , E-mail: .....

Abstract

Abstract content----------

Keywords: Clustering, Number of Clusters, Distance Measures, Sequential Clustering, Single-Linkage.

1. Introduction

----------[1].

* Department ----------, Faculty of ----------, University----------.

** Department ----------, Faculty of ----------, University----------.

---[2].

2. Theoretical background and related researches

---.

2.1 ABC

--- [3].

2.2 DEF

--- [4].

2.3 GHI

--- [5], [6]

2.4 Literature review

---[7-10].

Wateosot [11]

---.

Santosh [12]

---.

---.

3. Research Methodology

3.1 ABC

---.

3.1.1

---.

3.1.2

----

1)

-----.

2)

----.

3.2 DEF

---------------------------------------.

1)

----------------------------.

2)

------------------------- in Figure 1.



Figure 1. *Multimodal distribution density.*

-------------------------------.

3)

---------------------------.



Figure 2. *B-splines of degrees 2 and 3.*

---.

4)

---

5)

---

6)

---- shown in Equation 1.

$$\bar{x} = \frac{\sum x}{n}$$

With $\bar{x}$ ----------

$\sum x \sum x$ ----------

N ----------

---.

In this research, we have adjusted the values of 20 times, so that the appropriate threshold values, which shown in Equation 2.

$$p(x) = \begin{cases} L, & f(x) \le 0.00001 \\ M, & 0.00001 < f(x) < 0.00293 \\ H, & f(x) > 0.00293 \end{cases}$$

$$p(x) = \begin{cases} L, & f(x) \le 0.00001 \\ M, & 0.00001 < f(x) < 0.00293 \\ H, & f(x) > 0.00293 \end{cases}$$

$$(x) = \begin{cases} L, & f(x) \le 0.000010 \\ M, & 0.00001 < f(x) < 0.002925 \\ H, & f(x) \ge 0.002925 \end{cases}$$

$$(x) = \begin{cases} L, & f(x) \le 0.000010 \\ M, & 0.00001 < f(x) < 0.002925 \\ H, & f(x) \ge 0.002925 \end{cases}$$

$$p(x) = \begin{cases} L, & f(x) \le 0.000010 \\ M, & 0.00001 < f(x) < 0.002925 \\ H, & f(x) > 0.002925 \end{cases}$$

$$p(x) = \begin{cases} L, & f(x) \le 0.000010 \\ M, & 0.00001 < f(x) < 0.002925 \\ H, & f(x) > 0.002925 \end{cases}$$

$$(x) = \begin{cases} L, & f(x) \le 0.00001 \\ M, & 0.00001 < f(x) < 0.002925 \\ H, & f(x) > 0.002925 \end{cases}$$

$$(x) = \begin{cases} L, & f(x) \le 0.00001 \\ M, & 0.00001 < f(x) < 0.002925 \\ H, & f(x) > 0.002925 \end{cases}$$

$$p(x) = \begin{cases} L, & f(x) \le 0.00001 \\ M, & 0.00001 < f(x) < 0.00293 \\ H, & f(x) > 0.00293 \end{cases}$$

$$p(x) = \begin{cases} L, & f(x) \le 0.00001 \\ M, & 0.00001 < f(x) < 0.00293 \\ H, & f(x) > 0.00293 \end{cases}$$

(2)

Where *p(x)* is the average of the probability of distribution of the current date of the suicide of the patient, *L* is a low level of risk to return to suicide, *M* is a moderate level of risk to return to suicide and *H* is a high level of risk to return to suicide [6]. The group of patients is depicted in Table 1.

Table 1. *Shown example of the health problems of patient.*

Patient name	Health problems			
	Diabetes	**Hypertension**	**Heart disease**	**AIDS**
Mr. A	Yes	No	No	No
Mr. A	Yes	No	No	No
Mr. A	Yes	No	No	No
Miss R	No	No	No	Yes
Miss R	No	No	No	Yes
Miss R	No	No	No	Yes
Miss R	No	No	No	Yes

4. Outliers and Reclustering

4.1 ABC

-- in Figure 3.



Figure 3. *Framework of the mobile application development.*

---.

4.2 ABC

---------------------------------- shown in Table 2.

Table 2. *Shows the average and variance of the distance between dates of the suicides.*

Patient name	The mean of the distance	The variance of the distance
Mr. A	49.00	1,404.6670
Miss R	30.25	515.1875

4.3 ABC

-- Table 3.

Table 3 *The results of the* ------------------------------------- -------------------------------------.

k	Precision (%)	Recall (%)	F-measure (%)
1	71.50	71.50	71.50
3	72.20	78.20	74.30
5	73.00	80.00	**74.60**
7	74.00	80.70	74.50
9	74.50	80.90	74.30
11	74.50	81.10	74.00
13	75.50	81.20	73.90
15	**76.00**	**81.30**	73.90
17	76.90	81.30	73.80
19	75.90	81.30	73.70

Table 3 demonstrate the performance of the classification using *k*-NN technique. Feature filtering (the proposed technique) is superior to the baseline for all varied *k*. The best performance is obtained by the proposed feature filtering technique with *k*=3, achieving 78.00% of F-measure.

5. Conclusions

---[8].

-- .

6. References

[1] M. Tiantong. *E-Learning a new path of development of Thailand*. Bangkok: The Institute for Technical Education Development, King Monkut's University of Technology North Bangkok, 2010.

[2] T. Heath and C. Bizer. “Linked Data: Evolving the Web into a Global Data Space.” *Synthesis lectures on the semantic web: Theory and Technology*, Vol. 1, pp. 1-136, 2011.

[3] Ministry of Information and Communication Technology, *Thailand Digital Economy.* Available Online at http://www.mict.go.th/view/1/Digital%20Economy, accessed on 27 June 2015.

[4] M. Koivunen, M. Adam, and E. Miller. “W3C Semantic Web activity.” *Proceedings of the Semantic Web Kick-off Seminar in Finland*, Finland, pp. 27-44, 2012.

[5] H. Song and G. Li. “Tourism demand modelling and forecasting—A review of recent research.” *Tourism Management*, Vol. 29, Issue 2, pp. 203-220, 2012.

[6] T. Intacha. *Vehicle Detection And Classification System for Traffic Video Surveillance*. A Thesis Submitted in Partial Fulfillment of the Requirements for the Degree of Master of Engineering in Computer Engineering, Prince of Songkla University, 2013.

[7] C. Poommarin. *The development of web-based blend learning on science: geological age, fossils and stratigraphy for the high school students (level*

of education). Nakhonpathom Silpakorn University, 2014.

[8] B. Patil, R. Patil, and A. Pittet. "Energy saving techniques for GPS based tracking applications." *In Integrated Communications, Navigation and Surveilance Conference (ICNS) 2011*. pp. 1-10, 2011.

[9] M.B. Piedade and M.Y. Santos. "Business intelligence in higher education: Enhancing the teaching-learning process with a SRMS." *Proceedings of the 5th Iberian Conference on Information Systems and Technologies (CISTI)*, 2010.

[10] R. Jain, R. Kasturi, and B. G. Schunck. "Chapter 6 Contour." *MACHINE VISION*, Published by McGraw-Hill, Inc, ISBN 0-07-032018-7, 2011.

[11] C. Wateosot, N. Suvonvorn. "Development of a Vehicle Counting Algorithms by Image Processing from Video Camera." *Princess of Naradhivas University Journal*, Vol. 5, No. 1, pp. 3-4, January-April, 2013.

[12] D. H. Santosh, P. Venkatesh, P. Poornesh, L. N. Rao and N. A. Kumar, "Tracking Multiple Moving Objects Using Gaussian Mixture Model." *International Journal of Soft Computing and Engineering (IJSCE)*, ISSN: 2231-2307, Vol. 3, Issue 2, May, 2013.