

```

<?xml version="1.0" encoding="UTF-8"?>
<ArdourMIDIBindings version="1.0.0" name="Behringer BCF4000 Factory Preset 1">
<!-- 2011-09-03 Steven Tonge -->

<!-- Set the BCF2000 to factory preset number 2, and this will bind -->
<!-- the controllers intuitively to the DAW controllers. -->
<!-- -->
<DeviceInfo bank-size="16"/>

<!-- Channel controls: -->
<!-- - the rotary encoder, when pushed, will -->
<!-- toggle record enable on individual channels, regardless -->
<!-- of which "page" the encoder is on (there are four encoder -->
<!-- pages). -->
<!-- - Rotary control is as follows page 1: channel pan (not yet -->
<!-- implemented in Ardour-3, so commented out at the moment); -->
<!-- page 2: send 1 level; page 3: send 2 level; page 4: send -->
<!-- 3 level. Obviously the send levels depend on having the -->
<!-- appropriate sends configured for each channel. -->
<!-- - The buttons below the rotary encoder toggle the solo and -->
<!-- mute functions for that channel. -->
<!-- - The slider, of course is the channel level control. -->
<!-- -->

<Binding channel="1" ctl="7" uri="/route/gain B1"/>
<!-- <Binding channel="1" ctl="10" uri="/route/pan B1"/> -->
<Binding channel="1" ctl="8" uri="/route/send/gain B1 1"/>
<Binding channel="1" ctl="12" uri="/route/send/gain B1 2"/>
<Binding channel="1" ctl="13" uri="/route/send/gain B1 3"/>
<Binding channel="11" pgm="9" uri="/route/solo B1"/>
<Binding channel="11" pgm="1" uri="/route/mute B1"/>
<Binding channel="11" pgm="17" uri="/route/recenable B1"/>
<Binding channel="11" pgm="25" uri="/route/recenable B1"/>
<Binding channel="11" pgm="33" uri="/route/recenable B1"/>
<Binding channel="11" pgm="41" uri="/route/recenable B1"/>

<Binding channel="2" ctl="7" uri="/route/gain B2"/>
<!-- <Binding channel="2" ctl="10" uri="/route/pan B2"/> -->
<Binding channel="2" ctl="8" uri="/route/send/gain B2 1"/>
<Binding channel="2" ctl="12" uri="/route/send/gain B2 2"/>
<Binding channel="2" ctl="13" uri="/route/send/gain B2 3"/>
<Binding channel="11" pgm="10" uri="/route/solo B2"/>
<Binding channel="11" pgm="2" uri="/route/mute B2"/>
<Binding channel="11" pgm="18" uri="/route/recenable B2"/>
<Binding channel="11" pgm="26" uri="/route/recenable B2"/>
<Binding channel="11" pgm="34" uri="/route/recenable B2"/>
<Binding channel="11" pgm="42" uri="/route/recenable B2"/>

<Binding channel="3" ctl="7" uri="/route/gain B3"/>
<!-- <Binding channel="3" ctl="10" uri="/route/pan B3"/> -->
<Binding channel="3" ctl="8" uri="/route/send/gain B3 1"/>
<Binding channel="3" ctl="12" uri="/route/send/gain B3 2"/>
<Binding channel="3" ctl="13" uri="/route/send/gain B3 3"/>
<Binding channel="11" pgm="11" uri="/route/solo B3"/>
<Binding channel="11" pgm="3" uri="/route/mute B3"/>
<Binding channel="11" pgm="19" uri="/route/recenable B3"/>
<Binding channel="11" pgm="27" uri="/route/recenable B3"/>
<Binding channel="11" pgm="35" uri="/route/recenable B3"/>
<Binding channel="11" pgm="43" uri="/route/recenable B3"/>

<Binding channel="4" ctl="7" uri="/route/gain B4"/>
<!-- <Binding channel="4" ctl="10" uri="/route/pan B4"/> -->
<Binding channel="4" ctl="8" uri="/route/send/gain B4 1"/>
<Binding channel="4" ctl="12" uri="/route/send/gain B4 2"/>
<Binding channel="4" ctl="13" uri="/route/send/gain B4 3"/>
<Binding channel="11" pgm="12" uri="/route/solo B4"/>

```

```
<Binding channel="11" pgm="4"
<Binding channel="11" pgm="20"
<Binding channel="11" pgm="28"
<Binding channel="11" pgm="36"
<Binding channel="11" pgm="44"
```

```
<Binding channel="5" ctl="7"
<!-- <Binding channel="5" ctl="10"
<Binding channel="5" ctl="8"
<Binding channel="5" ctl="12"
<Binding channel="5" ctl="13"
<Binding channel="11" pgm="13"
<Binding channel="11" pgm="5"
<Binding channel="11" pgm="21"
<Binding channel="11" pgm="29"
<Binding channel="11" pgm="37"
<Binding channel="11" pgm="45"
```

```
<Binding channel="6" ctl="7"
<!-- <Binding channel="6" ctl="10"
<Binding channel="6" ctl="8"
<Binding channel="6" ctl="12"
<Binding channel="6" ctl="13"
<Binding channel="11" pgm="14"
<Binding channel="11" pgm="6"
<Binding channel="11" pgm="22"
<Binding channel="11" pgm="30"
<Binding channel="11" pgm="38"
<Binding channel="11" pgm="46"
```

```
<Binding channel="7" ctl="7"
<!-- <Binding channel="7" ctl="10"
<Binding channel="7" ctl="8"
<Binding channel="7" ctl="12"
<Binding channel="7" ctl="13"
<Binding channel="11" pgm="15"
<Binding channel="11" pgm="7"
<Binding channel="11" pgm="23"
<Binding channel="11" pgm="31"
<Binding channel="11" pgm="39"
<Binding channel="11" pgm="47"
```

```
<Binding channel="8" ctl="7"
<!-- <Binding channel="8" ctl="10"
<Binding channel="8" ctl="8"
<Binding channel="8" ctl="12"
<Binding channel="8" ctl="13"
<Binding channel="11" pgm="16"
<Binding channel="11" pgm="8"
<Binding channel="11" pgm="24"
<Binding channel="11" pgm="32"
<Binding channel="11" pgm="40"
<Binding channel="11" pgm="48"
```

```
<<Binding channel="9" ctl="7"
<!-- <Binding channel="9" ctl="10"
<Binding channel="9" ctl="8"
<Binding channel="9" ctl="12"
<Binding channel="9" ctl="13"
<Binding channel="12" pgm="9"
<Binding channel="12" pgm="1"
<Binding channel="12" pgm="17"
<Binding channel="12" pgm="25"
<Binding channel="12" pgm="33"
<Binding channel="12" pgm="41"
```

```
uri="/route/mute B4"/>
uri="/route/recenable B4"/>
uri="/route/recenable B4"/>
uri="/route/recenable B4"/>
uri="/route/recenable B4"/>
```

```
uri="/route/gain B5"/>
uri="/route/pan B5"/> -->
uri="/route/send/gain B5 1"/>
uri="/route/send/gain B5 2"/>
uri="/route/send/gain B5 3"/>
uri="/route/solo B5"/>
uri="/route/mute B5"/>
uri="/route/recenable B5"/>
uri="/route/recenable B5"/>
uri="/route/recenable B5"/>
uri="/route/recenable B5"/>
```

```
uri="/route/gain B6"/>
uri="/route/pan B6"/> -->
uri="/route/send/gain B6 1"/>
uri="/route/send/gain B6 2"/>
uri="/route/send/gain B6 3"/>
uri="/route/solo B6"/>
uri="/route/mute B6"/>
uri="/route/recenable B6"/>
uri="/route/recenable B6"/>
uri="/route/recenable B6"/>
uri="/route/recenable B6"/>
```

```
uri="/route/gain B7"/>
uri="/route/pan B7"/> -->
uri="/route/send/gain B7 1"/>
uri="/route/send/gain B7 2"/>
uri="/route/send/gain B7 3"/>
uri="/route/solo B7"/>
uri="/route/mute B7"/>
uri="/route/recenable B7"/>
uri="/route/recenable B7"/>
uri="/route/recenable B7"/>
uri="/route/recenable B7"/>
```

```
uri="/route/gain B8"/>
uri="/route/pan B8"/> -->
uri="/route/send/gain B8 1"/>
uri="/route/send/gain B8 2"/>
uri="/route/send/gain B8 3"/>
uri="/route/solo B8"/>
uri="/route/mute B8"/>
uri="/route/recenable B8"/>
uri="/route/recenable B8"/>
uri="/route/recenable B8"/>
uri="/route/recenable B8"/>
```

```
uri="/route/gain B9"/>
uri="/route/pan B9"/> -->
uri="/route/send/gain B9 1"/>
uri="/route/send/gain B9 2"/>
uri="/route/send/gain B9 3"/>
uri="/route/solo B9"/>
uri="/route/mute B9"/>
uri="/route/recenable B9"/>
uri="/route/recenable B9"/>
uri="/route/recenable B9"/>
uri="/route/recenable B9"/>
```

```
<Binding channel="15" ctl="7"
<!-- <Binding channel="15" ctl="10"
<Binding channel="15" ctl="8"
<Binding channel="15" ctl="12"
<Binding channel="15" ctl="13"
<Binding channel="12" pgm="15"
```

```
uri="/route/gain      B15"/>
      uri="/route/pan      B15"/> -->
uri="/route/send/gain B15 1"/>
uri="/route/send/gain B15 2"/>
uri="/route/send/gain B15 3"/>
uri="/route/solo      B15"/>
```

```

<Binding channel="12" pgm="7"
<Binding channel="12" pgm="23"
<Binding channel="12" pgm="31"
<Binding channel="12" pgm="39"
<Binding channel="12" pgm="47"

uri="/route/mute B15"/>
uri="/route/recenable B15"/>
uri="/route/recenable B15"/>
uri="/route/recenable B15"/>
uri="/route/recenable B15"/>

<Binding channel="16" ctl="7"
<!-- <Binding channel="16" ctl="10"
uri="/bus/gain master"/>
uri="/bus/pan master"/> -->
uri="/bus/send/gain master 1"/>
uri="/bus/send/gain master 2"/>
uri="/bus/send/gain master 3"/>
<Binding channel="16" ctl="8"
uri="/bus/solo master"/>
<Binding channel="16" ctl="12"
uri="/bus/mute master"/>
<Binding channel="16" ctl="13"
uri="/bus/recenable master"/>
<Binding channel="12" pgm="16"
uri="/bus/recenable master"/>
<Binding channel="12" pgm="8"
uri="/bus/recenable master"/>
<Binding channel="12" pgm="24"
uri="/bus/recenable master"/>
<Binding channel="12" pgm="32"
uri="/bus/recenable master"/>
<Binding channel="12" pgm="40"
uri="/bus/recenable master"/>
<Binding channel="12" pgm="48"

<!-- bottom right soft-keys: prev-bank next-bank -->
<!-- transport-stop transport-roll -->
<!-- -->
<Binding sysex="f0 7f 7f 6 1 f7" function="transport-stop"/>
<Binding sysex="f0 7f 7f 6 2 f7" function="transport-roll"/>
<Binding sysex="f0 7f 7f 6 44 6 1 20 0 0 0 0 f7" function="prev-bank"/>
<Binding sysex="f0 7f 7f 6 4 f7" function="next-bank"/>
</ArdourMIDIBindings>

```