

## References (in alphabetic order)

American Psychiatric Association (2013) *Diagnostic and Statistical Manual of Mental Disorders (5th ed.)*. Arlington, VA: American Psychiatric Publishing.

Boelen, P.A. & van den Bout, J. (2005). Complicated grief, depression and anxiety as distinct post loss syndromes: A confirmatory factor analysis study. *Am J Psychiat*, 162 (11): 2175-2177.

Boelen, P.A. & Prigerson, H.G. (2012). Commentary on the inclusion of persistent complex bereavement-related disorder in DSM-5. *Death Studies*, 36(9): 771-774.

Boss, P (2022) *the Myth of Closure*. Norton Press

Cruse (2017) *Current Issues in Grief Therapy: Complicated Grief*  
[http://www.cruse.org.uk/sites/default/files/default\\_images/pdf/Events/ColinMPcomplicatedgrief.pdf](http://www.cruse.org.uk/sites/default/files/default_images/pdf/Events/ColinMPcomplicatedgrief.pdf) Date Accessed: 04/02/2017

Doka, K. J. (2015). Grief in the workplace. In *Handbook of workplace spirituality and organizational performance* (pp. 277-287). Edward Elgar Publishing.

Freed, P.J., Yanagihara, T.K., Hirsch, J. & Mann, J.J. (2009). Neural mechanisms of grief regulation. *Biol Psychiat*, 66(1): 33-40.

*Grief in the Workplace: A Comprehensive Guide for Managers and Employees*. (2018). Retrieved from <https://www.thebalancecareers.com/grief-in-the-workplace-4160269>

*Grief in the Workplace: Tips for Managers and Employees*. (2019). Retrieved from <https://www.mindtools.com/pages/article/grief-in-the-workplace.htm>

Jordan, A. H., Litx, B. T. (2014) *Prolonged Grief Disorder: Diagnostic, Assessment, and Treatment Considerations Professional Psychology: Research and Practice* Vol. 45, No. 3, 180–187 2014

Kübler-Ross, E. (1969). *On Death and Dying*. New York, Simon and Schuster.

Kutner, B. A., & Kassoff, J. (2014). Grief in the workplace. *Journal of Psychosocial Nursing and Mental Health Services*, 52(9), 12-16.

Lannen, P.K., Wolfe, J., Prigerson, H.G., Onelov, E. & Kreicbergs, U.C. (2008). Unresolved grief in a national sample of bereaved patients: Impaired physical and mental health 4 to 9 years later. *J Clin Oncol*, 26(36): 5870-5876.

Lobb, E. A., Kristjanson, L. K., Aoun, S. M., Monterosso, L., Halkett, G. K. B., & Davies, A. (2010). Predictors of complicated grief: A systematic review of empirical studies *Death*

Studies, 34, 673–698. doi:10.1080/07481187.2010.496686. Cited at:  
<http://www.apa.org/pubs/journals/features/pro-a0036836.pdf>.

McDermott, O.D., Prigerson, H.G., Reynolds, C.F., Houck, P.R., Dew, M.A., Hall, M., Mazumdar, S., Buysse DJ, Hoch, C. & Kupfer, D.J. (2007). Sleep in the wake of complicated grief symptoms: An exploratory study. *Biol Psychiat*, 41(6): 710-716.

Melhem NM, Rosales C, Karageorge J, et al. Comorbidity of axis i disorders in patients with traumatic grief. *J Clin Psychiatry* 2001;62:884–887.

O'Connor, M-F., Wellisch, D.K., Stanton, A.L., Eisenberger, N.I., Irwin, M.I. & Lieberman, M.D. (2008). *Neuroimage*, 42(2): 969-972.

Ott, C.H. (2003) The impact of complicated grief on mental and physical health at various points in the bereavement process *Death Studies* 27(3):249-272 April 2003.

Ott, C.H., Lueger, R.J., Kelber, S.T., Prigerson, H.G. (2007). Spousal bereavement in older adults: common, resilient and chronic grief with defining characteristics. *J Nerv Ment Dis*, 195(4): 332-341.

Pasternak, R.E., Reynolds, C.F. III, Schlernitzauer, M., Hoch, C.C., Buysse, D.J., Houck, P.R. & Perel, J.M. (1991). Acute open-label nortriptyline therapy of bereavement-related depression in late life. *J Clin Psychiat*, 52(7): 307-310.

Prigerson, H.G., Bierhals, A.J., Kasi, S.V., Reynolds, C.F., Shear, M.K., Newsom, J.T. & Jacobs, S. (1996). Complicated grief as a disorder distinct from bereavement-related depression and anxiety: A replication study. *Am J Psychiat*, 153(11): 1484-1486.

Prigerson, H.G., Vanderwerker, L.C. & Maciejewski, P.K. (2008). A case for the inclusion of prolonged grief disorder in DSM-5. In, Stroebe, M.S., Hansson, R.O. & Schut, H. (eds). *Handbook of Bereavement Research and Practice: Advances in Theory and Intervention*. Washington, DC, American Psychological Association, pp. 165-186.

Prigerson, H.G., Horowitz, M.J., Jacobs, S.C., Parkes, C.M., Aslan, M., Goodkin, K., Raphael, B. & Marwit, S.J. (2009). Prolonged Grief Disorder: Psychometric validation of criteria proposed for DSM-V and ICD-11. *PLoS Medicine*, 6(8): e100121.

Reynolds, C.F. III, Miller, M.D., Pasternak, R.E., Frank, E., Perel, J.E., Cornes, C., Houck, P.R., Mazumdar, S., Dew, M.A. & Kupfer, D.J. (1999). Treatment of bereavement-related major depressive episodes in later life: a controlled study of acute and continuation treatment with nortriptyline and interpersonal psychotherapy. *Am J Psychiat*, 156(2): 202-208.

Shear, M. K., Simon, N., Wall, M., Zisook, S., Neimeyer, R., Duan, N., Reynolds, C., et al. (2011). Complicated grief and related bereavement issues for DSM-5. *Depression and anxiety*, 28(2), 103-17. doi:10.1002/da.20780.

Simon NM, Shear KM, Thompson EH, et al. The prevalence and correlates of psychiatric comorbidity in individuals with complicated grief. *Compr Psychiatry* 2007;48:395–399.

Shear, K., Frank, E., Houck, P.R. & Reynolds, C.F. III (2005). Treatment of complicated grief: a randomized controlled trial. *JAMA*, 293 (21): 2601-2608.

Simon, N.M., Thompson, E.H., Pollack, M.H. & Shear, M.K. (2007). Complicated grief: A case series using escitalopram. *Am J Psychiat*, 164(11): 1760-1761.

Stroebe, M., Schut, H., & Boerner, K. (2017). Cautioning health-care professionals: Bereaved persons are misguided through the stages of grief. *OMEGA-Journal of Death and Dying*, 74(4), 455-473.

Wakefield, J. C. DSM-5 grief scorecard: Assessment and outcomes of proposals to pathologize grief *World Psychiatry*. 2013 Jun; 12(2): 171–173. Published online 2013 Jun 4. doi: 10.1002/wps.20053. Date Accessed: 04/02/2017.

Wittouck, C., Van Autreve, S., De Jaegere, E., Portzky, G., van Heeringen, K. (2011). The prevention and treatment of complicated grief: A metaanalysis *Clinical Psychology Review*, 31, 69–78. doi:10.1016/j.cpr .2010.09.005. Cited at: <http://www.apa.org/pubs/journals/features/pro-a0036836.pdf>.

Worden, JW (2009) *Grief Counseling and Grief Therapy, A handbook for the Mental Health Practitioner* 4th edition, Springer Publications

Vanderwerker, L.C., Jacobs, S., Selby, C., Parkes, C.M. & Prigerson, H.G. (2006). An exploration of associations between separation anxiety in childhood and complicated grief in later life. *J Nerv Ment Dis*, 194(2): 121-123.

Zisook, S., Shuchter, S.R., Pedrelli, P. Sable, J. & Deaciuc, S.C. (2001). Bupropion sustained release for bereavement: results of an open-label trial. *J Clin Psychiat*, 62(2): 227-230.

Zygmunt, M., Prigerson, H.G., Houck, P.R., Miller, M.D., Shear, M.K., Jacobs, S. & Reynolds, C.F. III (1998). A post hoc comparison of paroxetine and nortriptyline for symptoms of traumatic grief. *J ClinPsychiat*, 59(2): 241-245.