

3 Column Course Schedule Page Code

See the example at: <https://canvas.uw.edu/courses/1103267/pages/course-schedule>)

Mobile friendly code highlighted in yellow

Code only shows 1 week of content

```
<div class="ischool-center">
  <div class="ischool-center">
    <ul class="ischool-top-nav">
      <li><a id="" class="" title="Course Syllabus"
href="https://canvas.uw.edu/courses/1103267/assignments/syllabus">Course
Syllabus</a></li>
      <li><a id="" class="current" title="Course Schedule"
href="https://canvas.uw.edu/courses/1103267/pages/course-schedule"
data-api-endpoint="https://canvas.uw.edu/api/v1/courses/1103267/pages/course-schedul
e" data-api-returntype="Page">Course Schedule</a></li>
      <li><a id="" class="external" title="Academic Policies"
href="https://depts.washington.edu/infodocs/academic_policies/" target="_blank"
rel="noopener noreferrer">Academic Policies</a></li>
    </ul>
  </div>
</div>
<p class="ischool-week-top"><a href="#week1">Week 1</a> | <a href="#week2">Week
2</a> | <a href="#week3">Week 3</a> | <a href="#week4">Week 4</a> | <a
href="#week5">Week 5</a> | <a href="#week6">Week 6</a> | <a href="#week7">Week
7</a> | <a href="#week8">Week 8</a> | <a href="#week9">Week 9</a> | <a
href="#week10">Week 10</a></p>

<h3 class="ischool-headerh3"><a name="week1"></a><a
class="icon-calendar-day">Week 1: Topic Here</a></h3>
<div class="content-box">
  <div class="grid-row">
    <div class="col-xs-12 col-md-4">
      <h4 class="ischool-headerh4-day">MONDAY</h4>
      <p>Short description of this week's overview.</p>
      <h4 class="ischool-headerh4">Slides and/or documents</h4>
      <ul>
        <li>Slide one download</li>
        <li>Slide two download</li>
      </ul>
      <h4 class="ischool-headerh4">Readings</h4>
      <ul>
```

```

<li>Reading one download</li>
<li>Reading two download</li>
</ul>
<h4 class="ischool-headerh4">Optional Readings</h4>
<ul>
<li>Reading one download</li>
<li>Reading two download</li>
</ul>
<h4 class="ischool-headerh4">Assignments</h4>
<p>&nbsp;</p>
<p>&nbsp;</p>
</div>
<div class="col-xs-12 col-md-4">
<h4 class="ischool-headerh4-day">WEDNESDAY</h4>
<p>Short description of this week's overview.</p>
<h4 class="ischool-headerh4">Slides and/or documents</h4>
<ul>
<li>Slide one download</li>
<li>Slide two download</li>
</ul>
<h4 class="ischool-headerh4">Readings</h4>
<ul>
<li>Reading one download</li>
<li>Reading two download</li>
</ul>
<h4 class="ischool-headerh4">Optional Readings</h4>
<ul>
<li>Reading one download</li>
<li>Reading two download</li>
</ul>
<h4 class="ischool-headerh4">Assignments</h4>
<p>&nbsp;</p>
<p>&nbsp;</p>
</div>
<div class="col-xs-12 col-md-4">
<h4 class="ischool-headerh4-day">FRIDAY</h4>
<p>Short description of this week's overview.</p>
<h4 class="ischool-headerh4">Slides and/or documents</h4>
<ul>
<li>Slide one download</li>
<li>Slide two download</li>
</ul>
<h4 class="ischool-headerh4">Readings</h4>

```

```

<ul>
<li>Reading one download</li>
<li>Reading two download</li>
</ul>
<h4 class="ischool-headerh4">Optional Readings</h4>
<ul>
<li>Reading one download</li>
<li>Reading two download</li>
</ul>
<h4 class="ischool-headerh4">Assignments</h4>
<p>&nbsp;</p>
<p>&nbsp;</p>
</div>
</div>
</div>
<p class="ischool-backtotop"><a class="icon-mini-arrow-up" href="#top">Back to
top</a></p>

```

Linear Online Course Module Page

See example at: <https://canvas.uw.edu/courses/1096751/pages/module-1>

```

<div class="content-box ischool-wrapper">
<div class="grid-row ischool-wrapper-inside">
<div class="col-xs-12 col-md-9 ischool-content">
<h3 class="ischool-headerh3"><a class="icon-rubric">Overview</a></h3>
<p>&nbsp;</p>
<h3 class="ischool-headerh3"><a class="icon-syllabus">Objectives</a></h3>
<p>&nbsp;</p>
<h3 class="ischool-headerh3"><a class="icon-bookmark">Readings</a></h3>
<p>&nbsp;</p>
<h3 class="ischool-headerh3"><a class="icon-video">Lecture</a></h3>
<p>&nbsp;</p>
<h3 class="ischool-headerh3"><a class="icon-discussion">Discussion</a></h3>
<p>&nbsp;</p>
<h3 class="ischool-headerh3"><a class="icon-assignment">Assignment</a></h3>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
</div>
<div class="col-xs-12 col-md-3 ischool-sidebar">
<ul class="ischool-sidebar-nav">

```

- <a id="" class="" style="color: #333333;" title="Module 1"
href="https://canvas.uw.edu/courses/1096751/pages/module-1" target=""
data-api-endpoint="https://canvas.uw.edu/api/v1/courses/1096751/pages/module-1"
data-api-returntype="Page">Module 1 ←
- <a id="" class="" title="Module 2"
href="https://canvas.uw.edu/courses/1096751/pages/module-2"
data-api-endpoint="https://canvas.uw.edu/api/v1/courses/1096751/pages/module-2"
data-api-returntype="Page">Module 2
- <a id="" class="" title="Module 3"
href="https://canvas.uw.edu/courses/1096751/pages/module-3"
data-api-endpoint="https://canvas.uw.edu/api/v1/courses/1096751/pages/module-3"
data-api-returntype="Page">Module 3
- <a id="" class="" title="Module 4"
href="https://canvas.uw.edu/courses/1096751/pages/module-4"
data-api-endpoint="https://canvas.uw.edu/api/v1/courses/1096751/pages/module-4"
data-api-returntype="Page">Module 4
- <a id="" class="" title="Module 5"
href="https://canvas.uw.edu/courses/1096751/pages/module-5"
data-api-endpoint="https://canvas.uw.edu/api/v1/courses/1096751/pages/module-5"
data-api-returntype="Page">Module 5
- <a id="" class="" title="Module 6"
href="https://canvas.uw.edu/courses/1096751/pages/module-6"
data-api-endpoint="https://canvas.uw.edu/api/v1/courses/1096751/pages/module-6"
data-api-returntype="Page">Module 6
- <a id="" class="" title="Module 7"
href="https://canvas.uw.edu/courses/1096751/pages/module-7"
data-api-endpoint="https://canvas.uw.edu/api/v1/courses/1096751/pages/module-7"
data-api-returntype="Page">Module 7
- <a id="" class="" title="Module 8"
href="https://canvas.uw.edu/courses/1096751/pages/module-8"
data-api-endpoint="https://canvas.uw.edu/api/v1/courses/1096751/pages/module-8"
data-api-returntype="Page">Module 8
- <a id="" class="" title="Module 9"
href="https://canvas.uw.edu/courses/1096751/pages/module-9"
data-api-endpoint="https://canvas.uw.edu/api/v1/courses/1096751/pages/module-9"
data-api-returntype="Page">Module 9
- <a id="" class="" title="Module 10"
href="https://canvas.uw.edu/courses/1096751/pages/module-10"
data-api-endpoint="https://canvas.uw.edu/api/v1/courses/1096751/pages/module-10"
data-api-returntype="Page">Module 10

</div>

</div>

</div>

Tabbed Online Course Module Page

See example at: <https://canvas.uw.edu/courses/1103251/pages/module-1>

```
<div class="content-box ischool-wrapper">
  <div class="grid-row ischool-wrapper-inside">
    <div class="col-xs-12 col-md-9 ischool-content">
      <div class="enhanceable_content tabs">
        <ul>
          <li><a style="font-weight: bold;" href="#fragment-1">Overview</a></li>
          <li><a style="font-weight: bold;" href="#fragment-2">Objectives</a></li>
          <li><a style="font-weight: bold;" href="#fragment-3">Readings</a></li>
          <li><a style="font-weight: bold;" href="#fragment-4">Lectures</a></li>
          <li><a style="font-weight: bold;" href="#fragment-5">Discussions</a></li>
          <li><a style="font-weight: bold;" href="#fragment-6">Assignments</a></li>
        </ul>
        <div id="fragment-1">
          <h3 class="ischool-tabs-headerh3"><a class="icon-rubric">Overview</a></h3>
          <p>&nbsp;</p>
          <p>&nbsp;</p>
          <p>&nbsp;</p>
        </div>
        <div id="fragment-2">
          <h3 class="ischool-tabs-headerh3"><a class="icon-syllabus">Objectives</a></h3>
          <p>&nbsp;</p>
          <p>&nbsp;</p>
          <p>&nbsp;</p>
        </div>
        <div id="fragment-3">
          <h3 class="ischool-tabs-headerh3"><a class="icon-bookmark">Readings</a></h3>
          <p>&nbsp;</p>
          <p>&nbsp;</p>
          <p>&nbsp;</p>
        </div>
        <div id="fragment-4">
          <h3 class="ischool-tabs-headerh3"><a class="icon-video">Lectures</a></h3>
          <p>&nbsp;</p>
          <p>&nbsp;</p>
          <p>&nbsp;</p>
        </div>
```

```
<div id="fragment-5">
<h3 class="ischool-tabs-headerh3"><a class="icon-discussion">Discussions</a></h3>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
</div>
```

```
<div id="fragment-6">
<h3 class="ischool-tabs-headerh3"><a class="icon-assignment">Assignments</a></h3>
<p>&nbsp;</p>
<p>&nbsp;</p>
<p>&nbsp;</p>
</div>
</div>
</div>
```

```
<div class="col-xs-12 col-md-3 ischool-sidebar-tabbed">
<ul class="ischool-sidebar-tabbed-nav">
<li><a id="" class="" style="color: #333333;" title="Module 1"
href="https://canvas.uw.edu/courses/1103251/pages/module-1" target=""
data-api-endpoint="https://canvas.uw.edu/api/v1/courses/1103251/pages/module-1"
data-api-returntype="Page">Module 1 &larr;</a></li>
<li><a id="" class="" title="Module 2"
href="https://canvas.uw.edu/courses/1103251/pages/module-2"
data-api-endpoint="https://canvas.uw.edu/api/v1/courses/1103251/pages/module-2"
data-api-returntype="Page">Module 2</a></li>
<li><a id="" class="" title="Module 3"
href="https://canvas.uw.edu/courses/1103251/pages/module-3"
data-api-endpoint="https://canvas.uw.edu/api/v1/courses/1103251/pages/module-3"
data-api-returntype="Page">Module 3</a></li>
<li><a id="" class="" title="Module 4"
href="https://canvas.uw.edu/courses/1103251/pages/module-4"
data-api-endpoint="https://canvas.uw.edu/api/v1/courses/1103251/pages/module-4"
data-api-returntype="Page">Module 4</a></li>
<li><a id="" class="" title="Module 5"
href="https://canvas.uw.edu/courses/1103251/pages/module-5"
data-api-endpoint="https://canvas.uw.edu/api/v1/courses/1103251/pages/module-5"
data-api-returntype="Page">Module 5</a></li>
<li><a id="" class="" title="Module 6"
href="https://canvas.uw.edu/courses/1103251/pages/module-6"
data-api-endpoint="https://canvas.uw.edu/api/v1/courses/1103251/pages/module-6"
data-api-returntype="Page">Module 6</a></li>
<li><a id="" class="" title="Module 7"
href="https://canvas.uw.edu/courses/1103251/pages/module-7"
```

```

data-api-endpoint="https://canvas.uw.edu/api/v1/courses/1103251/pages/module-7"
data-api-returntype="Page">Module 7</a></li>
<li><a id="" class="" title="Module 8"
href="https://canvas.uw.edu/courses/1103251/pages/module-8"
data-api-endpoint="https://canvas.uw.edu/api/v1/courses/1103251/pages/module-8"
data-api-returntype="Page">Module 8</a></li>
<li><a id="" class="" title="Module 9"
href="https://canvas.uw.edu/courses/1103251/pages/module-9"
data-api-endpoint="https://canvas.uw.edu/api/v1/courses/1103251/pages/module-9"
data-api-returntype="Page">Module 9</a></li>
<li><a id="" class="" title="Module 10"
href="https://canvas.uw.edu/courses/1103251/pages/module-10"
data-api-endpoint="https://canvas.uw.edu/api/v1/courses/1103251/pages/module-10"
data-api-returntype="Page">Module 10</a></li>
</ul>
</div>
</div>
</div>

```

Custom CSS added to our sub-account by our Canvas admin folks

Boxed Content

```

.ischool-boxed-content {
  border: 3px solid #dcdcdc;
  padding: 12px 20px 20px 20px;
  margin-bottom: 20px;
  background: #f7f7f7;
}
.ischool-boxed-content ol {
  font-size: 14px;
}

```

Module Horizontal Nav

```

.ischool-module-horizontal-nav {
  margin-top: 10px !important;
}

```

```

.ischool-top-nav, .ischool-module-horizontal-nav, .ischool-sidebar-nav,
.ischool-sidebar-tabbed-nav {

```

```
list-style-type: none;
padding: 0;
}
.ischool-sidebar-nav, .ischool-sidebar-tabbed-nav {
margin-left: 0;
}
.ischool-top-nav li, .ischool-module-horizontal-nav li, .ischool-sidebar-nav li,
.ischool-sidebar-tabbed-nav li {
border-radius: 3px;
border: solid 1px #dcdcdc;
margin-bottom: 10px;
}
```

/** Top Nav **/

```
.ischool-top-nav {
margin-bottom: -10px !important;
}
.ischool-top-nav li {
display: inline-block;
padding: 7px 10px 8px 10px;
background-color: #4b2e83; /** might need to make this inline **/
margin-right: 7px;
width: 150px;
}
.ischool-top-nav a {
color: #ffffff;
}
.ischool-top-nav .current {
color: #e8e3d3;
}
.ischool-top-nav .external {
text-decoration: none !important;
}
```

/** Wrapper **/

```
.ischool-wrapper {
margin-top: 30px;
}
.ischool-wrapper-inside {
clear: both;
```

```
}
```

```
/** Main Content **/
```

```
.ischool-content {  
  padding-right: 10px;  
}
```

```
/** Top Module Nav **/
```

```
.ischool-module-horizontal-nav {  
  margin: 0 0 10px 0;  
}  
.ischool-module-horizontal-nav li {  
  display: inline-block;  
  padding: 10px 8px;  
  background-color: #f9f9f9;  
  margin-right: 10px;  
  width: 180px;  
}
```

```
/** Sidebar Nav and Sidebar Tabbed Nav **/
```

```
.ischool-sidebar {  
  margin: 0;  
  color: #333;  
  clear: both;  
  padding-right: 40px;  
}  
.ischool-sidebar-tabbed {  
  clear: both;  
  padding-right: 40px;  
  margin-top: 35px;  
}  
.ischool-sidebar-nav li, .ischool-sidebar-tabbed-nav li {  
  position: relative;  
  display: inline-block;  
  width: 100%;  
  background-color: #f9f9f9;  
  padding: 10px 15px;  
  margin-left: 0;  
}
```

```
.ischool-top-nav a, .ischool-module-horizontal-nav a, .ischool-sidebar-nav li a,  
.ischool-sidebar-tabbed-nav {  
    font-weight: bold;  
    display: block;  
    text-decoration: none !important;  
}
```

```
/** Headers **/
```

```
.ischool-content h3:first-child {  
    margin: 0 0 10px 0 !important;  
}  
.ischool-content p:first-child {  
    margin-bottom: 10px !important;  
}
```

```
h3.ischool-headerh3 {  
    font-weight: bold;  
    line-height: 36px !important;  
}
```

```
h3.ischool-headerh3 a {  
    font-size: 20px !important;  
    color: #4b2e83;  
}
```

```
.ischool-headerh3 {  
    border-bottom: 1px solid #dcdcdc !important;  
    padding: 0 0 5px 0 !important;  
    margin: 25px 0 10px 0 !important;  
}
```

```
.ischool-tabs-headerh3 {  
    border-bottom: 1px solid #dcdcdc;  
    padding: 0 0 5px 0;  
    margin-top: 0 !important;  
    margin-bottom: 15px;  
}
```

```
.ischool-headerh3 a, .ischool-tabs-headerh3 a {  
    text-decoration: none;  
    color: #4b2e83;  
}
```

```
.ischool-headerh4-day {
    font-weight: bold;
    font-size: 18px;
    line-height: 24px;
    padding: 0;
    margin: 0 0 10px 0;
}
.ischool-headerh4 {
    font-weight: bold;
    font-size: 16px;
    line-height: 24px;
    padding: 0;
    margin: 10px 0;
}
```

/** Weekly Anchor Links **/

```
.ischool-week-top {
    text-align: center;
    padding: 8px 10px;
    line-height: 24px;
    background: #f7f7f7;
    font-size: 14px;
    margin: 20px 0;
}
.ischool-week-top a {
    padding: 0 7px;
    font-weight: bold;
}
```

/** Back to Top **/

```
p.ischool-backtotop {
    text-transform: uppercase;
}
p.ischool-backtotop a {
    font-size: 12px !important;
    font-weight: bold;
    background: #e8e3d3;
    padding: 5px 8px 5px 5px;
}
```

```
/** Misc **/
```

```
.ischool-purple {  
  color: #4b2e83;  
}
```

```
.ischool-bold {  
  font-weight: bold;  
}
```

```
.ischool-center {  
  text-align: center;  
}
```

```
.ischool-clear {  
  clear: both;  
}
```

```
.ischool-highlighted {  
  background: #e8e3d3;  
  padding: 7px 10px;  
}
```