## DT-9919 Professional Digital Multimeter

True, RMS, AC/DC voltage and current measurements, 40000 counts resolution and a 0.05% basic DC accuracy within the reach of more customers. The large LCD display with analog bargraph and backlit ensure that readings are easy to read under all circumstances. 9918 and 9919 have True RMS AC Voltage and Current readings, MAX-MIN recording, Peak recording, as well as Frequency and Capacitance ranges.

All inputs are protected to EN610101-1 CATTIV 600V/CATIII 1000V. 9919 accuracy is stated high resolution for 40000 counts.

Large LCD display Double molded

Safety Conformance

EN61010-1 CAT IV 600V, CAT III 1000V

Full ranges protection

Features:

Digital display counts: 40000 True RMS measurements

Safety design Relative zero Data Hold

MAX/MIN recording mode

Auto Ranging Auto Power Off Specifications:

Function (Max Range, Basic Accuracy)

Voltage DC:  $1000V \pm 0.06\%$ Voltage AC:  $1000V \pm 1.0\%$ Current DC:  $10A \pm 1.0\%$ Current AC:  $10A \pm 1.5\%$ Resistance:  $40M\Omega \pm 0.3\%$ 

Temperature: 760°/1400° ±1.0% Frequency: 10MHz ±0.1% Capacitance: 40mF ±3.5%

Diode Check Continuity Test

Size(HxWxD): 182mm x 82mm x 55mm

Weight: 360g

Accessories: Test leads and 9V battery. K-type temperature probe

gift box with carrying case

