

Class specific rules and regulations for;-

2wd buggy - Pre 1989

Chassis

2wd buggy type in original configuration, chassis release date within class time period – no chassis 2wd conversions permitted.

The following lists are to guide competitors when entering the meeting. The list is comprehensive, but not exhaustive so if you don't see a buggy you would like to run please contact us for advice cwic@cmcc.org.uk. A huge thanks to the Revival series for the lists.

2WD Festival

Tamiya		**Kyosho**
Cheetah	Ford Ranger	Eleck Peanuts
XR311 *	Super Champ *	
Rough Rider *	Grasshopper *	**BoLink**
Sand Scorcher *	Hornet *	Digger 10 ~
Holiday Buggy	Subaru Brat *	
Sand Rover	Frog *	**Mardave**
	Grasshopper II *	Apache

* Re-release eligible

~ 1981 BoLink Digger 10 info, Thomas Peter: Click here



2WD Super Festival

Tamiya	**Kyosho**	**AYK**
Wild One *	Scorpion *	Sidewinder
Fast Attack Vehicle *	Beetle *	Super Trail
Super SRB ~	Tomahawk *	Buffalo
	Turbo Scorpion *	Bobcat
Hot Trick		Boxer
Red Prince (Frog)	**Traxxas**	
	The Cat	**BoLink**
Mardave		Super Digger
Meteor	**Hirobo**	Invader
	Bearcat	
Marui	Tomcat	**Playtron**
Hunter		Doberman
Galaxy		
Galaxy RS		

* Re-release eligible

~ Tamiya Super SRB's, which are period modified Special Racing Buggies, should be entered into the 2WD 82-84 class. You will be contacted to check its eligibility. The Pukka Parts conversion kit is a good example of a Super SRB



2WD 1984-1988

Tamiya	**Kyosho**	**Schumacher**	**Associated**
Fox *	Pegasus	Cat XL 2WD	RC10 (6 gear) *
Falcon	Ultima *~	Top Cat *	
Striker	Turbo Ultima		
Sonic Fighter	Ultima Pro	**Traxxas**	
	Raider	Bullet	
Futaba			
FX10	**Team Losi**		
	JRX2		

* Re-release eligible

~ The 2023 Koyosho JJ Ultima release is eligible

General Rules

Motor and ESC
Brushless and Brushed motors permitted with a minimum of 10.5T brushless and 10T brushed

Gearing Ratio
Choice is open within the design limits of the chassis

Hop ups
Any commercially available and appropriate i.e. ‘in period’ hop up maybe used

Wheels and tyres
Any appropriate rubber tyre and wheel combination, foam not permitted. Tyre warmers not permitted

Bodyshell
Period Shell for car,



Suspension
Arm/shock protectors MUST be fitted - affords protection of the carpet

Ride Height
Min 8mm, no protruding screws