

ABC Chart Data Collection

Other:	Other:	Other:

Antecedent	Behavior	Consequence
☐ Request Denied	☐ Physical Aggression	☐ Attention
☐ Request was given	☐ Property Destruction	☐ Plan Ignoring
☐ Transitioning	☐ Escape/avoidance	☐ Redirection
☐ Item denied	☐ Yelling/Screaming	☐ Blocked
☐ Alone	☐ Non-compliance	☐ Access to items
☐ Interruption from activity/reinforcer	☐ Escape/avoidance of activity	☐ Break
		☐ Time-out
☐ Sensory Overload	☐ Self-Injurious behavior	☐ Isolation
	☐ Crying/Whining	☐ Moving on
Antecedent	Behavior	Consequence
☐ Request Denied	☐ Physical Aggression	☐ Attention
☐ Request was given	☐ Property Destruction	☐ Plan Ignoring

ABC Chart Data Collection

☐ Transitioning	☐ Escape/avoidance	☐ Redirection
☐ Item denied	☐ Yelling/Screaming	☐ Blocked
☐ Alone	☐ Non-compliance	☐ Access to items
☐ Interruption from activity/reinforcer	☐ Escape/avoidance of activity	☐ Break
		☐ Time-out
☐ Sensory Overload	☐ Self-Injurious behavior	☐ Isolation
	☐ Crying/Whining	☐ Moving on

ABC Chart Data Collection

Precursors What does he/she do right before behavior (ex: make a fist, repeat a word, etc)	Setting event/ establishing operation Something that increase the likelihood that the behavior will be trigger (ex: change in schedule, new staff, certain person dropping he/she off)	
Antecedent	Behavior	Consequence
☐ Request Denied	☐ Physical Aggression	☐ Attention
☐ Request was given	☐ Property Destruction	☐ Plan Ignoring
☐ Transitioning	☐ Escape/avoidance	☐ Redirection
☐ Item denied	☐ Yelling/Screaming	☐ Blocked
☐ Alone	☐ Non-compliance	☐ Access to items
☐ Interruption from activity/reinforcer	☐ Escape/avoidance of activity	☐ Break
		☐ Time-out
☐ Sensory Overload	☐ Self-Injurious behavior	☐ Isolation

ABC Chart Data Collection

	☐ Crying/Whining	☐ Moving on
Antecedent	Behavior	Consequence
☐ Request Denied	☐ Physical Aggression	☐ Attention
☐ Request was given	☐ Property Destruction	☐ Plan Ignoring
☐ Transitioning	☐ Escape/avoidance	☐ Redirection
☐ Item denied	☐ Yelling/Screaming	☐ Blocked
☐ Alone	☐ Non-compliance	☐ Access to items
☐ Interruption from activity/reinforcer	☐ Escape/avoidance of activity	☐ Break
		☐ Time-out
☐ Sensory Overload	☐ Self-Injurious behavior	☐ Isolation
	☐ Crying/Whining	☐ Moving on