The First Derivative Test

Sample:

Group Chat

Consider the function $f(x) = 4 - 3x^2 + x^3$ for $-2 \le x \le 3$.

- a Find and classify the nature of any turning points.
- **b** State the intervals for which the function is increasing or decreasing.
- c State if the points found in part a are local or global extrema.

Sample Problem:

Use the derivative to show that the graph of $y = \frac{x-5}{x}$ has no turning points and state the interval(s) where y is increasing/decreasing. Then, sketch the graph of the function.

Group Chat 2

Given
$$f(x) = \sqrt{2x + 4}(5 - x)^2$$
.

- a Show that $f'(x) = \frac{(x-5)(5x+3)}{\sqrt{2x+4}}$
 - **i.** Using the Product Rule. $f'(x) = u(x) \cdot v'(x) + v(x) \cdot u'(x)$
 - ii. Using the Quotient Rule. $f'(x) = \frac{v(x) \cdot u'(x) u(x) \cdot v'(x)}{[v(x)]^2}$
- **b** Find the x-coordinates of any points on the graph of f(x) where the tangent lines are parallel to the x-axis.
- c Find which points are maximum and minimum.

- a Show that $f'(x) = \frac{(x-5)(5x+3)}{\sqrt{2x+4}}$
 - **i.** Using the Product Rule. $f'(x) = u(x) \cdot v'(x) + v(x) \cdot u'(x)$

ii. Using the Quotient Rule. $f'(x) = \frac{v(x) \cdot u'(x) - u(x) \cdot v'(x)}{[v(x)]^2}$

From the Practice Assignment

1 For each of the following functions, find and classify any turning points. Confirm your answers graphically.

b
$$f(x) = x - 2\sqrt{x}$$

3 The cubic function $p(x) = ax^3 + bx^2 + cx + d$ has a tangent with equation y = 3x + 1 at the point (0, 1) and has a turning point at (-1, -3). Find the values of a, b, c and d.