


```
virtual packages : __archspec=1=x86_64
                  _win=8=0
base environment : C:\Users\dp\anaconda3 (writable)
conda av data dir : C:\Users\dp\anaconda3\etc\conda
conda av metadata url : None
channel URLs      : https://repo.anaconda.com/pkgs/main/win-64
                  https://repo.anaconda.com/pkgs/main/noarch
                  https://repo.anaconda.com/pkgs/r/win-64
                  https://repo.anaconda.com/pkgs/r/noarch
                  https://repo.anaconda.com/pkgs/ncsys2/win-64
                  https://repo.anaconda.com/pkgs/ncsys2/noarch
package cache    : C:\Users\dp\anaconda3\pkgs
                  C:\Users\dp\.conda\pkgs
                  C:\Users\dp\AppData\Local\conda\conda\pkgs
envs directories : C:\Users\dp\anaconda3\envs
                  C:\Users\dp\.conda\envs
                  C:\Users\dp\AppData\Local\conda\conda\envs
platform        : win-64
user-agent       : conda/23.7.4 requests/2.31.0 CPython/3.11.4 Windows/10 Windows/10.0.22621 aau/0.4.2 c/65vqme_EZ1gvU73pF4YqNg s/cisv_ko0b_sb4NScJs8B4g e/kloxa5N_yManT0FSHINqJg
administrator    : False
netrc file       : None
offline mode     : False
```

An unexpected error has occurred. Conda has prepared the above report.
If you suspect this error is being caused by a malfunctioning plugin,
consider using the `--no-plugins` option to turn off plugins.

Example: `conda --no-plugins install <package>`

Alternatively, you can set the `CONDA_NO_PLUGINS` environment variable on
the command line to run the command without plugins enabled.

Example: `CONDA_NO_PLUGINS=true conda install <package>`

If submitted, this report will be used by core maintainers to improve
future releases of conda.
Would you like conda to send this report to the core maintainers? [y/N]: y
Upload successful.