

1

Which script language is used by Angular?

- ☐ JavaScript
- ☐ TypeScript
- ☐

Python

- ☐

None

10

Which directives change the structure of DOM by adding or removing elements?

- ☐ Structural Directives
- ☐ Component directives
- ☐ Attribute directives
- ☐ a) None

11

Which directive is used to add dynamic styles?

- ☐ ngIf
- ☐ ngClass
- ☐ ngStyle
- ☐ ngModel

12

1. Which type of directives are used to send and receive information between parent

and child components.

- ☐ Structural Directives
- ☐ Component Directives
- ☐ Attribute Directives
- ☐ All

13

Which decorator is used to inject the service into component?

- ☐
@Injectable
- ☐
@Component
- ☐
@NgModule
- ☐
None

14

Which acts as the placeholder that Angular dynamically fills based on the current router state.

- ☐
<app-outlet>
- ☐
<app-test>
- ☐
<app-root>
- ☐
<router-outlet>

15

FormGroup and FormControl belongs to _____

- ☐
Template Driven Forms
- ☐
Reactive Forms
- ☐
Both
- ☐
None

16

Which decorator is for the purpose of making a normal class to angular module

- ☐
@Component
- ☐
@Injectable
- ☐
@NgModule
- ☐
All

17

Providers array consists of names of all _____ in the application.

- ☐ components
- ☐ modules
- ☐ templates
- ☐ services

18

Which array is used to specify the startup component in Angular

- ☐ bootstrap
- ☐ imports
- ☐ exports
- ☐ declarations

19

How to write in line template in Angular

- ☐ With option template
- ☐ With option templateUrl
- ☐ both
- ☐ None

2

Which command is used to check the current version of Angular CLI?

- ☐ ng -version
- ☐ ng --version
- ☐ ng version
- ☐ All

20

What is FormBuilder?

- ☐

class

- ☐ Service
- ☐

interface

- ☐

module

21

Which of the following is not a form Validator?

- ☐
- valid
- ☐
- required
- ☐
- pattern
- ☐
- email

22

mat-card in material module of angular is used as an

- ☐
- attribute
- ☐

value

- ☐

tag

- ☐

name

23

How to install material module

- ☐

ng install @material/module

- ☐

ng add @material/module

- ☐

npm install @material/module

- ☐

npm install @material/module

24

Which decorator is related to Angular Service?

- ☐

Component

- ☐

NgModule

- ☐

NgModel

- ☐

Injectable

25

How to create a class in angular?

- ☐

ng g class class-name

- ☐

ng g c class

- ☐

ng g class-name

- ☐

all

26

npm stands for

- ☐

node packet manager

- ☐

node package management

- ☐ node package manager
- ☐

None

27

Angular Module groups multiple components and _____.

- ☐ classes
- ☐ interfaces
- ☐ assets
- ☐ services

28

.An Angular application can have one module that can be set as _____ module

- ☐ main
- ☐ root
- ☐

startup

- ☐

All

29

_____option is used to include the services for the AppModule module

- ☐

component

- ☐

class

- ☐

providers

- ☐

None

3

Which command is used to run and load the Angular App?

- ☐

ng -serve

- ☐

ng server

- ☐

ng serve

- ☐

All

30

_____ is used to properly initialize the service in the component.

- ☐

Dependency Injection

- ☐

Dependency

- ☐

Injection

- ☐

All

31

AppModule loads modules through _____ option.

- ☐

exports

- ☐

includes

- ☐

imports

- ☐
requires

32

The main job of Angular Component is to generate a section of web page called _____.

- ☐
view
- ☐
webpage
- ☐
section
- ☐
All

33

Template can be attached to Angular component using _____decorator's meta data

- ☐
@NgModule
- ☐
@Component
- ☐
both

- ☐
none

34

_____ binding is used to bind the data from component to HTML class property.

- ☐
Event Binding
- ☐
property binding
- ☐
class binding
- ☐
None

35

_____ is used to check multiple conditions and keep the DOM structure as simple and easy to understand.

- ☐
ngFor
- ☐
ngSwitch
- ☐

ngIf

- ☐

ngModel

36

Before you can use HttpClient, you need to import the Angular _____ in to app.module.ts.

- ☐

HttpClientModule

- ☐

HttpClient

- ☐

HttpModule

- ☐

All

37

To use the Observable, _____ method is used in the respected components.

- ☐

subscribe

- ☐

observe

- ☐

depends

- ☐

None

38

Angular material has comprehensive, modern _____ components that work across the web,

mobile, and desktop.

- ☐

WI

- ☐

VI

- ☐

UI

- ☐

All

39

Hammer.js npm package for _____ Support.

- ☐

mat icons

- ☐

Gesture

- ☐

forms

- ☐

icons

4

Which command is used to run and load the Angular App?

- ☐

ngIf

- ☐

ngFor

- ☐

ngServe

- ☐

ngSwitch

40

SPA stands for

- ☐

Simple Page Application

- ☐

Simplex Page Application

- ☐

Single Page Application

- ☐

None

41

Template driven forms are created using _____ in the template

- ☐

directives

- ☐

forms

- ☐

modules

- ☐

classes

42

_____ defines basic functionality of individual form control.

- ☐

FormGroup

- ☐

FormModule

- ☐

FormMethod

- ☐

FormControl

43

_____ is used to handle form validation

- ☐

FormModule

- ☐

Validators

- ☐

FormBuilder

- ☐

FormGroup

44

Which module must be imported into app.module.ts while using material module

- ☐

BrowserAnimationsModule

- ☐

Hammerjs

- ☐

BrowserModule

- ☐

HttpClientModule

45

Which tag is used to add material icons into your index.html

- ☐

anchor tag

- ☐

base tag

- ☐

link tag

- ☐

None

46

What is HttpClient in angular

- ☐

Class

- ☐

Service

- ☐

Interface

- ☐

Module

47

JSON Stands for

- ☐ Javascript Object Notation
- ☐

javascript notation

- ☐

java object notation

- ☐

All

48

API stands for

- ☐

App program Interface

- ☐

Application Programming Interface

- ☐

App prog interface

- ☐

None

49

Angular is for _____ development.

- ☐ Front end
- ☐ backend
- ☐ both
- ☐ None

5

Which one is not example of one-way data binding?

- ☐ ngModel
- ☐ Interpolation
- ☐ PropertyBinding
- ☐ EventBinding

50

To navigate from one view to another view in angular _____ is used.

- ☐ Routing and Navigation
- ☐ Services
- ☐ both
- ☐ none

6

What is the syntax to create an app in Angular 8?

- ☐ ng new-app
- ☐ ng-new-app
- ☐ ng new new-app
- ☐ All

7

If you want to add just a simple form to your angular application you need _____.

- ☐ Reactive Forms
- ☐ TemplateDrivenForms
- ☐ HTMLForms
- ☐ JavaScriptForms

8

1. The main objective of a _____ is to organize and share business logic,

models, or data and functions with different components of an Angular application.

- ☐ Module
- ☐ Service
- ☐ DataBinding
- ☐ Routing

9

Which enables the application to respond to user input in the target environment.

• ☐

Class Binding

• ☐

Style Binding

• ☐

Event Binding

• ☐

Property binding

Submit