


SCHEDULE IN TRANSACTION IN DBMS

WHAT IS SCHEDULE

A series of operation from one transaction to another transaction is known as schedule. It is used to preserve the order of the operation in each of the individual transaction.

We have three types of schedules

1. Serial Schedule
2. Non-Serial Schedule
3. Serializable Schedule



SERIAL SCHEDULE


The serial schedule is a type of schedule where one transaction is executed completely before starting another transaction. In the serial schedule, when the first transaction completes its cycle, then the next transaction is executed.

Example:

Suppose there are two transactions T1 and T2 which have some operations. If it has no interleaving of operations, then there are the following two possible outcomes:

1. Execute all the operations of T1 which was followed by all the operations of T2.
2. Execute all the operations of T2 which was followed by all the operations of T1.
3. In the given (a) figure, Schedule A shows the serial schedule where T1 followed by T2.

(a)



Schedule A

NON-SERIAL SCHEDULE


If interleaving of operations is allowed, then there will be non-serial schedule.

It contains many possible orders in which the system can execute the individual operations of the transactions.

In the given figure (c) and (d), Schedule C and Schedule D are the non-serial schedules.

It has interleaving of operations.

(c)



Schedule C

SERIALIZABLE SCHEDULE

The serializability of schedules is used to find non-serial schedules that allow the transaction to execute concurrently without interfering with one another.

It identifies which schedules are correct when executions of the transaction have interleaving of their operations.

A non-serial schedule will be serializable if its result is equal to the result of its transactions executed serially.