

De Moivre's Theorem

<https://www.aplustopper.com/de-moivres-theorem/>
<https://goo.gl/8fzJJr>
<https://tinyurl.com/ycqp34vz>
<http://tiny.cc/xk9qqy>
<http://bit.ly/2DT85DD>
<http://cutt.us/FJNM1>
<https://qoo.gl/11HRn4>
<https://qoo.gl/uHZvjF>
<https://sites.google.com/site/aplustoppertnotes/de-moivre-s-theorem>
<https://goo.gl/BFFGNh>
<http://cbsetuts.blogspot.in/2018/02/de-moivres-theorem.html>
<https://goo.gl/M9NKck>

(1) If n is any rational number, then $(\cos \theta + i \sin \theta)^n = \cos n\theta + i \sin n\theta$.

De Moivre's Theorem

$$\boxed{(\cos \theta + i \sin \theta)^n = \cos n\theta + i \sin n\theta}$$

for all integers n

this extends to;

$$\boxed{[r(\cos \theta + i \sin \theta)]^n = r^n (\cos n\theta + i \sin n\theta)}$$

e.g. $(1-i)^5$

$$|z| = \sqrt{1^2 + (-1)^2}$$
$$= \sqrt{2}$$

$$\arg z = \tan^{-1}\left(\frac{-1}{1}\right)$$
$$= -\frac{\pi}{4}$$

(2) If $z = (\cos \theta_1 + i \sin \theta_1) (\cos \theta_2 + i \sin \theta_2) (\cos \theta_3 + i \sin \theta_3) \dots (\cos \theta_n + i \sin \theta_n)$
then $z = \cos (\theta_1 + \theta_2 + \theta_3 + \dots + \theta_n) + i \sin (\theta_1 + \theta_2 + \theta_3 + \dots + \theta_n)$
where $\theta_1 + \theta_2 + \theta_3 + \dots + \theta_n \in R$.

Read more about [De Moivre's Theorem](#)