# Molchanovs SPORT Silicone Foot Pockets Product Page

# **TAGLINE**

Feel truly connected to your blades in foot pockets that have an open heel for unparalleled flexibility, arch support for optimal foot positioning, and a spacious interior for a comfortable and relaxed fit.

## **DESCRIPTION**

The first-ever attachable foot pockets from Molchanovs are here - the SPORT Silicone Foot Pockets. These standard-sized foot pockets are ideal for freedivers who teach, train, or fun dive. Feel your bifins become a natural extension of your legs with the foot pocket's anatomical design - kicks become streamlined with open-heel straps and arch support, while your feet stay comfortable in flexible and hypoallergenic silicone.

Pair the SPORT Silicone Foot Pockets with the <u>SPORT Bifins Blades 3 Carbon</u> and <u>SPORT Bifins Blades 3 Fiberglass</u>.

# Easy assembly

Assembling the foot pockets to blades takes only minutes, making it easier than ever to switch to a new pair of foot pockets or upgrade to a new blade.

#### **Open-heel straps**

Open-heel straps let your feet fully arch and stretch without limit during the kick cycle, giving you the freedom of flexibility and keeping your finning streamlined.

## **Arch support**

Arch support in dedicated right and left foot pockets keeps your feet in the optimal position for finning, delivering maximum efficiency paired with a comfortable fit.

## Rigid stabilizers

The stabilizers on each side of the foot pocket are thick and firmly enclose the blade and water rails, providing you stability and full control over each kick.

## Comfortable silicone

Hypoallergenic and UV-resistant silicone accommodates both narrow and wide feet due to the material's flexibility. It also makes for a comfortable fit and can withstand below-freezing temperatures without deforming.

#### Minimalistic design

A sporty and fierce new design maintains the signature Molchanovs minimalism and style.

## **DETAILS AND MATERIALS**

#### **Details and Materials**

- Materials:
  - Hypoallergenic and UV-resistant silicone
  - Plastic mounting plates to mount the blade
- Designed for all water temperatures
- Can withstand -30°C (-22°F) temperatures without deforming
- Open-heel design for maximum ankle flexibility
- Arch support for optimal foot positioning
- Rigid stabilizers for full control over each kick and movement
- Anatomical shape of the heel strap for maximum support and a comfortable fit
- Molchanovs sporty and minimalistic design

## **Technical specifications**

- Sizes:
  - 0 34 35
  - 0 36 37
  - 0 38 39
  - 0 40 41
  - o 42 43
  - 0 44 45
- Weight (one pair):
  - o 34 35: 1.04kg (2.29lb)
  - o 36 37: 1.05kg (2.31lb)
  - o 38 39: 1.08kg (2.38lb)
  - o 40 41: 1.18kg (2.6lb)
  - o 42 43: 1.2kg (2.65lb)
  - 44 45: 1.3kg (2.87lb)
- Color: Black

## **ASSEMBLY INSTRUCTIONS**

#### SPORT Silicone Foot Pockets + SPORT Bifins Blades 3

These instructions are for assembling the SPORT Silicone Foot Pockets to the <u>SPORT Bifins</u> Blades 3 Carbon and the <u>SPORT Bifins</u> Blades 3 Fiberglass.

Please note that the mounting system is only included with the SPORT Silicone Foot Pockets - the SPORT Bifins Blades 3 Fiberglass / Carbon do not include a mounting system.

## Materials required for assembly

- Molchanovs left and right carbon or fiberglass blades
- Left and right SPORT Silicone Foot Pockets
- 2 screws for each foot pocket (4 total)
- Upper and lower mounting plates
- Phillips head screwdriver

## **Assembly instructions**

- 1. Match the left and right foot pocket with the corresponding blade (marked on the back side of each blade).
- 2. Insert the blade gently into the slot at the front of the foot pocket and through the side reinforcements, verifying it is inserted correctly and slides in smoothly without force.
- 3. Align the blade by carefully adjusting its position until the blade's mounting holes match with those on the foot pocket.
- 4. Position the upper mounting plate over the toe section of the foot pocket, verifying it fits into the provided space.
- 5. Begin by hand-threading the screws into the holes of the lower mounting plate.
- 6. Place the lower mounting plate over the blade, aligning it with the upper mounting plate and the holes. Tighten the screws in a clockwise direction using a Phillips head screwdriver with an even distribution of pressure.
- 7. CAUTION: Secure the screws firmly, but avoid over-tightening which could strip the threads or damage the blade. Stop when you feel moderate resistance.

Youtube video: https://www.youtube.com/watch?v=sq6GqM7qmWs&t=4s

## CARE INSTRUCTIONS AND WARRANTY POLICY

#### **Care Instructions**

All equipment should be rinsed in fresh water after use and placed out of direct sunlight and heat. See the full list of care instructions here.

## **Warranty Policy**

A <u>1-year limited warranty</u> applies. Please note that defects or damage to the equipment caused by improper/incorrect use or insufficient/improper maintenance and <u>product care</u> will render our warranty policy null and void.

# **SIZE CHART**

# Size chart photo

# PRODUCTION TIME, SHIPPING, AND RETURNS

## **Production Times**

If the product is currently in stock, it will be sent out to you within 2 - 5 business days. If the product is out of stock, we will contact you by e-mail to inform you about possible delays. If you order this product along with another product that has a longer production time, you entire order will be shipped with all of the items together once the product with the longest production time is ready.

# **Shipping and Returns**

See the Shipping and Returns section of the FAQ here.

# **ASK A QUESTION**

**FORM**