

```

C:\ELK\logstash\bin>logstash -f logstash2.config --debug
Picked up JAVA_TOOL_OPTIONS: -Djava.vendor="Sun Microsystems Inc."
io/console not supported; tty will not be manipulated
←[36mReading config file {:config_file=>"C:/ELK/logstash/bin/logstash2.config", :level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/config/loader
.rb", :line=>"69", :method=>"local_config"}←[0m
←[36mPlugin not defined in namespace, checking for plugin file {:type=>"input", :name=>"file", :path=>"logstash/inputs/file",
:level=>:debug, :file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logst
ash-core-2.3.3-java/lib/logstash/plugin.rb", :line=>"76", :method=>"lookup"}←[0m
←[36mPlugin not defined in namespace, checking for plugin file {:type=>"codec", :name=>"plain", :path=>"logstash/codecs/plain",
:level=>:debug, :file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/log
stash-core-2.3.3-java/lib/logstash/plugin.rb", :line=>"76", :method=>"lookup"}←[0m
←[36mconfig LogStash::Codecs::Plain/@charset = "UTF-8" {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/config/mixin.rb", :line=>"153", :meth
od=>"config_init"}←[0m
←[36mconfig LogStash::Inputs::File/@path = ["C:/ELK/logstash/bin/data/new5.log"] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/config/mixi
n.rb", :line=>"153", :method=>"config_init"}←[0m
←[36mconfig LogStash::Inputs::File/@start_position = "beginning" {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/config/mixin.rb", :line=>"1
53", :method=>"config_init"}←[0m
←[36mconfig LogStash::Inputs::File/@sinedb_path = "NUL" {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/config/mixin.rb", :line=>"153", :me
thod=>"config_init"}←[0m
←[36mconfig LogStash::Inputs::File/@codec = <LogStash::Codecs::Plain charset=>"UTF-8"> {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/confi
g/mixin.rb", :line=>"153", :method=>"config_init"}←[0m
←[36mconfig LogStash::Inputs::File/@add_field = {} {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/config/mixin.rb", :line=>"153", :method=>
"config_init"}←[0m
←[36mconfig LogStash::Inputs::File/@stat_interval = 1 {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/config/mixin.rb", :line=>"153", :metho
d=>"config_init"}←[0m
←[36mconfig LogStash::Inputs::File/@discover_interval = 15 {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/config/mixin.rb", :line=>"153", :
method=>"config_init"}←[0m
←[36mconfig LogStash::Inputs::File/@sinedb_write_interval = 15 {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/config/mixin.rb", :line=>"15
3", :method=>"config_init"}←[0m
←[36mconfig LogStash::Inputs::File/@delimiter = "\n" {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/config/mixin.rb", :line=>"153", :method
=>"config_init"}←[0m
←[36mconfig LogStash::Inputs::File/@ignore_older = 86400 {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/config/mixin.rb", :line=>"153", :me
thod=>"config_init"}←[0m
←[36mconfig LogStash::Inputs::File/@close_older = 3600 {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/config/mixin.rb", :line=>"153", :meth
od=>"config_init"}←[0m

```

```

←[36mPlugin not defined in namespace, checking for plugin file {:type=>"output", :name=>"stdout", :path=>"logstash/outputs/stdout",
:level=>:debug, :file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems
/logstash-core-2.3.3-java/lib/logstash/plugin.rb", :line=>"76", :method=>"lookup"}←[0m
←[32mstarting agent {:level=>:info, :file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/agent.rb",
:line=>"207", :method=>"execute"}←[0m
←[32mstarting pipeline {:id=>"main", :level=>:info,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/agent.rb", :line=>"469",
:method=>"start_pipeline"}←[0m
Settings: Default pipeline workers: 4
←[32mRegistering file input {:path=>["C:/ELK/logstash/bin/data/new5.log"], :level=>:info,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-input-file-2.2.5/lib/logstash/inputs/file.rb", :
line=>"171", :method=>"register"}←[0m
←[36mPlugin not defined in namespace, checking for plugin file {:type=>"codec", :name=>"rubydebug",
:path=>"logstash/codecs/rubydebug", :level=>:debug, :file=>"/ELK/logstash/vendor/bundle/jruby/1.9/
gems/logstash-core-2.3.3-java/lib/logstash/plugin.rb", :line=>"76", :method=>"lookup"}←[0m
←[36m_globbed_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbed_files"}←[0m
←[36mconfig LogStash::Codecs::RubyDebug/@metadata = false {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/config/mixin.rb", :line=>"153", :m
ethod=>"config_init"}←[0m
←[36mconfig LogStash::Outputs::Stdout/@codec = <LogStash::Codecs::RubyDebug metadata=>false> {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash
/config/mixin.rb", :line=>"153", :method=>"config_init"}←[0m
←[36mconfig LogStash::Outputs::Stdout/@workers = 1 {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/config/mixin.rb", :line=>"153", :method=>
"config_init"}←[0m
←[36mWill start workers for output {:worker_count=>1, :class=>LogStash::Outputs::Stdout, :level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/outp
ut_delegator.rb", :line=>"77", :method=>"register"}←[0m
←[32mStarting pipeline {:id=>"main", :pipeline_workers=>4, :batch_size=>125, :batch_delay=>5, :max_inflight=>500, :level=>:info,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.
3-java/lib/logstash/pipeline.rb", :line=>"188", :method=>"start_workers"}←[0m
Pipeline main started {:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/agent.rb", :line=>"473",
:method=>"start_pipeline"}
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbed_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbed_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m

```

```

←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m

```

```

←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m

```

```

←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m

```

```

←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m

```

```

←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m

```

```

←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m

```

```

←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m

```

```

←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m

```

```

←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method
=>"_globbered_files"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m
←[36mPushing flush onto pipeline {:level=>:debug,
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",
:method=>"flush"}←[0m

```

```
←[36mPushing flush onto pipeline {:level=>:debug,  
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/logstash-core-2.3.3-java/lib/logstash/pipeline.rb", :line=>"458",  
:method=>"flush"}←[0m  
←[36m_globbered_files: C:/ELK/logstash/bin/data/new5.log: glob is: [] {:level=>:debug,  
:file=>"/ELK/logstash/vendor/bundle/jruby/1.9/gems/filewatch-0.8.1/lib/filewatch/watch.rb", :line=>"346", :method  
=>"_globbered_files"}←[0m
```