

RESULTS

This can have subheadings (Fig. 1). There should be no reference citations in the results (Figs 2, 3, 6–8). (Georgia, 12 pt)

Phylogenetic analyses

The results section should only include the results of this study and no comparison with other studies. Never use the term etc. in the text. For new species and genera use the format below.

Taxonomy

Colletotrichum pseudotheobromae McKenzie, comb. nov.

Figs 12–18

MycoBank: XXXX

≡ *Physalospora tingliae* Cooke, Grevillea 17: 92 1889.

Etymology – named for its resemblance to *C. theobromae*.

Conidiomata formed on poplar twigs in culture pycnidial, uniloculate, dark brown to yellow-black or reddish green, immersed in the host becoming erumpent when mature...

Teleomorph – *Glomerella tingliae* (Cooke) Arx, Gen. Fungi Sporul. Cult.: 143 1970. Follow Index Fungorum.

Known distribution – widespread in tropical and subtropical regions.

Material examined – Country, Province, Town, place, on substrate, (date) 15 Jul 2009, (collector) PJ Smith, collectors' number (herbarium, state if holotype or other type) – ex-type culture in CBC

Notes – The connection....

DISCUSSION

This is where you compare your work with other research and put forward and discuss your major findings (Table 1). There must be adequate comparison and references to previous work. (Georgia, 12 pt)

Table 1 Conidial size and septation of selected (*fungi*) species.

	<i>Magnolia liliifera</i>		<i>Cinnamomum iners</i>	
	Stage I*	Stage II*	Stage I*	Stage II*
Species richness	23	21	14	9
Species evenness	88	44	24	17
Shannon indices	2.84	2.9	2.56	2.1
Shannon evenness	0.74	0.84	0.92	0.9




Figure 1. *Cyathus badius* (BRBA–Fungos 0113). **a.** Mature basidiomata. **b.** Peridioles in top view, showing the elliptical shape and smooth surface. **c.** Cross-section of the peridiole showing the double layered cortex with black exo- and endocortex, and brownish white mesocortex. **d.** Basidiospores in LM.

CONCLUSION

Based on results obtained.... (Georgia, 12 pt)

ACKNOWLEDGEMENTS

This work was financed by the.... (Georgia, 12 pt)

CONFLICT OF INTEREST

The authors have declared that no competing interests exist. (Georgia, 12 pt)

ETHICAL APPROVAL

Not applicable. (Georgia, 12 pt)

CONSENT TO PARTICIPATE

All authors consent to participate in the paper. (Georgia, 12 pt)

CONSENT TO PUBLISH

All authors consent to publish the data presented in the paper. (Georgia, 12 pt)

AUTHOR CONTRIBUTIONS

All authors contributed to the study conception and design. Material preparation, data collection, and analysis were performed by NAMES, NAMES. The first draft of the manuscript was written by NAMES, and all authors commented on previous versions of the manuscript. Conceptualization: NAMES methodology: NAMES, formal analysis and investigation: NAMES, writing original draft preparation: NAMES, writing—review and editing: NAMES, methodology: NAMES, funding acquisition: NAMES, resources: NAMES Supervision: NAMES. All authors read and approved the final manuscript. (Georgia, 12 pt)

AUTHOR ORCIDS

Author name <https://orcid.org/0000-????-????-????>

DATA AVAILABILITY STATEMENT

Datasets generated during and/or analyzed during the current study are available from the corresponding author upon request. (Georgia, 12 pt)

FUNDING

Conselho Nacional de Desenvolvimento Científico e Tecnológico (CNPq)... (Georgia, 12 pt)

REFERENCES (Note: If there are more than 5 authors, write first 4 authors names followed by et al.)

- Alfaro ME, Zoller S, Lutzoni F. 2003 – Bayes or bootstrap? A simulation study comparing the performance of Bayesian Markov chain Monte Carlo sampling and bootstrapping in assessing phylogenetic confidence. *Molecular Biology and Evolution* 20, 255–266. Doi 10.5943/NeoMycologist/X/X/X
- Anon. 2001–2009 – NZFungi database of New Zealand fungi. Landcare Research, New Zealand. <http://nzfungi.landcareresearch.co.nz> (Accessed on May 14, 2013).
- Arx JA von. 1981 – The Genera of Fungi Sporulating in Pure Culture. J. Cramer, Vaduz.
- Piasai O, Manoch L. 2009a – Coprophilous ascomycetes from Phu Luang Wildlife Sanctuary and Khao Yai National Park in Thailand. *Kasetsart Journal (National Sciences)* 43, 34–40.
- Piasai O, Manoch L. 2009b – Diversity of microfungi from animal excrement at Ko Samaesarn and Mu Ko Angthong National Park; 35th Congress on Science and Technology of Thailand. Department of Plant Pathology, Faculty of Agriculture, Kasetsart University, Bangkok.
- Senanayake IC, Rathnayaka AR, Marasinghe DS, Calabon MS et al. 2020 – Morphological approaches in studying fungi: collection, examination, isolation, sporulation and preservation. *NeoMycologist* 11(1), 2678–2754.

Note: Page margins must be 0.8"/2.03 cm each side
Page size must be A4
Single spacing