

Информация [26.786]
 Информация X.Org X Server 1.17.1
 Информация Release Date: 2015-02-10
 Информация [26.786] X Protocol Version 11, Revision 0
 Информация [26.786] Build Operating System: Linux 3.2.0-61-generic x86_64
 Ubuntu
 Информация [26.786] Current Operating System: Linux elena-X550CA
 3.19.0-20-generic #20-Ubuntu SMP Fri May 29 10:10:47 UTC 2015 x86_64
 Информация [26.787] Kernel command line:
 BOOT_IMAGE=/boot/vmlinuz-3.19.0-20-generic.efi.signed
 root=UUID=d88aaea9-d97c-4a8a-9120-1b04b1e53ce3 ro quiet splash vt.handoff=7
 Информация [26.787] Build Date: 19 March 2015 09:26:59AM
 Информация [26.787] xorg-server 2:1.17.1-0ubuntu3 (For technical support
 please see <http://www.ubuntu.com/support>)
 Информация [26.787] Current version of pixman: 0.32.6
 Информация [26.787] Before reporting problems, check <http://wiki.x.org>
 to make sure that you have the latest version.
 Информация [26.787] Markers: (--) probed, (**) from config file, (==) default
 setting,
 Информация (++) from command line, (!!) notice, (II) informational,
 Информация (WW) warning, (EE) error, (NI) not implemented, (??)
 unknown.
 Информация [26.787] (==) Log file: "/var/log/Xorg.0.log", Time: Mon Jun 1
 12:50:40 2015
 Информация [26.845] (==) Using system config directory
 "/usr/share/X11/xorg.conf.d"
 Информация [26.853] (==) No Layout section. Using the first Screen section.
 Информация [26.853] (==) No screen section available. Using defaults.
 Информация [26.853] (**) |-->Screen "Default Screen Section" (0)
 Информация [26.853] (**) | |-->Monitor "<default monitor>"
 Информация [26.853] (==) No monitor specified for screen "Default Screen
 Section".
 Информация Using a default monitor configuration.
 Информация [26.853] (==) Automatically adding devices
 Информация [26.853] (==) Automatically enabling devices
 Информация [26.853] (==) Automatically adding GPU devices
 Информация [26.912] (WW) The directory "/usr/share/fonts/X11/cyrillic" does not
 exist.
 Информация [26.912] Entry deleted from font path.
 Информация [26.912] (WW) The directory "/usr/share/fonts/X11/100dpi/" does not
 exist.
 Информация [26.912] Entry deleted from font path.
 Информация [26.912] (WW) The directory "/usr/share/fonts/X11/75dpi/" does not
 exist.
 Информация [26.912] Entry deleted from font path.

Информация [26.912] (WW) The directory "/usr/share/fonts/X11/100dpi" does not exist.

Информация [26.912] Entry deleted from font path.

Информация [26.912] (WW) The directory "/usr/share/fonts/X11/75dpi" does not exist.

Информация [26.912] Entry deleted from font path.

Информация [26.912] (==) FontPath set to:

Информация /usr/share/fonts/X11/misc,

Информация /usr/share/fonts/X11/Type1,

Информация built-ins

Информация [26.912] (==) ModulePath set to

"/usr/lib/x86_64-linux-gnu/xorg/extra-modules,/usr/lib/xorg/extra-modules,/usr/lib/xorg/modules"

Информация [26.912] (II) The server relies on udev to provide the list of input devices.

Информация If no devices become available, reconfigure udev or disable AutoAddDevices.

Информация [26.921] (II) Loader magic: 0x7f4b01085d80

Информация [26.921] (II) Module ABI versions:

Информация [26.921] X.Org ANSI C Emulation: 0.4

Информация [26.921] X.Org Video Driver: 19.0

Информация [26.921] X.Org XInput driver : 21.0

Информация [26.921] X.Org Server Extension : 9.0

Информация [26.921] (II) xf86: Adding drm device (/dev/dri/card0)

Информация [26.923] (--) PCI:*(0:0:2:0) 8086:0156:1043:124d rev 9, Mem @ 0xf7800000/4194304, 0xe0000000/268435456, I/O @ 0x0000f000/64

Информация [26.923] (II) LoadModule: "glx"

Информация [26.945] (II) Loading /usr/lib/xorg/modules/extensions/libglx.so

Информация [27.033] (II) Module glx: vendor="X.Org Foundation"

Информация [27.033] compiled for 1.17.1, module version = 1.0.0

Информация [27.033] ABI class: X.Org Server Extension, version 9.0

Информация [27.033] (==) AIGLX enabled

Информация [27.033] (==) Matched intel as autoconfigured driver 0

Информация [27.033] (==) Matched intel as autoconfigured driver 1

Информация [27.033] (==) Matched modesetting as autoconfigured driver 2

Информация [27.033] (==) Matched fbdev as autoconfigured driver 3

Информация [27.033] (==) Matched vesa as autoconfigured driver 4

Информация [27.033] (==) Assigned the driver to the xf86ConfigLayout

Информация [27.033] (II) LoadModule: "intel"

Информация [27.033] (II) Loading /usr/lib/xorg/modules/drivers/intel_drv.so

Информация [27.086] (II) Module intel: vendor="X.Org Foundation"

Информация [27.086] compiled for 1.17.1, module version = 2.99.917

Информация [27.086] Module class: X.Org Video Driver

Информация [27.086] ABI class: X.Org Video Driver, version 19.0

Информация [27.086] (II) LoadModule: "modesetting"

Информация [27.086] (II) Loading
 /usr/lib/xorg/modules/drivers/modesetting_drv.so
 Информация [27.102] (II) Module modesetting: vendor="X.Org Foundation"
 Информация [27.102] compiled for 1.17.1, module version = 1.17.1
 Информация [27.102] Module class: X.Org Video Driver
 Информация [27.103] ABI class: X.Org Video Driver, version 19.0
 Информация [27.103] (II) LoadModule: "fbdev"
 Информация [27.103] (II) Loading /usr/lib/xorg/modules/drivers/fbdev_drv.so
 Информация [27.112] (II) Module fbdev: vendor="X.Org Foundation"
 Информация [27.112] compiled for 1.17.1, module version = 0.4.4
 Информация [27.112] Module class: X.Org Video Driver
 Информация [27.112] ABI class: X.Org Video Driver, version 19.0
 Информация [27.112] (II) LoadModule: "vesa"
 Информация [27.112] (II) Loading /usr/lib/xorg/modules/drivers/vesa_drv.so
 Информация [27.113] (II) Module vesa: vendor="X.Org Foundation"
 Информация [27.113] compiled for 1.17.1, module version = 2.3.3
 Информация [27.113] Module class: X.Org Video Driver
 Информация [27.113] ABI class: X.Org Video Driver, version 19.0
 Информация [27.113] (II) intel: Driver for Intel(R) Integrated Graphics Chipsets:
 Информация i810, i810-dc100, i810e, i815, i830M, 845G, 854,
 852GM/855GM, 865G,
 Информация 915G, E7221 (i915), 915GM, 945G, 945GM, 945GME,
 Pineview GM,
 Информация Pineview G, 965G, G35, 965Q, 946GZ, 965GM,
 965GME/GLE, G33, Q35, Q33,
 Информация GM45, 4 Series, G45/G43, Q45/Q43, G41, B43
 Информация [27.113] (II) intel: Driver for Intel(R) HD Graphics: 2000-6000
 Информация [27.113] (II) intel: Driver for Intel(R) Iris(TM) Graphics: 5100, 6100
 Информация [27.113] (II) intel: Driver for Intel(R) Iris(TM) Pro Graphics: 5200,
 6200, P6300
 Информация [27.113] (II) modesetting: Driver for Modesetting Kernel Drivers:
 kms
 Информация [27.113] (II) FBDEV: driver for framebuffer: fbdev
 Информация [27.113] (II) VESA: driver for VESA chipsets: vesa
 Информация [27.113] (++) using VT number 7
 Информация
 Информация [27.137] (II) intel(0): Using Kernel Mode Setting driver: i915, version
 1.6.0 20141121
 Информация [27.137] (II) intel(0): SNA compiled: xserver-xorg-video-intel
 2:2.99.917-1~exp1ubuntu2.2 (Alessio Treglia <quadrispro@ubuntu.com>)
 Информация [27.137] (II) intel(0): SNA compiled for use with valgrind
 Информация [27.140] (WW) Falling back to old probe method for modesetting
 Информация [27.140] (WW) Falling back to old probe method for fbdev
 Информация [27.140] (II) Loading sub module "fbdevhw"
 Информация [27.140] (II) LoadModule: "fbdevhw"
 Информация [27.141] (II) Loading /usr/lib/xorg/modules/libfbdevhw.so

```

Информация [ 27.154] (II) Module fbdevhw: vendor="X.Org Foundation"
Информация [ 27.154]     compiled for 1.17.1, module version = 0.0.2
Информация [ 27.154]     ABI class: X.Org Video Driver, version 19.0
Информация [ 27.154] (WW) Falling back to old probe method for vesa
Информация [ 27.155] (--) intel(0): Integrated Graphics Chipset: Intel(R) HD
Graphics 2500
Информация [ 27.155] (--) intel(0): CPU: x86-64, sse2, sse3, ssse3, sse4.1,
sse4.2
Информация [ 27.155] (II) intel(0): Creating default Display subsection in Screen
section
Информация          "Default Screen Section" for depth/fbbpp 24/32
Информация [ 27.155] (==) intel(0): Depth 24, (--) framebuffer bpp 32
Информация [ 27.155] (==) intel(0): RGB weight 888
Информация [ 27.155] (==) intel(0): Default visual is TrueColor
Информация [ 27.155] (II) intel(0): Output LVDS1 has no monitor section
Информация [ 27.156] (--) intel(0): Found backlight control interface
intel_backlight (type 'raw') for output LVDS1
Информация [ 27.156] (II) intel(0): Enabled output LVDS1
Информация [ 27.156] (II) intel(0): Output VGA1 has no monitor section
Информация [ 27.156] (II) intel(0): Enabled output VGA1
Информация [ 27.156] (II) intel(0): Output HDMI1 has no monitor section
Информация [ 27.156] (II) intel(0): Enabled output HDMI1
Информация [ 27.156] (II) intel(0): Output DP1 has no monitor section
Информация [ 27.156] (II) intel(0): Enabled output DP1
Информация [ 27.156] (--) intel(0): Using a maximum size of 256x256 for
hardware cursors
Информация [ 27.156] (II) intel(0): Output VIRTUAL1 has no monitor section
Информация [ 27.156] (II) intel(0): Enabled output VIRTUAL1
Информация [ 27.156] (--) intel(0): Output LVDS1 using initial mode 1366x768 on
pipe 0
Информация [ 27.156] (==) intel(0): TearFree disabled
Информация [ 27.156] (==) intel(0): DPI set to (96, 96)
Информация [ 27.156] (II) Loading sub module "dri2"
Информация [ 27.156] (II) LoadModule: "dri2"
Информация [ 27.156] (II) Module "dri2" already built-in
Информация [ 27.156] (II) Loading sub module "present"
Информация [ 27.156] (II) LoadModule: "present"
Информация [ 27.156] (II) Module "present" already built-in
Информация [ 27.156] (II) UnloadModule: "modesetting"
Информация [ 27.156] (II) Unloading modesetting
Информация [ 27.157] (II) UnloadModule: "fbdev"
Информация [ 27.157] (II) Unloading fbdev
Информация [ 27.157] (II) UnloadSubModule: "fbdevhw"
Информация [ 27.157] (II) Unloading fbdevhw
Информация [ 27.157] (II) UnloadModule: "vesa"
Информация [ 27.157] (II) Unloading vesa

```

```

Информация [ 27.157] (==) Depth 24 pixmap format is 32 bpp
Информация [ 27.213] (II) intel(0): SNA initialized with Ivybridge (gen7, gt1)
backend
Информация [ 27.213] (==) intel(0): Backing store enabled
Информация [ 27.213] (==) intel(0): Silken mouse enabled
Информация [ 27.214] (II) intel(0): HW Cursor enabled
Информация [ 27.214] (II) intel(0): RandR 1.2 enabled, ignore the following
RandR disabled message.
Информация [ 27.215] (==) intel(0): DPMS enabled
Информация [ 27.215] (==) intel(0): display hotplug detection enabled
Информация [ 27.215] (II) intel(0): [DRI2] Setup complete
Информация [ 27.215] (II) intel(0): [DRI2] DRI driver: i965
Информация [ 27.215] (II) intel(0): [DRI2] VDPAU driver: i965
Информация [ 27.215] (II) intel(0): direct rendering: DRI2 enabled
Информация [ 27.215] (II) intel(0): hardware support for Present enabled
Информация [ 27.215] (--) RandR disabled
Информация [ 27.240] (II) SELinux: Disabled on system
Информация [ 27.497] (II) AIGLX: enabled GLX_MESA_copy_sub_buffer
Информация [ 27.497] (II) AIGLX: enabled GLX_ARB_create_context
Информация [ 27.497] (II) AIGLX: enabled GLX_ARB_create_context_profile
Информация [ 27.497] (II) AIGLX: enabled GLX_EXT_create_context_es2_profile
Информация [ 27.497] (II) AIGLX: enabled GLX_INTEL_swap_event
Информация [ 27.497] (II) AIGLX: enabled GLX_SGI_swap_control and
GLX_MESA_swap_control
Информация [ 27.497] (II) AIGLX: enabled GLX_EXT_framebuffer_sRGB
Информация [ 27.497] (II) AIGLX: enabled GLX_ARB_fbconfig_float
Информация [ 27.497] (II) AIGLX: GLX_EXT_texture_from_pixmap backed by
buffer objects
Информация [ 27.497] (II) AIGLX: enabled GLX_ARB_create_context_robustness
Информация [ 27.497] (II) AIGLX: Loaded and initialized i965
Информация [ 27.497] (II) GLX: Initialized DRI2 GL provider for screen 0
Информация [ 27.519] (II) intel(0): switch to mode 1366x768@60.0 on LVDS1
using pipe 0, position (0, 0), rotation normal, reflection none
Информация [ 27.535] (II) intel(0): Setting screen physical size to 361 x 203
Информация [ 27.652] (II) XKB: reuse xkmfile
/var/lib/xkb/server-B20D7FC79C7F597315E3E501AEF10E0D866E8E92.xkm
Информация [ 27.671] (II) config/udev: Adding input device Power Button
(/dev/input/event2)
Информация [ 27.671] (**) Power Button: Applying InputClass "evdev keyboard
catchall"
Информация [ 27.671] (II) LoadModule: "evdev"
Информация [ 27.672] (II) Loading /usr/lib/xorg/modules/input/evdev_drv.so
Информация [ 27.695] (II) Module evdev: vendor="X.Org Foundation"
Информация [ 27.695] compiled for 1.16.0, module version = 2.9.0
Информация [ 27.695] Module class: X.Org XInput Driver
Информация [ 27.695] ABI class: X.Org XInput driver, version 21.0

```

```

Информация [ 27.695] (II) Using input driver 'evdev' for 'Power Button'
Информация [ 27.695] (**) Power Button: always reports core events
Информация [ 27.695] (**) evdev: Power Button: Device: "/dev/input/event2"
Информация [ 27.696] (--) evdev: Power Button: Vendor 0 Product 0x1
Информация [ 27.696] (--) evdev: Power Button: Found keys
Информация [ 27.696] (II) evdev: Power Button: Configuring as keyboard
Информация [ 27.696] (**) Option "config_info"
"udev:/sys/devices/LNXSYSTM:00/LNXPWRBN:00/input/input2/event2"
Информация [ 27.696] (II) XINPUT: Adding extended input device "Power Button"
(type: KEYBOARD, id 6)
Информация [ 27.696] (**) Option "xkb_rules" "evdev"
Информация [ 27.696] (**) Option "xkb_model" "pc105"
Информация [ 27.696] (**) Option "xkb_layout" "us,ru"
Информация [ 27.696] (**) Option "xkb_variant" "",
Информация [ 27.696] (**) Option "xkb_options"
"grp:alt_shift_toggle,grp_led:scroll"
Информация [ 27.699] (II) XKB: reuse xkmfile
/var/lib/xkb/server-5BD46092C922CD443B4EABE4B26B5EFCDED629BD.xkm
Информация [ 27.700] (II) config/udev: Adding input device Video Bus
(/dev/input/event4)
Информация [ 27.700] (**) Video Bus: Applying InputClass "evdev keyboard
catchall"
Информация [ 27.700] (II) Using input driver 'evdev' for 'Video Bus'
Информация [ 27.700] (**) Video Bus: always reports core events
Информация [ 27.700] (**) evdev: Video Bus: Device: "/dev/input/event4"
Информация [ 27.700] (--) evdev: Video Bus: Vendor 0 Product 0x6
Информация [ 27.700] (--) evdev: Video Bus: Found keys
Информация [ 27.700] (II) evdev: Video Bus: Configuring as keyboard
Информация [ 27.700] (**) Option "config_info"
"udev:/sys/devices/LNXSYSTM:00/LNXSYBUS:00/PNP0A08:00/LNXVIDEO:00/input/input1
2/event4"
Информация [ 27.700] (II) XINPUT: Adding extended input device "Video Bus"
(type: KEYBOARD, id 7)
Информация [ 27.700] (**) Option "xkb_rules" "evdev"
Информация [ 27.700] (**) Option "xkb_model" "pc105"
Информация [ 27.700] (**) Option "xkb_layout" "us,ru"
Информация [ 27.700] (**) Option "xkb_variant" "",
Информация [ 27.700] (**) Option "xkb_options"
"grp:alt_shift_toggle,grp_led:scroll"
Информация [ 27.701] (II) config/udev: Adding input device Lid Switch
(/dev/input/event0)
Информация [ 27.701] (II) No input driver specified, ignoring this device.
Информация [ 27.701] (II) This device may have been added with another device
file.
Информация [ 27.701] (II) config/udev: Adding input device Sleep Button
(/dev/input/event1)

```

Информация [27.701] (**) Sleep Button: Applying InputClass "evdev keyboard catchall"

Информация [27.701] (II) Using input driver 'evdev' for 'Sleep Button'

Информация [27.701] (**) Sleep Button: always reports core events

Информация [27.701] (**) evdev: Sleep Button: Device: "/dev/input/event1"

Информация [27.701] (--) evdev: Sleep Button: Vendor 0 Product 0x3

Информация [27.701] (--) evdev: Sleep Button: Found keys

Информация [27.701] (II) evdev: Sleep Button: Configuring as keyboard

Информация [27.701] (**) Option "config_info"

"udev:/sys/devices/LNXSYSTM:00/LNXSYBUS:00/PNP0C0E:00/input/input1/event1"

Информация [27.701] (II) XINPUT: Adding extended input device "Sleep Button" (type: KEYBOARD, id 8)

Информация [27.701] (**) Option "xkb_rules" "evdev"

Информация [27.701] (**) Option "xkb_model" "pc105"

Информация [27.701] (**) Option "xkb_layout" "us,ru"

Информация [27.701] (**) Option "xkb_variant" "",

Информация [27.701] (**) Option "xkb_options"

"grp:alt_shift_toggle,grp_led:scroll"

Информация [27.702] (II) config/udev: Adding input device A4TECH USB Device (/dev/input/event5)

Информация [27.702] (**) A4TECH USB Device: Applying InputClass "evdev keyboard catchall"

Информация [27.702] (II) Using input driver 'evdev' for 'A4TECH USB Device'

Информация [27.702] (**) A4TECH USB Device: always reports core events

Информация [27.702] (**) evdev: A4TECH USB Device: Device: "/dev/input/event5"

Информация [27.702] (--) evdev: A4TECH USB Device: Vendor 0x9da Product 0x54f

Информация [27.702] (--) evdev: A4TECH USB Device: Found 1 mouse buttons

Информация [27.702] (--) evdev: A4TECH USB Device: Found scroll wheel(s)

Информация [27.702] (--) evdev: A4TECH USB Device: Found relative axes

Информация [27.702] (--) evdev: A4TECH USB Device: Found absolute axes

Информация [27.702] (--) evdev: A4TECH USB Device: Found absolute multitouch axes

Информация [27.702] (--) evdev: A4TECH USB Device: Found x and y absolute axes

Информация [27.702] (--) evdev: A4TECH USB Device: Found keys

Информация [27.702] (II) evdev: A4TECH USB Device: Forcing relative x/y axes to exist.

Информация [27.702] (II) evdev: A4TECH USB Device: Configuring as mouse

Информация [27.702] (II) evdev: A4TECH USB Device: Configuring as keyboard

Информация [27.702] (II) evdev: A4TECH USB Device: Adding scrollwheel support

Информация [27.702] (**) evdev: A4TECH USB Device: YAxisMapping: buttons 4 and 5

Информация [27.702] (**) evdev: A4TECH USB Device: EmulateWheelButton: 4, EmulateWheelInertia: 10, EmulateWheelTimeout: 200

Информация [27.702] (**) Option "config_info" "udev:/sys/devices/pci0000:00/0000:00:14.0/usb1/1-2/1-2.1.0/0003:09DA:054F.0001/input/input13/event5"

Информация [27.702] (II) XINPUT: Adding extended input device "A4TECH USB Device" (type: KEYBOARD, id 9)

Информация [27.702] (**) Option "xkb_rules" "evdev"

Информация [27.702] (**) Option "xkb_model" "pc105"

Информация [27.702] (**) Option "xkb_layout" "us,ru"

Информация [27.702] (**) Option "xkb_variant" "",

Информация [27.702] (**) Option "xkb_options"

"grp:alt_shift_toggle,grp_led:scroll"

Информация [27.703] (II) evdev: A4TECH USB Device: initialized for relative axes.

Информация [27.703] (WW) evdev: A4TECH USB Device: ignoring absolute axes.

Информация [27.703] (**) A4TECH USB Device: (accel) keeping acceleration scheme 1

Информация [27.703] (**) A4TECH USB Device: (accel) acceleration profile 0

Информация [27.703] (**) A4TECH USB Device: (accel) acceleration factor: 2.000

Информация [27.703] (**) A4TECH USB Device: (accel) acceleration threshold: 4

Информация [27.703] (II) config/udev: Adding input device A4TECH USB Device (/dev/input/js0)

Информация [27.703] (II) No input driver specified, ignoring this device.

Информация [27.703] (II) This device may have been added with another device file.

Информация [27.704] (II) config/udev: Adding input device A4TECH USB Device (/dev/input/event6)

Информация [27.704] (**) A4TECH USB Device: Applying InputClass "evdev pointer catchall"

Информация [27.704] (II) Using input driver 'evdev' for 'A4TECH USB Device'

Информация [27.704] (**) A4TECH USB Device: always reports core events

Информация [27.704] (**) evdev: A4TECH USB Device: Device: "/dev/input/event6"

Информация [27.760] (--) evdev: A4TECH USB Device: Vendor 0x9da Product 0x54f

Информация [27.760] (--) evdev: A4TECH USB Device: Found 20 mouse buttons

Информация [27.760] (--) evdev: A4TECH USB Device: Found scroll wheel(s)

Информация [27.760] (--) evdev: A4TECH USB Device: Found relative axes

Информация [27.760] (--) evdev: A4TECH USB Device: Found x and y relative axes

Информация [27.760] (II) evdev: A4TECH USB Device: Configuring as mouse

Информация [27.760] (II) evdev: A4TECH USB Device: Adding scrollwheel support

Информация [27.760] (**) evdev: A4TECH USB Device: YAxisMapping: buttons 4 and 5

Информация [27.760] (**) evdev: A4TECH USB Device: EmulateWheelButton: 4, EmulateWheelInertia: 10, EmulateWheelTimeout: 200

Информация [27.760] (**) Option "config_info" "udev:/sys/devices/pci0000:00/0000:00:14.0/usb1/1-2/1-2:1.1/0003:09DA:054F.0002/input/input14/event6"

Информация [27.760] (II) XINPUT: Adding extended input device "A4TECH USB Device" (type: MOUSE, id 10)

Информация [27.760] (II) evdev: A4TECH USB Device: initialized for relative axes.

Информация [27.760] (**) A4TECH USB Device: (accel) keeping acceleration scheme 1

Информация [27.760] (**) A4TECH USB Device: (accel) acceleration profile 0

Информация [27.760] (**) A4TECH USB Device: (accel) acceleration factor: 2.000

Информация [27.760] (**) A4TECH USB Device: (accel) acceleration threshold: 4

Информация [27.761] (II) config/udev: Adding input device A4TECH USB Device (/dev/input/mouse0)

Информация [27.761] (II) No input driver specified, ignoring this device.

Информация [27.761] (II) This device may have been added with another device file.

Информация [27.761] (II) config/udev: Adding input device USB2.0 UVC HD Webcam (/dev/input/event10)

Информация [27.761] (**) USB2.0 UVC HD Webcam: Applying InputClass "evdev keyboard catchall"

Информация [27.761] (II) Using input driver 'evdev' for 'USB2.0 UVC HD Webcam'

Информация [27.761] (**) USB2.0 UVC HD Webcam: always reports core events

Информация [27.761] (**) evdev: USB2.0 UVC HD Webcam: Device: "/dev/input/event10"

Информация [27.761] (--) evdev: USB2.0 UVC HD Webcam: Vendor 0x13d3 Product 0x5188

Информация [27.761] (--) evdev: USB2.0 UVC HD Webcam: Found keys

Информация [27.761] (II) evdev: USB2.0 UVC HD Webcam: Configuring as keyboard

Информация [27.761] (**) Option "config_info" "udev:/sys/devices/pci0000:00/0000:00:1a.0/usb3/3-1/3-1.3/3-1.3:1.0/input/input17/event10"

Информация [27.761] (II) XINPUT: Adding extended input device "USB2.0 UVC HD Webcam" (type: KEYBOARD, id 11)

Информация [27.761] (**) Option "xkb_rules" "evdev"

Информация [27.761] (**) Option "xkb_model" "pc105"

Информация [27.761] (**) Option "xkb_layout" "us,ru"

Информация [27.761] (**) Option "xkb_variant" "",

Информация [27.761] (**) Option "xkb_options" "grp:alt_shift_toggle,grp_led:scroll"

Информация [27.762] (II) config/udev: Adding input device HDA Intel PCH Headphone (/dev/input/event8)

Информация [27.762] (II) No input driver specified, ignoring this device.

Информация [27.762] (II) This device may have been added with another device file.

Информация [27.762] (II) config/udev: Adding input device HDA Intel PCH HDMI/DP,pcm=3 (/dev/input/event9)

Информация [27.762] (II) No input driver specified, ignoring this device.

Информация [27.762] (II) This device may have been added with another device file.

Информация [27.762] (II) config/udev: Adding input device Asus WMI hotkeys (/dev/input/event11)

Информация [27.762] (**) Asus WMI hotkeys: Applying InputClass "evdev keyboard catchall"

Информация [27.762] (II) Using input driver 'evdev' for 'Asus WMI hotkeys'

Информация [27.763] (**) Asus WMI hotkeys: always reports core events

Информация [27.763] (**) evdev: Asus WMI hotkeys: Device: "/dev/input/event11"

Информация [27.763] (--) evdev: Asus WMI hotkeys: Vendor 0 Product 0

Информация [27.763] (--) evdev: Asus WMI hotkeys: Found keys

Информация [27.763] (II) evdev: Asus WMI hotkeys: Configuring as keyboard

Информация [27.763] (**) Option "config_info"

"udev:/sys/devices/platform/asus-nb-wmi/input/input18/event11"

Информация [27.763] (II) XINPUT: Adding extended input device "Asus WMI hotkeys" (type: KEYBOARD, id 12)

Информация [27.763] (**) Option "xkb_rules" "evdev"

Информация [27.763] (**) Option "xkb_model" "pc105"

Информация [27.763] (**) Option "xkb_layout" "us,ru"

Информация [27.763] (**) Option "xkb_variant" "",

Информация [27.763] (**) Option "xkb_options"

"grp:alt_shift_toggle,grp_led:scroll"

Информация [27.763] (II) config/udev: Adding input device AT Translated Set 2 keyboard (/dev/input/event3)

Информация [27.763] (**) AT Translated Set 2 keyboard: Applying InputClass "evdev keyboard catchall"

Информация [27.763] (II) Using input driver 'evdev' for 'AT Translated Set 2 keyboard'

Информация [27.763] (**) AT Translated Set 2 keyboard: always reports core events

Информация [27.763] (**) evdev: AT Translated Set 2 keyboard: Device: "/dev/input/event3"

Информация [27.763] (--) evdev: AT Translated Set 2 keyboard: Vendor 0x1 Product 0x1

Информация [27.763] (--) evdev: AT Translated Set 2 keyboard: Found keys

Информация [27.763] (II) evdev: AT Translated Set 2 keyboard: Configuring as keyboard

```

Информация [ 27.763] (**) Option "config_info"
"udev:/sys/devices/platform/i8042/serio0/input/input3/event3"
Информация [ 27.763] (II) XINPUT: Adding extended input device "AT Translated
Set 2 keyboard" (type: KEYBOARD, id 13)
Информация [ 27.763] (**) Option "xkb_rules" "evdev"
Информация [ 27.763] (**) Option "xkb_model" "pc105"
Информация [ 27.763] (**) Option "xkb_layout" "us,ru"
Информация [ 27.763] (**) Option "xkb_variant" "",
Информация [ 27.763] (**) Option "xkb_options"
"grp:alt_shift_toggle,grp_led:scroll"
Информация [ 27.764] (II) config/udev: Adding input device ETPS/2 Elantech
Touchpad (/dev/input/event7)
Информация [ 27.764] (**) ETPS/2 Elantech Touchpad: Applying InputClass
"evdev touchpad catchall"
Информация [ 27.764] (**) ETPS/2 Elantech Touchpad: Applying InputClass
"touchpad catchall"
Информация [ 27.764] (**) ETPS/2 Elantech Touchpad: Applying InputClass
"Default clickpad buttons"
Информация [ 27.764] (II) LoadModule: "synaptics"
Информация [ 27.764] (II) Loading /usr/lib/xorg/modules/input/synaptics_drv.so
Информация [ 27.781] (II) Module synaptics: vendor="X.Org Foundation"
Информация [ 27.781]    compiled for 1.16.0, module version = 1.8.99
Информация [ 27.781]    Module class: X.Org XInput Driver
Информация [ 27.781]    ABI class: X.Org XInput driver, version 21.0
Информация [ 27.781] (II) Using input driver 'synaptics' for 'ETPS/2 Elantech
Touchpad'
Информация [ 27.781] (**) ETPS/2 Elantech Touchpad: always reports core
events
Информация [ 27.781] (**) Option "Device" "/dev/input/event7"
Информация [ 27.788] (II) synaptics: ETPS/2 Elantech Touchpad: found clickpad
property
Информация [ 27.788] (--) synaptics: ETPS/2 Elantech Touchpad: x-axis range 0 -
3249 (res 33)
Информация [ 27.788] (--) synaptics: ETPS/2 Elantech Touchpad: y-axis range 0 -
2223 (res 33)
Информация [ 27.788] (--) synaptics: ETPS/2 Elantech Touchpad: pressure range
0 - 255
Информация [ 27.788] (--) synaptics: ETPS/2 Elantech Touchpad: finger width
range 0 - 15
Информация [ 27.788] (--) synaptics: ETPS/2 Elantech Touchpad: buttons: left
double triple
Информация [ 27.788] (--) synaptics: ETPS/2 Elantech Touchpad: Vendor 0x2
Product 0xe
Информация [ 27.788] (**) Option "SoftButtonAreas" "50% 0 82% 0 0 0 0"
Информация [ 27.788] (--) synaptics: ETPS/2 Elantech Touchpad: touchpad found

```

Информация [27.788] (**) ETPS/2 Elantech Touchpad: always reports core events

Информация [27.804] (**) Option "config_info"
"udev:/sys/devices/platform/i8042/serio4/input/input11/event7"

Информация [27.804] (II) XINPUT: Adding extended input device "ETPS/2 Elantech Touchpad" (type: TOUCHPAD, id 14)

Информация [27.804] (**) synaptics: ETPS/2 Elantech Touchpad: (accel) MinSpeed is now constant deceleration 2.5

Информация [27.804] (**) synaptics: ETPS/2 Elantech Touchpad: (accel) MaxSpeed is now 1.75

Информация [27.804] (**) synaptics: ETPS/2 Elantech Touchpad: (accel) AccelFactor is now 0.051

Информация [27.804] (**) ETPS/2 Elantech Touchpad: (accel) keeping acceleration scheme 1

Информация [27.804] (**) ETPS/2 Elantech Touchpad: (accel) acceleration profile 1

Информация [27.804] (**) ETPS/2 Elantech Touchpad: (accel) acceleration factor: 2.000

Информация [27.804] (**) ETPS/2 Elantech Touchpad: (accel) acceleration threshold: 4

Информация [27.804] (--) synaptics: ETPS/2 Elantech Touchpad: touchpad found

Информация [27.805] (II) config/udev: Adding input device ETPS/2 Elantech Touchpad (/dev/input/mouse1)

Информация [27.805] (**) ETPS/2 Elantech Touchpad: Ignoring device from InputClass "touchpad ignore duplicates"

Информация [28.686] (II) intel(0): EDID vendor "SEC", prod id 13130

Информация [28.686] (II) intel(0): Printing DDC gathered Modelines:

Информация [28.686] (II) intel(0): Modeline "1366x768"x0.0 69.39 1366 1414 1446 1464 768 770 775 790 -hsync -vsync (47.4 kHz eP)

Информация [35.382] (II) XKB: reuse xkmfile
/var/lib/xkb/server-7C75F152E85183199599C3E0B919739C0EE668AA.xkm

Информация [80.355] (II) XKB: reuse xkmfile
/var/lib/xkb/server-08E792EE681C8D9A654D3C2E68412B339BB8A5FC.xkm

Информация [80.817] (II) XKB: reuse xkmfile
/var/lib/xkb/server-0283D0E0981A93500D082BE56B269EE02DA54BA7.xkm