

CANGZHOU BOJUN MACHINE IMPORT&EXPORT CO.,LTD
Address :SOUTH OF HEZHUANG VILLAGE,EAST OF DONGGUANG COUNTY HEBEI
PROVINCE,CHINA
Tel :+86 15231772580

For machine services:

1.Installation Services are available with all new machine purchases. We will provide the technical know-how for your operation smooth transition and support for installing, debug ging, operation of the machine, it will indicate you how to use this machine well.

2.We can train your staff to use new equipment systems properly. It means that we offer Customers Training, teaching how to use the systems most efficiently and safely as well as how to maintain optimal operational productivity in the condition of salary 80USD per day,also including the charge for transportation,accomodation,etc.

Machine pictures diaplay:



CANGZHOU BOJUN MACHINE IMPORT&EXPORT CO.,LTD
Address :SOUTH OF HEZHUANG VILLAGE,EAST OF DONGGUANG COUNTY HEBEI
PROVINCE,CHINA
Tel :+86 15231772580



USAGE:

Creasing and cutting machine is special equipment for creasing and cutting ordinary cardboard, corrugated board, plastic and leather. It's very applicable to printing packaging decoration and plastic industries. The machine has compact structure, in workman's hip, big pressure, high precision and easy and reliable operation etc

CANGZHOU BOJUN MACHINE IMPORT&EXPORT CO.,LTD
 Address :SOUTH OF HEZHUANG VILLAGE,EAST OF DONGGUANG COUNTY HEBEI
 PROVINCE,CHINA
 Tel :+86 15231772580

FEATURES:

High strength due to one piece casting by using top quality material for the machine body.

Smooth running, big pressure and low noise are obviously remarked as inner gear input and helical gear output mechanism is adopted.

Single plate electromagnetic clutch is sensitive and reliable.

Operational altitude is reasonably arranged, movable platen opens to its optimum.

The electrical system is designed in conformity with IEC standard.

With functions as single, continuous operation and opening dwell. And the dwell time is adjustable.

The safety system is reliable.

With concentrated lubricating system

Parameter	Unit	Model					
		TJ750	TJ930	TJ1040	TJ1100	TJ1200	TJ1300
Max. platen working area	mm	750*520	930*670	1040*720	1100*800	1200*820	1300*920
Max. gilding printing area	mm	740*510	920*660	1020*700	1080*780	1180*800	1280*900
Skip order range		Built-in Processing With Computer					
Working pressure	T	170	170	170	220	250	380
Foil-delivered length	mm	640	640	640	800	800	920
Foil-delivered groups		3	3	3	3	3	3
Working speed	time/h	1320	1320	1320	1200	1200	1020
Motor power	kw	4	5.5	5.5	5.5	5.5	7.5
Overall power	kw	13	14.5	15	19	19	32
Weight	kg	2000	3000	3200	4000	5000	5600
Overall dimensions	mm	1810×1360×1750	1860×1780×1900	1910×18600×2000	2030×1960×2060	2040×2000×2060	2140×2100×2500