


This document is no longer maintained. Please see [this document](#).

# OJS Dataverse Plugin Guide

Fig. 1 [High Level Dataverse Plugin Data Publication Workflow](#)



## Table of Contents

- [Section I: Plugin Configuration](#)
  - [Step 1: OJS version-based Dataverse plugin setup:](#)
  - [OJS: Pre 2.4 \(2.2 to 2.3.x\)](#)
  - [OJS 2.4.0-2.4.3](#)
  - [OJS 2.4.4 - 2.4.8-2](#)
  - [Step 2: General Plugin Setup \(see video for visual guide to setup\)](#)
- [Section II :](#)  
[Plugin Instructions for Authors, Editors, Reviewers and Readers](#)
  - [Instructions for Authors to Upload and Manage datasets with article submission](#)
  - [New submissions](#)
  - [2. Active submissions](#)
  - [Instructions for JMs/Editors/Reviewers to review, approve, reject datasets](#)
  - [Instructions for Readers on Finding/Using Datasets](#)

## Section I: Plugin Configuration

**IF USING OJS 2.4.2**, please note that OJS bug 8154

([http://pkp.sfu.ca/bugzilla/show\\_bug.cgi?id=8154](http://pkp.sfu.ca/bugzilla/show_bug.cgi?id=8154)) has cropped up a number of times during our internal testing due to the nature of the testing workflow. This bug has been fixed upstream in OJS 2.4.4+, but testers using their own installs of OJS 2.4.2 are encouraged to apply the patch (<https://github.com/pkp/ojs/commit/35edda89d8f89586c1bbc0dbcc298c6af4eb75a1.diff>) before testing to prevent any issues. You will also need to *remove* the ojs/plugins/generic/sword folder that is in OJS by default -- please pay attention to the [README!](#)

### Step 1: OJS version-based Dataverse plugin setup:

#### A. OJS: Pre 2.4 (2.2 to 2.3.x)

1. Setup a Dataverse for your journal. See <http://guides.dataverse.org/en/latest/user/dataverse-management.html>
2. Setup OJS Dataverse plugin. (You'll need to install manually on the server since the plugin install GUI was added only in 2.4+ versions of OJS.)
  - i. [Download the plugin](#) for your version of OJS.
  - ii. Copy "dataverseplugin.tar.gz" to the server and extract it to plugins/generic/dataverse (the easiest way to do this is by using scp and

tar -xzf, but you should probably consult your sysadmin).

- iii. Create database tables used by the plugin. From the OJS install directory, run the following command: `php tools/dbXMLtoSQL.php -schema execute plugins/generic/dataverse/schema.xml`
- iv. Then, as Journal Manager, navigate to “System Plugins” from USER HOME, then go to “Generic Plugins,” where you should see Dataverse Plugin listed. Click “ENABLE” and follow configuration steps in [Step 2](#).

#### B. OJS 2.4.0-2.4.3

1. Setup a Dataverse for your journal. See <http://guides.dataverse.org/en/latest/user/dataverse-management.html>
2. Setup OJS Dataverse plugin in your Journal: v.2.4+ allows Journal Managers to install plugins without needing server access.
  - i. [Download the plugin](#) for your version of OJS to your computer.
  - ii. As Journal Manager, navigate to “System Plugins” from USER HOME. Click “Install a New Plugin” and upload Dataverse plugin from your computer using the form.
  - iii. Go to “Generic Plugins,” where you should see Dataverse Plugin listed. If it is not already enabled, click “ENABLE.” Then follow configuration steps in Step 2 “General Plugin Setup” below.

#### C. OJS 2.4.4 - 2.4.8-2

The dataverse plugin is automatically installed; proceed with [Plugin Setup](#) below.

## DRIVER

The DRIVER plugin extends the OAI-PMH interface according to the DRIVER Guidelines 2.0, helping OJS journals to become DRIVER compliant.

[ENABLE](#) [UPGRADE PLUGIN](#) [DELETE PLUGIN](#)

## Thesis Abstracts

Solicit and publish thesis abstracts.

[ENABLE](#) [UPGRADE PLUGIN](#) [DELETE PLUGIN](#)

## Dataverse Plugin

Deposit data sets and/or other supplementary files to a Dataverse.

[ENABLE](#) [UPGRADE PLUGIN](#) [DELETE PLUGIN](#)

## Thesis Abstracts Feed Plugin

This plugin produces RSS/Atom web syndication feeds for thesis abstracts.

[ENABLE](#) [UPGRADE PLUGIN](#) [DELETE PLUGIN](#)

### Step 2: General Plugin Setup (see [video](#) for visual guide to setup)

After installing and enabling the plugin, begin with the “CONNECT” tab under the plugin heading:

1. Enter the base URL of the main Dataverse repository
  - a. For example, enter *<https://dataverse.harvard.edu/>* or *<https://dataverse.unc.edu/>*.
  - b. Do not enter the link the dataverse you’ve created within the repository (e.g. *<https://dataverse.harvard.edu/yourdataverse.xhtml>* or *<https://dataverse.unc.edu/yourdataverse.xhtml>*)
2. In the username field, enter:
  - a. A Dataverse API key<sup>1</sup> to connect to Dataverse 4.x repositories (leave the password field empty), or
  - b. A username and password to connect to Dataverse 3.x repositories
3. Click on “Save and Continue”
4. Go to the “SELECT DATAVERSE” tab. You should see a list of dataverses within the linked Dataverse repository; select the one you would like to connect your OJS journal to, and press “Save and Continue.”

---

<sup>1</sup> How to get your Dataverse API token:

<http://guides.dataverse.org/en/latest/user/account.html?highlight=api#api-token>

5. If you do not see a list of dataverses, please contact Dataverse Support at [support@dataverse.org](mailto:support@dataverse.org) for assistance -- you need this part to work in order to continue with the setup!
6. Finally, go to the “SETTINGS” tab. The “SETTINGS” tab has four sections to configure settings related to the journal’s data policies, terms of use governing the journal’s dataverse, dataset metadata options, and workflow options.
  - a. The “Data Policies” section includes a field to describe the journal’s Data Availability Policy. Information entered here is available to journal readers in the “Policies” section of the journal’s “ABOUT” page. Following the data availability policy field is a list of links to other journal policies, configured during journal setup, which may be edited to include data policy information as needed.
  - b. The “Terms of Use” section offers the option of retrieving (i.e., copying) terms of use information from the Dataverse configured for the journal. Alternatively, you can choose to enter a new terms of use statement in the field provided. Terms of use are presented to authors when submitting datasets to the journal’s Dataverse.
  - c. The “Metadata Settings” section allows you to configure the format of an article’s publication citation and persistent link (“Public identifier”) displayed in the “Cataloguing Information” section of a Dataverse study. The public identifier type field displays a list of OJS Public Identifier plugins enabled for the journal (e.g., DOI). If none are enabled, cataloguing information will include a direct link to the article in OJS, once the article has been published.
  - d. The “Workflow Settings” section allows you to toggle a) when OJS authors are asked to provide datasets, b) whether datasets are required, and c) the action that triggers the release of draft Dataverse studies: when a submission is accepted for publication, or when the submission is published.

# Final Revision Plugin Testing

[HOME](#) [ABOUT](#) [USER HOME](#) [SEARCH](#) [CURRENT](#) [ARCHIVES](#)

[Home](#) > [User](#) > [Journal Management](#) > **Dataverse Plugin**

## Dataverse Plugin

[CONNECT](#) [SELECT DATAVERSE](#) **[SETTINGS](#)**


### Data Policies

Configure data policies.

#### Data Availability Policy

General data availability policy for the journal. This will appear in About the Journal.

Final Revision Plugin Testing requires, as a condition for publication, that data supporting the results in the paper should be archived in an appropriate public archive. Final Revision Plugin Testing recommends the [Harvard Dataverse](#), which is free and open to all researchers worldwide to share, cite, reuse and archive research data. Data are important products of the scientific enterprise, and they should be preserved and usable for decades in the future. Authors may elect to have the data publicly available at time of publication. Exceptions may be granted at the discretion of the editor, especially for sensitive information such as human subject data or the location of endangered species. Any exceptions should be documented in a statement in the public article. (Adapted from [Joint Data Archiving Policy](#) (JDAP)).



### Section Policies

Add data policies for specific journal sections.

- [Articles](#)

### Author Guidelines

Edit [Author Guidelines](#) to include data submission and citation guidelines.

▶ [Example author guidelines](#) [Show example data submission and citation guidelines](#)

### Submission Preparation Checklist

Edit [Submission Preparation Checklist](#) to help authors comply with data submission and citation guidelines.

▶ [Submission preparation checklist examples](#) [Show example checklist items for submissions with datasets](#)

Edit [Review Guidelines](#) to include instructions for reviewing datasets.

▶ Example review guidelines [Show example guidelines for reviewing datasets](#)

## Copyedit Instructions

Edit [Copyedit Instructions](#) to include instructions for datasets.

▶ Example copyedit instructions [Show examples of copyediting instructions for datasets](#)


---

## Terms of Use

Provide the terms of use to which users must agree before depositing data files.

- ☐ Fetch terms of use from the Dataverse set up for this journal.
- ☒ Enter custom terms of use in the field below.

Here are some terms



---

## Metadata Settings

Citation format APA Citation Style ▼

\*

Choose format of publication citation displayed in study cataloguing information.

Public identifier type ▼

Choose type of public identifier to link to article from publication citation. If no [public identifier plugins](#) are enabled, citations for published articles will use OJS URLs.

---

## Workflow Settings

Require data files ☐ Require submissions to include data files deposited in Dataverse.

Release draft studies Editor accepts submission ▼

Save Cancel

\* Denotes required field

### Step 3: Displaying the “Data Citation” block

[Data citations](#) for published articles are displayed in a content block in the left or right sidebar.

# New England Journal of Coffee

[HOME](#)
[ABOUT](#)
[USER HOME](#)
[SEARCH](#)
[CURRENT](#)
[ARCHIVES](#)

Home > No 1 > **Author**

## Author submission with supplementary files

*Jen Author*

### Abstract

Author submits article with one or more supplementary files selected for deposit in journal's Dataverse.

Author edits metadata. Study cataloguing information is also updated.

Editor edits metadata. Study cataloguing information updated again.

### Full Text:

[PDF](#)

#### DATA CITATION

Author, Jen, "Author submission with supplementary files", <http://dx.doi.org/10.5072/FK2/MKCH6V2> [Version]

#### KEYWORDS

[keyword 1](#) [keyword 2](#)  
[keyword 3](#) [keyword 4](#)

#### USER

You are logged in as...  
**admin**

- [My Journals](#)
- [My Profile](#)
- [Log Out](#)

#### NOTIFICATIONS

- [View](#) (27 new)
- [Manage](#)

#### JOURNAL CONTENT

Search

All

Search

#### Browse

- [By Issue](#)
- [By Author](#)
- [By Title](#)
- [Other Journals](#)

FONT SIZE

## Section II :

## Plugin Instructions for Authors, Editors, Reviewers and Readers

### Instructions for Authors to Upload and Manage datasets with article submission

#### 1. New submissions

- From the "USER HOME" tab, click the link under "Start a New Submission."
- Follow the submission process until "Step 3. Entering the Submission's Metadata." Submission metadata is used to populate the Dataverse study's cataloguing information.
- Proceed to "Step 4. Uploading Supplementary Files." Click the "Choose File" button to select a data file to upload, then click the "Upload" button. The resulting page, "Step 4a. Add a Supplementary File" provides fields to describe the uploaded file. If provided, keywords and filetype are included in cataloguing information when a Dataverse study is created for this submission. **In the section labelled "Dataverse," click the checkbox to indicate you agree with**



**the terms of use and want to deposit the uploaded file in Dataverse upon completion of the submission. If the “Deposit file” option is not checked, the uploaded file will be saved as a supplementary file but will not be deposited in Dataverse.**

- d. In the “Study Description” text box, provide a summary of the purpose, nature, and scope of study data. If a study description is not provided, the submission's abstract will be included in cataloguing information when the study is created.
- e. If the data to be published with the submission has already been deposited in a repository, provide a data citation in the “External Data Citation” text box. **A submission may include data files for deposit in Dataverse OR an external data citation.**
- f. Click “Save and continue” to return to step 4, “Upload Supplementary Files,” to upload additional data files.
- g. When you have finished uploading data files, click “Save and continue” to proceed to “Step 5. Confirming the Submission.” If you have completed the submission, click the “Finish Submission” button. A Dataverse study (in unpublished draft mode) will be created from the submission and will include any supplementary files that have been selected for deposit in Dataverse.

## **2. Active submissions**

- a. You can edit metadata of active submissions and you may upload additional data files. From “USER HOME,” click the linked title of an active submission.
- b. To edit submission metadata, scroll to the “Submission Metadata” section of the submission summary page and click “EDIT METADATA.” Updating submission metadata will also update cataloguing information for the corresponding Dataverse study.
- c. To upload additional data files, click “ADD A SUPPLEMENTARY FILE” in the “Submission” section at the top of the submission summary page. Proceed as described in “New Submissions” section 1.c above. The uploaded file will be deposited immediately in a the submission's Dataverse study. (If a study does not exist for the submission, a new study is created.)

## Step 4a. Add a Supplementary File

1. START 2. UPLOAD SUBMISSION 3. ENTER METADATA 4. **UPLOAD SUPPLEMENTARY FILES** 5. CONFIRMATION

[<< Back to Supplementary Files](#)

### Supplementary File Metadata

To index this supplementary material, provide the following metadata for the uploaded supplementary file.

Title *	<input type="text" value="Untitled"/>
Creator (or owner) of file	<input type="text"/>
Keywords	<input type="text"/>
Type	<div>Research Instrument </div>
Brief description	<div>Specify other <input type="text"/></div> <div></div>
Publisher	<input type="text"/>
Contributor or sponsoring agency	<input type="text"/>
Date	<div><input type="text" value="2015-02-24"/> <input type="text" value="YYYY-MM-DD"/></div> <div>Date when data was collected or instrument created.</div>
Source	<input type="text"/>
Language	<div><input type="text"/></div> <div>Name of study or other point of origin.</div>

English=en; French=fr; Spanish=es. [Additional codes.](#)

### Dataverse Plugin: Publish Data

Research data can be submitted for publication by depositing supplementary files in the journal's Dataverse or by supplying a citation to data already in a repository.

- ☒ Treat uploaded file as supplementary file. File **will not** be deposited in Dataverse.
- ☐ Deposit file in Dataverse. Author accepts and agrees to Dataverse [terms of use](#).

### Study Description

Provide a summary of the purpose, nature, and scope of study data.

### External Data Citation

If the data to be published with this submission is already in a different repository, please provide a data citation.

### Supplementary File

File Name [26-109-1-SP.csv](#)  
Original file name ca-500.csv  
File Size 86KB  
Date uploaded 2015-02-24 04:34 PM

☐ Present file to reviewers (without metadata), as it will not compromise blind review.

Replace file

\* Denotes required field

## Instructions for JMs/Editors/Reviewers to review, approve, reject datasets

1. Editors can review datasets from the submission summary page. The “Submission” section at the top of the summary page lists supplementary files uploaded with a submission. Supplementary files that have been deposited in Dataverse have a Data Citation with a link to its Dataverse study. Editors can:
  - i. delete a supplementary file, which removes it from OJS and the Dataverse study;
  - ii. edit the file to change whether or not it should be deposited in Dataverse. The data file is added to or removed from the submission’s study according to the “Deposit in Dataverse” checkbox on the supplementary file form.
  - iii. upload additional data files to the submission’s study. (A new study is created if one does not already exist for the submission.)
2. If an editor rejects an author’s submission as unsuitable, or declines to accept it, the draft study created for the submission is deleted.
3. Draft studies are released when an editor accepts a submission for publication OR when the article is published, according to the workflow options configured for the plugin. Note: If this is the first study released in your Dataverse a notification is sent to all JMs prompting them to release their Journal Dataverse for it to be made public (see further instructions in the next two steps). You can also see this in the OJS UI on the right-hand sidebar by clicking the “View(#)” link under “Notifications”.
4. To verify that the **study has been released** in your Journal’s Dataverse: go to the “Submission Summary” page, find the Data Citation and click on the DOI URL where you will be prompted to put in your Dataverse username and password. Note: Please wait at least 30 minutes to click on the DOI URL, in order to give the DOI registry enough time to properly register this persistent identifier.
5. **Releasing a Dataverse (one-time):** [with 2.4.6 you will no longer need to leave OJS to release a Dataverse, as it is done automatically via the API]  
*For versions 2.4.5 and under:* If this is your **first released study**, and you would like to make this Dataverse **public** the next step is to “Release” your Dataverse. You will also receive an email notification to this effect from OJS.
  - a. If you are logged into your Dataverse you can release it by clicking on the red circle with an exclamation point located to the right of your Dataverse name (see

screenshot below).

**Test the OJS Dataverse** !

**TESTING OJS DATAVERSE**  
doi:10.5072/FK2/10503

**DRAFT Study Version: 1 – No Released Vers**  
Created: Tue Nov 12 11:43:43 EST 2013 – La

**Unreleased Dataverse**  
Your dataverse is currently set to Not Released, and will not be featured on the network homepage until it is released. To release the dataverse, click this icon, to go to the Dataverse Settings page.

- b. Next, under the Settings > General tab, locate “Dataverse Release Settings” and select “Released”. Then, click on the “Save Changes” button at the bottom of the page. Your Dataverse is now released!

**Test the OJS Dataverse** !

Studies Collections Templates Permissions **SETTINGS**

General Advanced Customization Promote Your Dataverse

**i** Enter or change any field to edit your Dataverse settings. The classifica you change the Dataverse Alias field, the URL for your Dataverse changes

Dataverse Release Settings **Released**

Dataverse Name \* Test the OJS

## Instructions for Readers on Finding/Using Datasets

A “[Data Citation](#)” is displayed in a Citation Block:

- [sidebar of published article’s landing page](#)
- [next to published articles](#)

The data citation is linked to the article’s Dataverse study. Click the link to review the study and dataset in the journal’s Dataverse.