

JUGGERNAUT USA

OFFROAD OUTFITTERS

PRIME DESIGNS SPARE TIRE RACK AND LADDER INSTALL INSTRUCTIONS

Thanks for purchasing our spare tire mount and ladder! Please let us know if you have any issues or questions!

Feel free to call or text (970) 341-4221 or email sales@juggernautusa.com

- 1. Follow instructions to install Prime Designs Ladder on your rear door of choice.
 - a. Install Instructions: https://www.primedesign.net/?wpdmdl=7458



2. Choose the desired height to mount the spare tire mount at.



3. The only position that won't work is the rung with the label since the ladder does bend at this point.



- 4. Place the top U-Bolts so that wrap around the side supports and rest down on top of the rung of choice.
- 5. Tighten nylock nuts so that the rack is snug and doesn't move independent of the ladder.
- 6. Install spare tire with lug nuts
- 7. To install the license plate relocation kit (if purchased), bolt it to the ladder in the position shown.




8. Open the rear drivers door to access the inside panel

9. Remove the push clips that hold on the plastic for the door.





10. Once all clips are removed, remove both the panel cover and any insulation in the door. On some builds, the insulation is glued to the door panel and requires a bit of force to remove.



11. Then pry out the right most license plate light cover from the left side and drill a hole large enough for the wire to pass through.



- 12. Fish the wire up through the hole and use the included wire taps to tap into the existing license plate light wiring. Some of the sheathing may need to be removed. Turn on headlights and make sure the light works.
- 13. Then seal up then put the panel back on the door.
- 14. You're all set! Safe travels

Disclaimer: The products sold by Juggernaut USA LLC are intended for off–road use only, should not be modified, and are for use only on the vehicle(s) specifically stated. Juggernaut USA LLC makes no warranties express or implied, including of fitness for a particular purpose or merchantability. Juggernaut USA LLC will not be liable for any damages arising out of the use or misuse of its products. It is the customers' responsibility to ensure the products are safely and properly attached to the vehicle, and all products should be installed by trained professionals. We strive to maintain extremely high quality standards; however, all Juggernaut USA LLC products are individually handcrafted, may vary slightly, and may contain minor imperfections. Juggernaut USA LLC is constantly seeking to improve its products and reserves the right to make changes to any product.