



Manuscript Template for AUSMT

Author A¹, Author B², and Author C^{2, *}

¹Affiliation of Author A

²Affiliation of Author B and Author C

(Received 30 December 2010) ←Write the date on which you submitted your paper for review.

*Corresponding author: author_c@email ←Write Email address of the corresponding author, which is Author C in this example.

DOI: 10.5875/ausmt.vxix.xx ←DOI will be assigned once your paper passes the review process.

Abstract: The abstract should contain no more than 200 words. It should indicate the techniques used and summarize the most important results. Define all symbols and abbreviation used in the abstract. Do not cite references in the abstract.

Keywords: 3 to 6 keywords or phrases in alphabetical order, separated by semicolon. For example: Automation; Smart Living Technology.

Introduction

To facilitate the publishing process, please use this template to prepare your manuscript. If your manuscript has already been created, cut and paste from another document and use markup styles in this template. The pull-down style menu is at the left of the Formatting Toolbar at the top of your *Word* window (for example, the style at this point in the document is "Text"). Highlight a section that you want to designate with a certain style, and then select the appropriate name on the style menu. The style will adjust your fonts and line spacing. Do not change the font sizes or line spacing to squeeze more text into a limited number of pages.

Indent 5 spaces for every paragraph. Use only one space following periods (.), commas (,), semicolons (;), colons (:), exclamation points (!), and quotation marks (?). Use no spaces on either side of a hyphen (-). Use *Italics*, **Bold** or **Bold-Italic** for emphasis; do not underline.

Section Title (Section_Title style)

The font style for all titles and the Author names is "Cambria." The font style in text, Figures and Tables is "Calibri," except for the Greek alphabets. Use "Symbol" font style for Greek alphabets.

Sub-section Title (sub_Section_Title style)

For lower sections to be included in the sections, apply the **sub_Section_Title** style to the section title.

Sub-Section Title (sub_sub_Section_Title style)

For even lower sections to be included in the sub-sections, apply the **sub_sub_Section_Title** style to the section title.

Figures and Tables

All figures and tables should be numbered consecutively and given suitable captions. Apply the **Figure&Table** style to both figures, and captions of the figures and tables. Place figure captions below the



figures; place table captions above the tables. Captions should start with “Figure 1.” or “Table 1.” Use “Figure 1” or “Table 1” when quoted in text. Do not abbreviate Figure and Table in the captions and in the text. Place a column break before and after the tables and figures. Examples are shown in Figure 1 and Table 1.

You do not need to position figures and tables at the top and bottom of each column. **All figures, figure captions, and tables can be at the end of the paper. Large figures and tables may span both columns.** Please do not include captions as part of the figures. Also, please do not put captions in “text boxes” linked to the figures, and do not put borders around the outside of your figures.




Figure 1. Zoom icons in simulated web map interfaces: (a) zoom-in and (b) zoom-out.

Table 1. The comparison of alternative journal systems

Variables	Methods ^a		
		A	B
Subjective Experience			
Degree of Simplicity ^b	Mean	77.46 ^{c, d}	71.08 ^c
	SD	18.25	18
Overall Satisfaction ^b	Mean	61.92 ^c	64.33 ^c
	SD	19.3	19

a: journal systems.

b: Significant differences at $\alpha=0.05$.

c, d: Values with the same letter are not significantly different.

Format and save your graphic images using a suitable graphics processing program that will allow you to create the images as Post Script (PS), Encapsulated PostScript (EPS), Tagged Image File Format (TIFF), Portable Network Graphics (PNG), Joint Photographic Experts Group sizes them (JPEG), and adjusts the resolution settings. You will be able to submit the graphics without converting If you created your source files in one of the following formats: Microsoft Word, Microsoft PowerPoint, Microsoft Excel, Microsoft Vision or Portable Document Format (PDF).

The minimum published size of 6-point for lettering and 0.5-point width for lines. Ensure that lettering and lines are dark enough, and thick enough to reproduce clearly. Image quality is very important to how yours graphics will reproduce. Even though we can accept graphics in many formats, we cannot improve your

graphics if they are poor quality when we receive them. If your graphic looks low in quality on your printer or monitor, please improve the quality before submission.

Figure axis labels are often a source of confusion. Use words rather than symbols. As an example, write the quantity “Velocity” or “Velocity V ,” not just “ V ” Put units in parentheses. Do not label axes only with units. For example, write “Velocity (m/s)” or “Velocity ($\text{m} \cdot \text{s}^{-1}$),” not just “m/s.” Do not label axes with a ratio of quantities and units. For example, write “Length (m),” not “Length /m”.

Multipliers can be especially confusing. Write “Weight (kg)” or “Weight (10^3g).” Do not write “Weight ($\text{g} \times 1000$)” because the reader would not know whether the label meant 1000g or 0.001g. Figure labels should be legible, approximately 6 to 12 point type. **Keep in mind that the font style in Figures should be “Calibri,” except for Greek alphabets, which is “Symbol” instead.**

MATH

If you are using *Word*, *MathType* add-on (<http://www.mathtype.com>) is preferred for editing your equations in your paper. (Insert | Object | Create New | MathType Equation). “Float over text” should *not* be selected.

Number equations consecutively with equation numbers in parentheses flush with the right margin, as in (1). First use the *MathType* to create the equation. **Remember to redefine the primary font style to “Calibri” and keep the Greek and math fonts as “Symbol and MT Extra” in *MathType*. Size down the default full size to 10pt.** You may adopt the equation preference in Equation (1) to all the other equations by simply saving the preference in Equation (1) to a separate file (Preferences | Equation Preferences | Save to File). *MathType* gets formatting function that could reformat all equations in the whole document to an assigned equation preference. After the equation is created in correct style, select the **Equation** markup style in *Word*. Press the tab key and write the equation number in parentheses. Place a column break before and after every equation. Punctuate equations when they are part of a sentence, as in

$$\int_0^{r_2} F(r, \phi) dr d\phi = [\sigma r_2 / (2\mu_0)]. \quad (1)$$

Be sure that the symbols in your equation have been defined before the equation appears or immediately following. **Remember to keep the style of symbols consistent in the text and in the equation.** For



example, variables are set in italic; vectors and matrices are usually boldface. Refer to “(1)” or “Equation (1)” in the text. At the beginning of a sentence, use Equation (1): “Equation (1) is ...”

Units

Use either SI (MKS) or CGS as primary units. (SI units are strongly encouraged.) English units may be used as secondary units (in parentheses). **This applies to papers in data storage.** For example, write “15 Gb/cm² (100 Gb/in²).” An exception is when English units are used as identifiers in trade, such as “3½-in disk drive.” Avoid combining SI and CGS units, such as current in amperes and magnetic field in Oersteds. This often leads to confusion because equations do not balance dimensionally. If you must use mixed units, clearly state the units for each quantity in an equation.

The SI unit for magnetic field strength H is A/m. However, if you wish to use units of T, either refer to magnetic flux density B or magnetic field strength symbolized as $\mu_0 H$. Use the center dot to separate compound units, e.g., “A·m².”

Citation

The list of references should only include works that are cited in the text and that have been published or accepted for publication. Make sure that the format of the reference list is in accordance with the IEEE styles, referring to

<http://www.ieee.org/documents/ieeecitationref.pdf>.

Except for that please provide full name of the journal title and conference name. There is no need to abbreviate. In addition, **Authors are requested to add Digital Object Identifier (DOI) for each citation if available.**

Each reference is indicated by a number enclosed in square brackets, eg. [1] or [26], placed in the text. Citations should be numbered in the order in which they appear in the text and should correspond to a numbered reference containing publication information about the source cited in the reference list at the end of the publication. Once a source has been cited, the same number should be used in all subsequent references. Each reference number should be enclosed in square brackets on the same line as the text, before any punctuation, with a space before the bracket. Multiple

references [2, 3] are numbered with only one bracket [1-3]. When citing a section in a book, please give the relevant page numbers [2]. In sentences, refer simply to the reference number, as in [3] or “reference [3].” At the beginning of a sentence, you have to use “Reference [3] shows”

Please note that the references at the end of this document are in the preferred referencing style. Give all authors’ names; do not use “*et al.*” unless there are six authors or more. Use a space after authors’ initials. Papers that have not been published should be cited as “unpublished” [4]. Papers that have been accepted for publication, but not yet specified for an issue should be cited as “to be published” [5]. Papers that have been submitted for publication should be cited as “submitted for publication” [6].

Capitalize only the first word in a paper title, except for proper nouns and element symbols.

Abbreviations and Acronyms

Define abbreviations and acronyms the first time they are used in the text, even after they have already been defined in the abstract. Abbreviations such as SI, ac, and dc do not have to be defined. Abbreviations that incorporate periods should not have spaces: write “C.N.R.S.,” not “C. N. R. S.” Do not use abbreviations in the title unless they are unavoidable (for example, “AUSMT” in the title of this article).

Other Recommendations

Use one space after periods and colons. Avoid dangling participles, such as, “Using (1), the potential was calculated.” [It is not clear who or what used (1).] Write instead, “The potential was calculated by using (1),” or “Using (1), we calculated the potential.”

Use a zero before decimal points: “0.25,” not “.25.” Use “cm³,” not “cc.” Indicate sample dimensions as “0.1 cm × 0.2 cm,” not “0.1 × 0.2 cm².” The abbreviation for “seconds” is “s,” not “sec.” Do not mix complete spellings and abbreviations of units: use “Wb/m²” or “webers per square meter,” not “webers/m².” When expressing a range of values, write “7 to 9” or “7-9,” not “7~9.”

A parenthetical statement at the end of a sentence is punctuated outside of the closing parenthesis (like this). In American English, periods and commas are within quotation marks, like “this period.” Colons and semicolons are outside. Question marks and exclamation points: (a) inside if the question or exclamation is part of the quotation, and (b) outside if the question or exclamation is not part of the quotation. Avoid contractions; for example, write “do not” instead of



“don’t.” The serial comma is preferred: “A, B, and C” instead of “A, B and C.”

If you wish, you may write in the first person singular or plural and use the active voice (“I observed that ...” or “We observed that ...” instead of “It was observed that ...”). Remember to check spelling. If your native language is not English, please get a native English-speaking colleague to carefully proofread your paper.

Some Common Mistakes

The word “data” is plural, not singular. The subscript for the permeability of vacuum μ_0 is zero, not a lowercase letter “o.” The term for residual magnetization is “remanence”; the adjective is “remanent”; do not write “remnance” or “remnant.” Use the word “micrometer” instead of “micron.” A graph within a graph is an “inset,” not an “insert.” The word “alternatively” is preferred to the word “alternately” (unless you really mean something that alternates). Use the word “whereas” instead of “while” (unless you are referring to simultaneous events). Do not use the word “essentially” to mean “approximately” or “effectively.” Do not use the word “issue” as a euphemism for “problem.” When compositions are not specified, separate chemical symbols by en-dashes; for example, “NiMn” indicates the intermetallic compound $\text{Ni}_{0.5}\text{Mn}_{0.5}$ whereas “Ni–Mn” indicates an alloy of some composition $\text{Ni}_x\text{Mn}_{1-x}$.

Be aware of the different meanings of the homophones “affect” (usually a verb) and “effect” (usually a noun), “complement” and “compliment,” “discreet” and “discrete,” “principal” (e.g., “principal investigator”) and “principle” (e.g., “principle of measurement”). Do not confuse “imply” and “infer.”

Prefixes such as “non,” “sub,” “micro,” “multi,” and “ultra” are not independent words; they should be joined to the words they modify, usually without a hyphen. There is no period after the “et” in the Latin abbreviation “*et al.*” (it is also italicized). The abbreviation “i.e.” means “that is,” and the abbreviation “e.g.” means “for example” (these abbreviations are not italicized).

An excellent style manual and source of information for science writers is [8].

Editorial Policy

Do not submit a reworked version of a paper you have submitted or published elsewhere. Do not publish “preliminary” data or results. The submitting author is responsible for obtaining agreement of all coauthors and any consent required from sponsors before submitting a paper. AUSMT strongly discourage courtesy authorship. It

is the obligation of the authors to cite relevant prior work.

Conclusion

A conclusion section is not required. Although a conclusion may review the main points of the paper, do not replicate the abstract as the conclusion. A conclusion might elaborate on the importance of the work or suggest applications and extensions.

Appendix

Appendices, if needed, appear before the acknowledgment.

Acknowledgment

The preferred spelling of the word “acknowledgment” in American English is without an “e” after the “g.” Use the singular heading even if you have many acknowledgments. Acknowledgement of people who contributed to the work and financial supports from government agencies or other sponsors is listed before the References section.

References

- [1] G. O. Young, “Synthetic structure of industrial plastics (Book style with paper title and editor),” in *Plastics*, 2nd ed. vol. 3, J. Peters, Ed. New York: McGraw-Hill, 1964, pp. 15–64.
- [2] W. K. Chen, *Linear Networks and Systems* (Book style). Belmont, CA: Wadsworth, 1993, pp. 123–135.
- [3] H. Poor, *An Introduction to Signal Detection and Estimation*. New York: Springer-Verlag, 1985, ch. 4.
- [4] B. Smith, “An approach to graphs of linear forms (Unpublished work style),” unpublished.
- [5] E. H. Miller, “A note on reflector arrays (Periodical style—Accepted for publication),” *IEEE Transactions on Antennas and Propagation*, to be published.
- [6] J. Wang, “Fundamentals of erbium-doped fiber amplifiers arrays (Periodical style—Submitted for publication),” *IEEE Journal of Quantum Electronics*, submitted for publication.
- [7] C. J. Kaufman, Rocky Mountain Research Lab., Boulder, CO, private communication, 1995.
- [8] M. Young, *The Technical Writers Handbook*. Mill Valley, CA: University Science, 1989.
- [9] J. U. Duncombe, “Infrared navigation—Part I: An assessment of feasibility (Periodical style),” *IEEE*



- Transactions on Electron Devices*, vol. ED-11, pp. 34–39, 1959.
- [10] S. Chen, B. Mulgrew, and P. M. Grant, “A clustering technique for digital communications channel equalization using radial basis function networks,” *IEEE Transactions on Neural Networks*, vol. 4, pp. 570–578, 1993.
doi: [10.1109/72.238312](https://doi.org/10.1109/72.238312)
- [11] R. W. Lucky, “Automatic equalization for digital communication,” *Bell System Technical Journal*, vol. 44, no. 4, pp. 547–588, 1965.
doi: [10.1109/PROC.1965.3546](https://doi.org/10.1109/PROC.1965.3546)
- [12] S. P. Bingulac, “On the compatibility of adaptive controllers (Published Conference Proceedings style),” in *4th Annual Allerton Conference on Circuits and Systems Theory*, New York, 1994, pp. 8–16.
- [13] G. R. Faulhaber, “Design of service systems with priority reservation,” in *IEEE International Conference on Communications, 1995*, pp. 3–8.
- [14] W. D. Doyle, “Magnetization reversal in films with biaxial anisotropy,” in *IEEE International Magnetics Conference (InterMag), 1987*, pp. 2.2-1–2.2-6.
doi: [10.1109/TMAG.1966.1065802](https://doi.org/10.1109/TMAG.1966.1065802)
- [15] G. W. Juette and L. E. Zeffanella, “Radio noise currents in short sections on bundle conductors (Presented Conference Paper style),” presented at the IEEE Summer power Meeting, Dallas, TX, June 22–27, 1990, Paper 90 SM 690-0 PWRS.
- [16] J. G. Kreifeldt, “An analysis of surface-detected EMG as an amplitude-modulated noise,” presented at the International Conference on Medicine and Biological Engineering, Chicago, IL, 1989.
- [17] J. Williams, “Narrow-band analyzer (Thesis or Dissertation style),” Ph.D. dissertation, Department of Electrical Engineering, Harvard University, Cambridge, MA, 1993.
- [18] N. Kawasaki, “Parametric study of thermal and chemical nonequilibrium nozzle flow,” M.S. thesis, Department of Electron Engineering, Osaka University, Osaka, Japan, 1993.
- [19] J. P. Wilkinson, “Nonlinear resonant circuit devices (Patent style),” US Patent 362412, 1990.
- [20] *IEEE Criteria for Class IE Electric Systems* (Standards style), IEEE Standard 308, 1969.
- [21] *Letter Symbols for Quantities*, ANSI Standard Y10.5-1968.
- [22] R. E. Haskell and C. T. Case, “Transient signal propagation in lossless isotropic plasmas (Report style),” USAF Cambridge Research Laboratory, Cambridge, MA Rep. ARCRL-66-234 (II), 1994, vol. 2.
- [23] E. E. Reber, R. L. Michell, and C. J. Carter, “Oxygen absorption in the Earth’s atmosphere,” Aerospace Corp., Los Angeles, CA, Technical Report TR-0200 (420-46)-3, 1988.
- [24] (Handbook style) *Transmission Systems for Communications*, 3rd ed., Western Electric Co., Winston-Salem, NC, 1985, pp. 44–60.
- [25] *Motorola Semiconductor Data Manual*, Motorola Semiconductor Products Inc., Phoenix, AZ, 1989.
- [26] (Basic Book/Monograph Online Sources) J. K. Author. (year, month, day). *Title* (edition) [Type of medium]. Volume (issue). Available: <http://www.URL> [Accessed: date of access]
- [27] J. Jones. (1991). *Networks* (2nd ed.) [Online]. Available: <http://www.atm.com> [Accessed: 30 January 2009]
- [28] (Journal Online Sources style) K. Author. (year). *Title. Journal* [Type of medium]. Volume(issue), paging if given. Available: <http://www.URL> [Accessed: 30 January 2009]
- [29] R. J. Vidmar. (1992). On the use of atmospheric plasmas as electromagnetic reflectors. *IEEE Transactions on Plasma Science*, [Online]. 21(3). pp. 876–880. Available: <http://www.halcyon.com/pub/journals/21ps03-vidmar> [Accessed: date of access]






Figure 1. Zoom icons in simulated web map interfaces: (a) zoom-in and (b) zoom-out.