

Data Inventaris Pompa di Kawasan Sains dan Edukasi (KSE) Achmad Baiquni Babarsari

No	Lokasi	Keterangan	Spesifikasi	Dokumentasi
1	Dormitory Baru pompa Atas belum terkoneksi	Pompa	Merk : BOLOGNA Type : BLA 132S-2	
				

			Merk : EBARA Type : ... 20025 EJ	 A close-up photograph of the blue motor housing of an EBARA pump. A white label is affixed to the motor, displaying technical specifications and safety information. The label includes the EBARA logo, a CE mark, and various numerical values for flow rate, head, and power. The date '25/03/2022' is visible in the top right corner of the image.
				 A close-up photograph of the blue motor housing of an EBARA pump, similar to the first image. The white label with technical specifications is visible. The date '2026/02/03' is visible in the bottom left corner of the image.
				 A photograph showing two blue EBARA pumps mounted on a blue metal base. The pumps are connected to a network of blue pipes. The date '2024/02/03 09:51' is visible in the bottom left corner of the image.

2	Gedung 16	Terdapat sumur gali dan sumur bor dan terdapat 2 pompa sebelah kanan sumur gali tidak di pakai karena sumur tidak ada air	Merk : SHARP Type : SPS-306JP	
				
3	Gedung 05			

				
4	Masjid			 

5

NDT/Betatron


Pompa semi jet pump

Merk : SHIMIZU
Type : PG-375 BIT

Merk : GRUNDFOS



			Model : SANYO No. Model : PD-WH200B	
				
6	Pompa Asrama Lama	terdapat 5 pompa air 2 submersibel lokasi di sumur kedalaman 20 m dan sebagai pendorong ketas root tank 2 semi jet pump tidak terpakai indikasi di dalam sumur gali		

		1 semi jet pump sebagai pendorong		
				
				
			Merk : MAXON Model : CHA2-4D	

				
7	Pompa Gedung 17	Pompa berfungsi 2 buah submersibel Ada 3 buah pompa tidak berfungsi indikasi kerusakan lilitan terbakar		 

Student Centre

Model : WASER PUMP

Booster Pump Wasser PB 218 EA

Spesifikasi :

- Tegangan : 220 watt (1.7 A)
- Arus Maks : 1.7 Ampere
- Head Maks : 30 meter (max)
- Kapasitas Maks : 30 Meter
- Debit Air : 35 liter/menit
- Inlet : 1 inch
- Outlet : 1 inch
- Otomatis : Ya
- Dimensi Box : 335 x 235 x 270

GRUNDFOS

- Voltage : 220V/50Hz
- Daya Listrik : 550 Watt
P1 / 250 Watt P2
- Daya Hisap : 30 meter (Optimal di 15 meter)
- Daya Dorong : 30 meter
- Total Head : 25 meter
- Kapasitas : 20 liter/menit
(Pada Total Head 15 meter)



				
10	Reaktor Gedung 04	Terdapat 3 pompa air		 

				
11	Pompa gedung 1 kolam	Kondisi baik tidak di hidupkan		
		Merk : SHIMIZU Model : PS-226 BIT • Daya Output: 200 Watt • Daya Input: 500 Watt (running) • Daya Hisap Max: 9 Meter • Total Head Max: 36 - 40 Meter	• Kapasitas Max: 50 Liter/menit • Kapasitas (pada Head): 28 L/min (pada 10m), 11 L/min (pada 29m) • Pipa Hisap & Dorong: 1 Inch (25 mm) • Tegangan: 220V / 50 Hz • Fitur: <i>Thermal Protector</i>	

			(pelindung panas), Elektro Painting (anti karat) • Berat: 13.5 Kg	
				
				

12

Pompa hydrant kolam reaktor


Terdapat 4 pompa berfungsi Pompa kolam renang trouble 21 Oktober 2025

Merk : TECO

Model : 3 PHASE
INDUCTION MOTORS

Spesifikasi :

- Daya/Power:**
0,55kW–312kW
- Tegangan (Voltage):**
380/660V, 220/380V
- Frekuensi:** 50Hz/60Hz



				  
--	--	--	--	--

				
13	Pompa office study dan hydrant baru	Pompa study office 3 pompa hydrant 1		 