



Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering

A.Y: 2024-25 (Sem- II)

Class: FY – Mtech. CSE

Course code and Name: MTCSEPE203C Program Elective-II

Distributed System Principle

Course Coordinator: Dr. S V Balshetwar

Unit-I: Distributed Systems

Q1. You are designing a system for high-performance computing tasks. Which processor architecture would you apply to reduce instruction execution time using a smaller instruction set?

- A. CISC
- B. RISC
- C. x86
- D. Harvard

Answer: B. RISC

Q2. You are tasked to build a scalable distributed system to run a multi-threaded application. Which hardware solution would you apply?

- A. Single-core processor
- B. Dual-core with shared memory
- C. Multi-core processor
- D. Single-threaded GPU

Answer: C. Multi-core processor

Q3. A network engineer is debugging a communication issue where packets are not reaching their destination. Which OSI layer's function should they analyze?

- A. Presentation layer
- B. Transport layer
- C. Network layer
- D. Session layer

Answer: C. Network layer



Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering

Q4. You are developing a secure messaging system in a distributed environment. Which OSI layer will you apply techniques like encryption and decryption?

- A. Transport layer
- B. Application layer
- C. Presentation layer
- D. Network layer

Answer: C. Presentation layer

Q5. You are building a file-sharing application over a distributed system. Which **transparency** must you apply so users do not need to know file locations?

- A. Replication transparency
- B. Concurrency transparency
- C. Location transparency
- D. Access transparency

Answer: C. Location transparency

Q6. To ensure all components in your distributed application follow consistent time for logging, which **fundamental issue** of distributed systems must you apply a solution to?

- A. Resource allocation
- B. Naming services
- C. Time synchronization
- D. Deadlock handling

Answer: C. Time synchronization

Q7. While designing a web application with multiple backend servers, which design goal of distributed systems will you apply to balance load dynamically as users increase?

- A. Transparency
- B. Scalability
- C. Concurrency
- D. Simplicity

Answer: B. Scalability



Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering

Q8. While deploying a new distributed system across several data centers, which system architecture would you apply to optimize parallel instruction execution?

- A. CISC
- B. RISC
- C. Pipelined architecture
- D. Multi-core architecture

Answer: D. Multi-core architecture

Q9. During OS kernel modification to support distributed features, which aspect of **OS evolution** would you apply to enable remote process execution?

- A. Boot-time configuration
- B. File system abstraction
- C. Network-aware scheduling
- D. Static memory allocation

Answer: C. Network-aware scheduling

Q10. To enable users to access shared resources from different machines without knowing the host details, which **type of transparency** would you apply?

- A. Failure transparency
- B. Location transparency
- C. Replication transparency
- D. Transaction transparency

Answer: B. Location transparency

Unit-II: Distributed Coordination

Q1. You are developing a distributed logging system and want to ensure that events are temporally ordered. Which method should you apply to achieve logical ordering of events across processes?

- A. Physical clocks
- B. CPU timestamps
- C. Lamport's logical clocks



Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering

D. GPS time synchronization

Answer: C. Lamport's logical clocks

Q2. In a system where concurrent events must be distinguished, which timestamping method would you apply to maintain **causal relationships** between events?

- A. Physical time
- B. Single counter
- C. Lamport clocks
- D. Vector clocks

Answer: D. Vector clocks

Q3. Suppose Process P1 sends a message to Process P2. To ensure the message ordering reflects causal dependency, which timestamping rule should you apply at the receiver side?

- A. Assign an earlier timestamp
- B. Ignore timestamps
- C. Delay processing until local clock catches up
- D. Increment clock by 2

Answer: C. Delay processing until local clock catches up

Q4. In a distributed database, you need to determine a consistent global snapshot. Which concept should you apply to collect the system state across all nodes?

- A. Token passing
- B. Mutual exclusion
- C. Global state detection
- D. Round-robin scheduling

Answer: C. Global state detection

Q5. In implementing Lamport's algorithm, what action should a process take **before sending a message**?

- A. Decrement its clock
- B. Halt other processes
- C. Increment its logical clock



Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering

D. Reset clock to zero

Answer: C. Increment its logical clock

Q6. You are debugging a distributed algorithm where messages are received before being sent (violating causality). Which concept should you apply to detect and prevent this?

A. Vector clocks

B. Deadlock detection

C. Round-robin token

D. Time slicing

Answer: A. Vector clocks

Q7. You are designing a protocol that relies on **message delivery in the exact order they were sent**. Which message ordering method would you apply?

A. Randomized delivery

B. Causal ordering

C. FIFO ordering

D. Anycast communication

Answer: C. FIFO ordering

Q8. You want to synchronize clocks of machines in a distributed environment. Which algorithm should you apply to estimate actual time differences?

A. Bully algorithm

B. Lamport clock

C. Cristian's algorithm

D. Logical clock

Answer: C. Cristian's algorithm

Q9. In a system with vector clocks, two processes report the same timestamp vector [3, 5]. What can you conclude about their events?

A. One happened before the other

B. They are concurrent

C. The system is faulty



Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering

D. Time is out of sync

Answer: B. They are concurrent

Q10. During global state detection, what strategy would you apply to avoid recording inconsistent states?

A. Capture state after all messages are delivered

B. Use local states only

C. Use Chandy-Lamport algorithm with marker messages

D. Ignore channel states

Answer: C. Use Chandy-Lamport algorithm with marker messages

Unit-III: Process Synchronization, Distributed Mutual Exclusion, Performance Metrics

Q1. A system using **centralized mutual exclusion** fails when the coordinator crashes. What can you infer about its reliability compared to other algorithms?

A. It has better load balancing

B. It is more fault-tolerant than Ricart-Agrawala

C. It introduces a single point of failure

D. It allows multiple critical sections

Answer: C. It introduces a single point of failure

Q2. In the Ricart-Agrawala algorithm, a process must receive permission from all other processes before entering its critical section. What does this imply about **message complexity**?

A. It increases linearly with number of processes

B. It decreases as the number of processes increases

C. It is constant for all systems

D. It requires no communication

Answer: A. It increases linearly with number of processes



Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering

Q3. When comparing token-based and permission-based mutual exclusion algorithms, which analysis is correct regarding **failure handling**?

- A. Permission-based algorithms cannot recover from failure
- B. Token-based algorithms may lose the token and require recovery protocols
- C. Token-based algorithms never fail
- D. Permission-based algorithms do not require acknowledgments

Answer: B. Token-based algorithms may lose the token and require recovery protocols

Q4. A distributed system exhibits high message overhead in mutual exclusion. Which factor is most likely contributing to this, based on performance analysis?

- A. Low process count
- B. Use of token-ring algorithm
- C. Frequent critical section requests
- D. Synchronization by shared memory

Answer: C. Frequent critical section requests

Q5. Consider a system using Lamport's mutual exclusion algorithm. If the timestamp queue is not correctly maintained, what would be the likely result?

- A. No effect; it self-heals
- B. Critical section starvation
- C. Parallel execution of critical sections
- D. FIFO ordering violation

Answer: D. FIFO ordering violation

Q6. In analyzing performance of mutual exclusion algorithms, which metric best reflects the **impact of network delays**?

- A. Fairness
- B. Synchronization delay
- C. Throughput
- D. Message complexity

Answer: B. Synchronization delay



Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering

Q7. If a mutual exclusion algorithm guarantees fairness but not fault tolerance, what analytical conclusion can be drawn?

- A. It balances all performance metrics
- B. It fails if any process crashes
- C. It is suitable for real-time systems
- D. It ensures minimal latency

Answer: B. It fails if any process crashes

Q8. When evaluating performance, why might a token-ring mutual exclusion algorithm be preferred in **low-traffic** systems?

- A. It minimizes idle time
- B. It eliminates the need for synchronization
- C. It prevents starvation with low message overhead
- D. It broadcasts tokens to all processes

Answer: C. It prevents starvation with low message overhead

Q9. A performance analysis reveals a **high number of messages** per critical section entry in a permission-based system. What does this indicate?

- A. Efficient execution
- B. Large number of processes
- C. Small critical section duration
- D. Starvation is occurring

Answer: B. Large number of processes

Q10. If a distributed mutual exclusion algorithm leads to **starvation** in some processes, which condition is likely violated?

- A. Deadlock freedom
- B. Safety
- C. Fairness
- D. Request ordering

Answer: C. Fairness

Unit-III: 3 Marks Questions

- ◆ **Q1 (Level 3 – Apply):**



Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering

Apply the Ricart-Agrawala algorithm to explain how three processes coordinate access to the critical section.

Solution:

Each process sends a REQUEST message with its timestamp to the other two.

- A process enters its **critical section (CS)** only after receiving REPLY messages from both.
 - After exiting the CS, it sends REPLY to any pending requests.
This ensures mutual exclusion using **timestamp-based ordering** and **direct communication**.
-

♦ **Q2 (Level 3 – Apply):**

Apply token-based mutual exclusion in a ring topology with 4 processes. Describe how token passing ensures exclusive access.

Solution:

- The token circulates among $P1 \rightarrow P2 \rightarrow P3 \rightarrow P4 \rightarrow P1$.
 - A process enters the CS **only when it holds the token**.
 - If a process doesn't need the CS, it simply forwards the token.
This ensures only one process accesses the CS at any time (mutual exclusion).
-

♦ **Q3 (Level 3 – Apply):**

Apply the concept of performance metrics to evaluate a mutual exclusion algorithm with high message overhead.

Solution:

- Analyze message complexity (e.g., Ricart-Agrawala uses $2*(n-1)$ messages).
 - High message count increases **network traffic** and **latency**.
 - Suggest a **token-based algorithm** with fewer messages per CS entry (1 message/token).
-

♦ **Q4 (Level 4 – Analyze):**



Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering

Analyze the drawbacks of centralized mutual exclusion when the coordinator crashes.

Solution:

- The coordinator is a **single point of failure**.
 - When it crashes, all processes are **blocked from entering CS**.
 - Recovery is non-trivial—requires **new coordinator election** and **state restoration**. This limits reliability and fault tolerance.
-

◆ **Q5 (Level 4 – Analyze):**

Analyze and compare fairness in Ricart-Agrawala vs Token Ring algorithms.

Solution:

- **Ricart-Agrawala:** Ensures fairness through **timestamp comparison**, processes with earlier requests are prioritized.
 - **Token Ring:** Provides fairness via **round-robin scheduling**, but can delay access if token travels long.
 - Both prevent starvation but differ in latency and message usage.
-

◆ **Q6 (Level 4 – Analyze):**

A distributed system experiences delays in entering CS. Analyze which performance metric is being affected and why.

Solution:

- The affected metric is **Synchronization Delay**.
 - Causes may include **network latency**, **message processing time**, or **high contention** for CS.
 - Performance is impacted as processes **wait longer** despite fairness being maintained.
-

Unit II- 3 marks Question

◆ **Q1 (Level 3 – Apply):**



Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering

Apply Lamport's logical clock rules to the following events and assign logical timestamps:

- P1: e1, e2
- P2: f1, f2
- Message m is sent from e2 to f2.

Solution:

- P1: e1 = 1, e2 = 2
- Message m sent from e2 = 2
- On receiving m, P2 updates clock: f2 = max(clock at f1 + 1, received timestamp + 1)
- If f1 = 1, then f2 = max(2, 3) = 3

Timestamps:

- e1 = 1, e2 = 2
 - f1 = 1, f2 = 3
-

♦ Q2 (Level 3 – Apply):

Apply vector clocks to determine causality. Given:

- VC(A) = [2, 0], VC(B) = [1, 1]
Determine if the events are causally related or concurrent.

Solution:

Compare element-wise:

- [2, 0] vs [1, 1] → A > B in first element, A < B in second
→ No total ordering

Conclusion: Events are **concurrent**

♦ Q3 (Level 3 – Apply):

Apply the concept of physical clocks in synchronizing distributed systems using Cristian's algorithm. Describe the basic idea.

Solution:



Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering

- A client requests time from a time server
 - Server replies with its time
 - Client adjusts local clock = server_time + $\frac{1}{2}(\text{RTT})$
 - Assumes symmetric delay
- Used to **synchronize physical clocks** in distributed systems.
-

◆ Q4 (Level 4 – Analyze):

Analyze how Lamport's logical clocks fail to capture causality completely.

Solution:

- Lamport timestamps ensure **happened-before relation** (if $a \rightarrow b$, then $L(a) < L(b)$)
 - But $L(a) < L(b)$ doesn't imply $a \rightarrow b$
 - Can't distinguish **concurrent events**
- Thus, Lamport clocks **preserve order but not causality**.
-

◆ Q5 (Level 4 – Analyze):

Analyze how vector clocks solve the limitations of Lamport clocks.

Solution:

- Vector clocks use a **vector of counters**, one per process
 - Allow detection of **causal relationships** by comparing vectors element-wise
 - Can distinguish between $a \rightarrow b$ and $a \parallel b$ (concurrent)
- Hence, vector clocks are more expressive for causality tracking.
-

◆ Q6 (Level 4 – Analyze):

Analyze how the Chandy-Lamport algorithm ensures a consistent global state in a distributed system.

Solution:



Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering

- **Marker messages** are used to initiate snapshot
 - Each process records its state and the **state of incoming channels**
 - Messages in transit are captured
- This guarantees a **consistent global snapshot** without stopping the system.
-

Unit -I - 3 marks Question

◆ **Q1 (Level 3 – Apply):**

Apply your understanding of RISC and CISC architectures to justify which one is better suited for real-time embedded systems.

Solution:

- RISC uses a **smaller set of simple instructions** that execute faster.
 - It has **faster instruction execution and lower power consumption**.
 - For real-time systems requiring speed and predictability, **RISC is more suitable**.
-

◆ **Q2 (Level 3 – Apply):**

Apply the OSI model to explain which layers are involved when a user accesses a website using a browser.

Solution:

- **Application Layer:** Handles HTTP requests.
 - **Transport Layer:** Ensures reliable delivery (TCP).
 - **Network Layer:** Handles IP addressing and routing.
- These layers work together to **deliver and manage web content to the user**.
-

◆ **Q3 (Level 3 – Apply):**

Apply the concept of multi-core processing to explain how distributed applications can achieve better performance.



Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering

Solution:

- Multi-core processors enable **parallel execution of threads**.
 - Distributed applications can be divided into tasks that run concurrently.
 - This leads to **faster execution and resource optimization**.
-

◆ Q4 (Level 4 – Analyze):

Analyze how the evolution of operating systems has contributed to the development of distributed systems.

Solution:

- Early OSes were single-user and single-tasking.
 - Modern OSes support **multiprocessing, networking, and virtualization**.
 - This evolution allows **process migration, remote execution, and resource sharing**—key for distributed systems.
-

◆ Q5 (Level 4 – Analyze):

Analyze how different types of transparency improve user experience in a distributed computing system.

Solution:

- **Location transparency:** Users access resources without knowing their location.
 - **Access transparency:** Same operations for local and remote resources.
 - **Failure transparency:** System recovers from failures without user intervention.
- These transparencies provide a **seamless and consistent user experience**.
-

◆ Q6 (Level 4 – Analyze):

Analyze the fundamental design goals of distributed systems and explain how they affect system performance.



Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering

Solution:

- **Scalability:** Ensures the system handles growth.
 - **Fault tolerance:** Maintains operation despite failures.
 - **Resource sharing:** Improves efficiency.
- Meeting these goals enhances **availability, reliability, and responsiveness** of distributed systems.
-

Unit III -8 marks question

◆ Q1 (Level 3 – Apply):

Q: Apply the Ricart-Agrawala algorithm for mutual exclusion to a system of 3 processes (P1, P2, P3). Show how P2 gains access to the critical section and how messages are exchanged.

Solution:

1. **P2 wants to enter the critical section:**
 - It timestamps the request and sends it to P1 and P3.
2. **P1 and P3 receive the request:**
 - If not interested or P2's timestamp is earlier, they send **REPLY** to P2.
 - If they are also requesting the CS, they compare timestamps and may defer reply.
3. **P2 enters the CS** only after receiving **REPLY from both P1 and P3**.
4. After completing its CS, P2 sends any **deferred REPLY messages** to others.

Messages exchanged:

- 2 REQUESTs from P2
 - 2 REPLYs to P2
- ➡ **Total: 4 messages** (for P2 to enter CS)
-

◆ Q2 (Level 4 – Analyze):

Q: Analyze the trade-offs between token-based and permission-based distributed mutual exclusion algorithms. Provide a comparative table and discuss performance metrics.



Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering

Solution:

Feature	Token-Based	Permission-Based (e.g., Ricart-Agrawala)
Messages per CS entry	1 (token passing)	$2(n-1)$ request/reply messages
Fairness	Fair (token circulates)	Fair (based on timestamps)
Fault Tolerance	Token loss = recovery needed	Coordinator/process crash affects replies
Synchronization Delay	Low	Medium to High
Starvation	Prevented if token circulates	Prevented if processes respond fairly

- **Analysis:**

- **Token-based** is efficient under low contention.
- **Permission-based** is better if message loss is rare and requires no token recovery.
- Choice depends on network reliability and number of processes.

◆ Q3 (Level 4 – Analyze):

Q: Analyze the performance of centralized, token-based, and Ricart-Agrawala mutual exclusion algorithms using metrics like message complexity, delay, fault tolerance, and scalability.

Solution:

Algorithm	Msgs per Entry	Delay	Fault Tolerance	Scalability
Centralized	3	Low	Poor (single point fail)	Moderate
Token-Based	1	Low	Needs token recovery	High
Ricart-Agrawala	$2(n-1)$	Medium	Better than centralized	Limited by n

- **Conclusion:**

- **Centralized:** Simple, low overhead, but not fault-tolerant.
- **Token-Based:** Scales well but needs token management.
- **Ricart-Agrawala:** Reliable in permission-based systems, but more message-heavy.



Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering

◆ Q4 (Level 3 – Apply):

Q: Apply the concept of performance metrics to evaluate a distributed mutual exclusion algorithm in a system of 5 processes. Consider metrics: message complexity, response time, and synchronization delay.

Solution:

Assume the use of **Ricart-Agrawala algorithm**:

- **Message Complexity** = $2(n-1) = 2 \times 4 = 8$ messages per CS entry
- **Response Time** depends on message delay + queue wait → Higher under load
- **Synchronization Delay** = Time to receive all REPLY messages
→ Delay increases with **network latency and contention**

Evaluation:

- Efficient in small systems
- Message overhead grows with n
- Not ideal for high-frequency CS access or large networks

Conclusion: Use token-based or quorum-based algorithms when system scales or latency becomes critical.

Unit -II 8 marks question

◆ Q1 (Level 3 – Apply):

Q: Apply Lamport's logical clock algorithm to a system of 3 processes (P1, P2, P3) with the following events:

- P1: a → b → sends m1 to P2
- P2: c → receives m1 → d → sends m2 to P3
- P3: receives m2 → e

Assign Lamport timestamps to each event.



Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering

Solution:

Lamport's Rules:

1. Increment local clock before each event.
2. On receiving a message, set clock = max(local, received) + 1.

Step-by-step:

- P1:
 - a = 1
 - b = 2
 - send m1 = 3
- P2:
 - c = 1
 - receive m1 → max(1, 3) + 1 = 4
 - d = 5
 - send m2 = 6
- P3:
 - receive m2 → max(0, 6) + 1 = 7
 - e = 8

Final Timestamps:

- P1: a=1, b=2, send=3
- P2: c=1, receive=4, d=5, send=6
- P3: receive=7, e=8

◆ Q2 (Level 4 – Analyze):

Q: Analyze the differences between Lamport clocks and vector clocks in capturing causal relationships. Give an example to justify your answer.

Solution:

Feature	Lamport Clocks	Vector Clocks
Type	Scalar	Vector (size = number of processes)
Ordering Capability	Partial ($a \rightarrow b \Rightarrow L(a) < L(b)$)	Total (can detect concurrency)

Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering



Feature	Lamport Clocks	Vector Clocks
Causal Relationship	Cannot detect concurrency	Can detect both causal and concurrent events

Example:

Let P1 send to P2 and P3 perform independent events.

- Lamport:
 - o P1: a = 1, send m1 = 2
 - o P2: receive m1 = 3
 - o P3: e = 2
 - o $L(e) = 2, L(\text{receive}) = 3 \rightarrow L(e) < L(\text{receive}) \rightarrow$ falsely assumes e \rightarrow receive
- Vector:
 - o P1 VC: [1, 0]
 - o P2 after receiving: [1, 1]
 - o P3 VC: [0, 0, 1]
 - o $VC(P3) \text{ not } \leq VC(P2) \rightarrow$ events are **concurrent**

Vector clocks provide **more accurate causal tracking** than Lamport clocks.

♦ Q3 (Level 3 – Apply):

Q: Apply Chandy-Lamport's snapshot algorithm to record a consistent global state in a system with 3 processes communicating over channels. Explain the steps and state how channel messages are handled.

Solution:

Steps:

1. **Initiator** records local state and sends **marker** to all outgoing channels.
2. On receiving a **marker** for the first time:
 - o Record local state
 - o Send marker to other outgoing channels
 - o Start recording messages on other incoming channels
3. On receiving **subsequent markers**:
 - o Stop recording that channel



Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering

- o Messages recorded between receiving the first marker and subsequent marker are considered **in-transit**

Application:

- P1 initiates snapshot
- Records its state
- Sends markers to P2, P3
- P2 and P3 record local states and start recording incoming messages until they receive marker on all channels.

Snapshot represents a **consistent global state** including in-transit messages.

◆ Q4 (Level 4 – Analyze):

Q: Analyze the use of physical clocks in distributed systems. How do synchronization algorithms (e.g., Cristian's or Berkeley's) address clock drift and skew?

Solution:

Issues with Physical Clocks:

- **Clock skew:** Difference in clock times among systems
- **Clock drift:** Clocks run at slightly different speeds
- Causes inconsistencies in timestamps, logs, and event ordering

Cristian's Algorithm:

- Client requests time from time server
- Adjusts for estimated network delay
- Limited by **network latency asymmetry**

Berkeley's Algorithm:

- Master polls all clocks
- Computes average
- Sends adjustments to all nodes
- Works well in systems without external reference (e.g., no GPS)



Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering

Conclusion:

- Synchronization minimizes skew
 - Physical clocks alone are unreliable
 - These algorithms **approximate a global clock** essential for coordination
-

Unit I - 8 marks question

◆ Q1 (Level 3 – Apply):

Q: Apply your understanding of CISC and RISC architectures to compare their performance in distributed computing environments. Provide real-world examples where applicable.

Solution:

- **CISC (Complex Instruction Set Computing):**
 - Uses **complex instructions** that execute multiple tasks in a single instruction.
 - Example: x86 architecture used in traditional desktop systems.
 - Suitable for systems with limited memory but high instruction flexibility.
 - **RISC (Reduced Instruction Set Computing):**
 - Uses **simple, uniform instructions** that execute quickly.
 - Example: ARM architecture used in mobile and embedded devices.
 - Favoured in distributed systems requiring **speed, power efficiency, and parallelism**.
 - **Application in Distributed Systems:**
 - **RISC** processors in edge devices and IoT nodes.
 - **CISC** may be used in backend servers with complex computational needs.
 - **RISC** is preferred where **low latency and high throughput** are critical.
-

◆ Q2 (Level 3 – Apply):

Q: Apply the ISO/OSI model to explain how communication occurs in a distributed file-sharing application. Identify the relevant layers and their roles.

Solution:

In a distributed file-sharing system, layers involved:

1. Application Layer:



Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering

- o Interfaces with the user and application (e.g., HTTP, FTP).
- o Manages file requests and responses.
- 2. **Presentation Layer:**
 - o Handles **data encoding**, compression, and encryption.
- 3. **Session Layer:**
 - o Manages **sessions and connections** between nodes.
- 4. **Transport Layer:**
 - o Ensures **reliable data delivery** (e.g., TCP), error recovery.
- 5. **Network Layer:**
 - o Provides **routing and logical addressing** (e.g., IP).
- 6. **Data Link Layer:**
 - o Handles **frame creation**, MAC addressing, error detection at link level.
- 7. **Physical Layer:**
 - o Transmits raw bits via cables, wireless signals.

Conclusion:

The ISO/OSI model ensures **modular, reliable, and scalable communication** in distributed systems.

◆ Q3 (Level 4 – Analyze):

Q: Analyze how the evolution of operating systems has supported the development of distributed systems. Include key milestones and their impact.

Solution:

Evolution Stage	Contribution to Distributed Systems
Batch Systems	Limited – no interactivity or resource sharing
Multiprogramming	Allowed multiple processes – essential for concurrency
Time-Sharing Systems	Enabled remote login , basic networking features
Network OS	Added support for communication between systems
Distributed OS	Provided single-system image , resource transparency

Impact:

- OS now supports **remote process execution, file sharing, inter-process communication (IPC)**.
- Modern OS (e.g., Linux, Windows Server) includes **thread libraries, socket APIs, and virtualization** tools critical for distributed computing.



Yashoda Technical Campus, Satara

(Approved by AICTE, Delhi /Approved by Govt of Maharashtra DTE)

Email: principalengg_ytc@yes.edu.in Web : www.yes.edu.in

NH-4, wadhe, Satara, Tele Fax-02162-271238/39/9172220775

Faculty of Engineering

Department of Computer Science and Engineering

Conclusion:

OS evolution from standalone execution to **networked and distributed operation** has been central to enabling today's distributed systems.

◆ Q4 (Level 4 – Analyze):

Q: Analyze the design goals and transparency types in distributed computing systems. How do they contribute to system performance and user experience?

Solution:

Design Goals of Distributed Systems:

- **Transparency:** Hide system complexity.
- **Openness:** Standard interfaces, interoperability.
- **Scalability:** Ability to grow (e.g., horizontally).
- **Fault Tolerance:** Continue service despite failures.
- **Resource Sharing:** Maximize hardware/software utilization.

Types of Transparency:

Type	Description
Location	Hide where resources are located
Access	Uniform access to local/remote resources
Replication	Users unaware of resource duplication
Concurrency	Multiple users can access same resources
Failure	System masks failure recovery
Migration	Resources/processes move without affecting performance

Contribution to Performance/User Experience:

- **Improved usability** through seamless access.
 - **Increased reliability** by masking failures.
 - **Optimized performance** through load balancing and replication.
-