

From: Terrence Clarke
Sent: Thursday, March 24, 2022 1:28 PM
To: Vicky
Subject: Re: Red Arrow Park Ice Arena

Thank you so much Vicky!

I am hoping this will be enough, but if not I will certainly reach-out again. I am going to pass this along to the county chairman and supervisor, that are both pushing for this as well.

Terrence Clarke.

On Mar 24, 2022, at 1:10 PM, Vicky wrote:

The concrete surface on ice rink floors is very durable and can be used for various dry floor activities. Roller skating and roller blading are one of those activities. There obviously would be no concern for the weight of the skaters as it's a typical loading for these types of systems. It has been our experience that the surface of the concrete holds up very well under this activity. The concrete mix design used for these facilities are a very high strength mix and the surface finish is typically a hard troweled finish which closes up the pores in the concrete and creates a very solid, strong and durable surface. There are many facilities that allow this type of activity and have for many years. Three of those facilities include the Guidant John Rose Oval in Roseville MN (outdoor speedskating oval and bandy rink), the Olympic Center in Lake Placid NY on the outdoor speedskating oval, and the St. Louis Park Outdoor Recreation Center St. Louis Park, MN., as well as several others.

Please let me know if you would also like me to pass along a floor infrastructure process.

Thank you,

Vicky Merten
Office Manager / Executive Secretary
Commercial Refrigeration Systems, Inc.
218.749.3366

