



LYME REGIS SAILING CLUB Ltd and LRSS

Safety Boat Pre-Launch Checklist

INTRODUCTION

- This checklist should be used by all Safety Boat drivers each time they use the boat.
- All checks should be made before leaving the Club yard.

BOAT CHECK

- Fuel level check:
 - Lyme RIB (Sailing Club): Four stroke. Neat fuel.
 - Humber RIB (Sailing Club): Two stroke. Neat fuel. Tank under console. Take care not to overfill. Oil in tank under engine cover. Requires infrequent checking. Sounds warning if low.
 - Oppie RIB (Sailing Club): Four stroke. Neat fuel.
 - Rescue 1 (Sea School): Four stroke. Neat fuel. Two 4.5 gal tanks under seat. Ensure bayonet coupling locates properly and the sleeve slides back fully.
- Oil Check: periodically with dipstick.
- Radio: establish communication with Beach Master before launch. •
- Drain plug inserted and/or trunk up.
- Tubes inflated sufficiently.
- Rear line connected to trailer before moving.

BOAT EQUIPMENT

- Kedge anchor and spare.
- Knife.
- Kill cord and spare.
- Paddles.
- Pump.
- Tools.
- Flares.
- Fire extinguisher.
- Mooring lines.

LRSC Ltd and LRSS Safety Boat Pre-Launch Checklist

3 February 2017. 10.1 HV.Final

- Whistle.

RESCUE EQUIPMENT

- First aid kit including resuscitation mask. •
- Polythene survival bag.
- Bucket.
- Tow lines.
- Throwing lines.
- Cordage.
- Marks.
- Small mark and carbine hook.
- Race equipment.

