

-----  
System Information  
-----

Time of this report: 11/30/2014, 19:46:15

Machine name: JOEMEGAPC

Operating System: Windows 7 Ultimate 64-bit (6.1, Build 7601) Service Pack 1  
(7601.win7sp1\_gdr.140706-1506)

Language: English (Regional Setting: English)

System Manufacturer: Gigabyte Technology Co., Ltd.

System Model: H97-HD3

BIOS: BIOS Date: 04/28/14 10:53:11 Ver: 04.06.05

Processor: Intel(R) Core(TM) i5-4590 CPU @ 3.30GHz (4 CPUs), ~3.3GHz

Memory: 8192MB RAM

Available OS Memory: 8114MB RAM

Page File: 2425MB used, 13799MB available

Windows Dir: C:\Windows

DirectX Version: DirectX 11

DX Setup Parameters: Not found

User DPI Setting: Using System DPI

System DPI Setting: 96 DPI (100 percent)

DWM DPI Scaling: Disabled

DxDiag Version: 6.01.7601.17514 64bit Unicode

-----  
DxDiag Notes  
-----

Display Tab 1: No problems found.

Sound Tab 1: No problems found.

Sound Tab 2: No problems found.

Input Tab: No problems found.

-----  
DirectX Debug Levels  
-----

Direct3D: 0/4 (retail)

DirectDraw: 0/4 (retail)

DirectInput: 0/5 (retail)

DirectMusic: 0/5 (retail)

DirectPlay: 0/9 (retail)

DirectSound: 0/5 (retail)

DirectShow: 0/6 (retail)  
-----

## Display Devices

---

Card name: AMD Radeon R9 200 Series  
Manufacturer: Advanced Micro Devices, Inc.  
Chip type: AMD Radeon Graphics Processor (0x67B1)  
DAC type: Internal DAC(400MHz)  
Device Key: Enum\PCI\VEN\_1002&DEV\_67B1&SUBSYS\_92951682&REV\_00  
Display Memory: 3781 MB  
Dedicated Memory: 4076 MB  
Shared Memory: 3800 MB  
Current Mode: 1920 x 1080 (32 bit) (60Hz)  
Monitor Name: Generic PnP Monitor  
Monitor Model: DELL U2312HM  
Monitor Id: DEL4072  
Native Mode: 1920 x 1080(p) (60.000Hz)  
Output Type: DVI  
Driver Name:  
aticfx64.dll,aticfx64.dll,aticfx64.dll,aticfx32,aticfx32,aticfx32,atiumd64.dll,atidxx64.dll,atidxx64.dll,  
atiumdag,atidxx32,atidxx32,atiumdva,atiumd6a.cap,atitmm64.dll  
Driver File Version: 8.17.0010.1280 (English)  
Driver Version: 14.100.0.0  
DDI Version: 11  
Driver Model: WDDM 1.1  
Driver Attributes: Final Retail  
Driver Date/Size: 4/18/2014 02:42:54, 1343272 bytes  
WHQL Logo'd: Yes  
WHQL Date Stamp:  
Device Identifier: {D7B71EE2-24F1-11CF-3270-9FB2BEC2C535}  
Vendor ID: 0x1002  
Device ID: 0x67B1  
SubSys ID: 0x92951682  
Revision ID: 0x0000  
Driver Strong Name:  
oem23.inf:ATI.Mfg.NTamd64.6.1:ati2mtag\_Hawaii:14.100.0.0:pci\ven\_1002&dev\_67b1  
Rank Of Driver: 00E62001  
Video Accel: ModeMPEG2\_A ModeMPEG2\_C ModeVC1\_C ModeWMV9\_C  
Deinterlace Caps: {6E8329FF-B642-418B-BCF0-BCB6591E255F}:  
Format(In/Out)=(YUY2,YUY2) Frames(Prev/Fwd/Back)=(0,0,1) Caps=VideoProcess\_YUV2RGB  
VideoProcess\_StretchX VideoProcess\_StretchY DeinterlaceTech\_PixelAdaptive  
{335AA36E-7884-43A4-9C91-7F87FAF3E37E}: Format(In/Out)=(YUY2,YUY2)  
Frames(Prev/Fwd/Back)=(0,0,0) Caps=VideoProcess\_YUV2RGB VideoProcess\_StretchX  
VideoProcess\_StretchY DeinterlaceTech\_BOBVerticalStretch  
{5A54A0C9-C7EC-4BD9-8EDE-F3C75DC4393B}: Format(In/Out)=(YUY2,YUY2)

Frames(Prev/Fwd/Back)=(0,0,0) Caps=VideoProcess\_YUV2RGB VideoProcess\_StretchX  
VideoProcess\_StretchY  
{6E8329FF-B642-418B-BCF0-BCB6591E255F}: Format(In/Out)=(UYVY,UYVY)  
Frames(Prev/Fwd/Back)=(0,0,1) Caps=VideoProcess\_YUV2RGB VideoProcess\_StretchX  
VideoProcess\_StretchY DeinterlaceTech\_PixelAdaptive  
{335AA36E-7884-43A4-9C91-7F87FAF3E37E}: Format(In/Out)=(UYVY,UYVY)  
Frames(Prev/Fwd/Back)=(0,0,0) Caps=VideoProcess\_YUV2RGB VideoProcess\_StretchX  
VideoProcess\_StretchY DeinterlaceTech\_BOBVerticalStretch  
{5A54A0C9-C7EC-4BD9-8EDE-F3C75DC4393B}: Format(In/Out)=(UYVY,UYVY)  
Frames(Prev/Fwd/Back)=(0,0,0) Caps=VideoProcess\_YUV2RGB VideoProcess\_StretchX  
VideoProcess\_StretchY  
{5A54A0C9-C7EC-4BD9-8EDE-F3C75DC4393B}:  
Format(In/Out)=(YV12,0x32315659) Frames(Prev/Fwd/Back)=(0,0,0) Caps=  
{A491560E-FFE4-4202-9B1D-2DCD004EB9E3}:  
Format(In/Out)=(NV12,0x3231564e) Frames(Prev/Fwd/Back)=(0,0,2)  
Caps=VideoProcess\_YUV2RGB VideoProcess\_StretchX VideoProcess\_StretchY  
DeinterlaceTech\_PixelAdaptive  
{3C5323C1-6FB7-44F5-9081-056BF2EE449D}:  
Format(In/Out)=(NV12,0x3231564e) Frames(Prev/Fwd/Back)=(0,0,2)  
Caps=VideoProcess\_YUV2RGB VideoProcess\_StretchX VideoProcess\_StretchY  
DeinterlaceTech\_PixelAdaptive  
{552C0DAD-CCBC-420B-83C8-74943CF9F1A6}:  
Format(In/Out)=(NV12,0x3231564e) Frames(Prev/Fwd/Back)=(0,0,2)  
Caps=VideoProcess\_YUV2RGB VideoProcess\_StretchX VideoProcess\_StretchY  
DeinterlaceTech\_PixelAdaptive  
{6E8329FF-B642-418B-BCF0-BCB6591E255F}:  
Format(In/Out)=(NV12,0x3231564e) Frames(Prev/Fwd/Back)=(0,0,1)  
Caps=VideoProcess\_YUV2RGB VideoProcess\_StretchX VideoProcess\_StretchY  
DeinterlaceTech\_PixelAdaptive  
{335AA36E-7884-43A4-9C91-7F87FAF3E37E}:  
Format(In/Out)=(NV12,0x3231564e) Frames(Prev/Fwd/Back)=(0,0,0)  
Caps=VideoProcess\_YUV2RGB VideoProcess\_StretchX VideoProcess\_StretchY  
DeinterlaceTech\_BOBVerticalStretch  
{5A54A0C9-C7EC-4BD9-8EDE-F3C75DC4393B}:  
Format(In/Out)=(NV12,0x3231564e) Frames(Prev/Fwd/Back)=(0,0,0)  
Caps=VideoProcess\_YUV2RGB VideoProcess\_StretchX VideoProcess\_StretchY  
{5A54A0C9-C7EC-4BD9-8EDE-F3C75DC4393B}:  
Format(In/Out)=(IMC1,UNKNOWN) Frames(Prev/Fwd/Back)=(0,0,0) Caps=  
{5A54A0C9-C7EC-4BD9-8EDE-F3C75DC4393B}:  
Format(In/Out)=(IMC2,UNKNOWN) Frames(Prev/Fwd/Back)=(0,0,0) Caps=  
{5A54A0C9-C7EC-4BD9-8EDE-F3C75DC4393B}:  
Format(In/Out)=(IMC3,UNKNOWN) Frames(Prev/Fwd/Back)=(0,0,0) Caps=  
{5A54A0C9-C7EC-4BD9-8EDE-F3C75DC4393B}:

Format(In/Out)=(IMC4,UNKNOWN) Frames(Prev/Fwd/Back)=(0,0,0) Caps={5A54A0C9-C7EC-4BD9-8EDE-F3C75DC4393B}:

Format(In/Out)=(S340,UNKNOWN) Frames(Prev/Fwd/Back)=(0,0,0) Caps={5A54A0C9-C7EC-4BD9-8EDE-F3C75DC4393B}:

Format(In/Out)=(S342,UNKNOWN) Frames(Prev/Fwd/Back)=(0,0,0) Caps=

D3D9 Overlay: Not Supported

DXVA-HD: Not Supported

DDraw Status: Enabled

D3D Status: Enabled

AGP Status: Enabled

-----  
Sound Devices  
-----

Description: Speakers (Realtek High Definition Audio)

Default Sound Playback: Yes

Default Voice Playback: Yes

Hardware ID:

HDAUDIO\FUNC\_01&VEN\_10EC&DEV\_0887&SUBSYS\_1458A182&REV\_1003

Manufacturer ID: 1

Product ID: 100

Type: WDM

Driver Name: RTKVHD64.sys

Driver Version: 6.00.0001.7200 (English)

Driver Attributes: Final Retail

WHQL Logo'd: Yes

Date and Size: 3/14/2014 11:08:10, 3896920 bytes

Other Files:

Driver Provider: Realtek Semiconductor Corp.

HW Accel Level: Basic

Cap Flags: 0xF1F

Min/Max Sample Rate: 100, 200000

Static/Strm HW Mix Bufs: 1, 0

Static/Strm HW 3D Bufs: 0, 0

HW Memory: 0

Voice Management: No

EAX(tm) 2.0 Listen/Src: No, No

I3DL2(tm) Listen/Src: No, No

Sensaura(tm) ZoomFX(tm): No

Description: Realtek Digital Output (Realtek High Definition Audio)

Default Sound Playback: No

Default Voice Playback: No

Hardware ID:  
HDAUDIO\FUNC\_01&VEN\_10EC&DEV\_0887&SUBSYS\_1458A182&REV\_1003  
Manufacturer ID: 1  
Product ID: 100  
Type: WDM  
Driver Name: RTKVHD64.sys  
Driver Version: 6.00.0001.7200 (English)  
Driver Attributes: Final Retail  
WHQL Logo'd: Yes  
Date and Size: 3/14/2014 11:08:10, 3896920 bytes  
Other Files:  
Driver Provider: Realtek Semiconductor Corp.  
HW Accel Level: Basic  
Cap Flags: 0xF1F  
Min/Max Sample Rate: 100, 200000  
Static/Strm HW Mix Bufs: 1, 0  
Static/Strm HW 3D Bufs: 0, 0  
HW Memory: 0  
Voice Management: No  
EAX(tm) 2.0 Listen/Src: No, No  
I3DL2(tm) Listen/Src: No, No  
Sensaura(tm) ZoomFX(tm): No

-----  
Sound Capture Devices  
-----

-----  
DirectInput Devices  
-----

Device Name: Mouse  
Attached: 1  
Controller ID: n/a  
Vendor/Product ID: n/a  
FF Driver: n/a

Device Name: Keyboard  
Attached: 1  
Controller ID: n/a  
Vendor/Product ID: n/a  
FF Driver: n/a

Device Name: Comfort Curve Keyboard 2000  
Attached: 1

Controller ID: 0x0  
Vendor/Product ID: 0x045E, 0x00DD  
FF Driver: n/a

Device Name: Controller (XBOX 360 For Windows)  
Attached: 1  
Controller ID: 0x0  
Vendor/Product ID: 0x045E, 0x028E  
FF Driver: n/a

Device Name: Shogun Bros. Ballista MK-I Mouse  
Attached: 1  
Controller ID: 0x0  
Vendor/Product ID: 0xE0FF, 0x0002  
FF Driver: n/a

Device Name: Shogun Bros. Ballista MK-I Mouse  
Attached: 1  
Controller ID: 0x0  
Vendor/Product ID: 0xE0FF, 0x0002  
FF Driver: n/a

Poll w/ Interrupt: No

-----  
USB Devices  
-----

+ USB Root Hub  
| Vendor/Product ID: 0x8086, 0x8CAD  
| Matching Device ID: usb\root\_hub20  
| Service: usbhub  
| Driver: usbhub.sys, 11/27/2013 01:41:37, 343040 bytes  
| Driver: usbd.sys, 11/27/2013 01:41:03, 7808 bytes  
|  
+-+ Generic USB Hub  
|| Vendor/Product ID: 0x8087, 0x8009  
|| Location: Port\_#0001.Hub\_#0001  
|| Matching Device ID: usb\class\_09  
|| Service: usbhub  
|| Driver: usbhub.sys, 11/27/2013 01:41:37, 343040 bytes

-----  
Gameport Devices

-----  
-----  
PS/2 Devices  
-----

+ HID Keyboard Device  
| Vendor/Product ID: 0x045E, 0x00DD  
| Matching Device ID: hid\_device\_system\_keyboard  
| Service: kbdhid  
| Driver: kbdhid.sys, 11/21/2010 03:23:47, 33280 bytes  
| Driver: kbdclass.sys, 7/14/2009 01:48:04, 50768 bytes  
|  
+ HID Keyboard Device  
| Vendor/Product ID: 0xE0FF, 0x0002  
| Matching Device ID: hid\_device\_system\_keyboard  
| Service: kbdhid  
| Driver: kbdhid.sys, 11/21/2010 03:23:47, 33280 bytes  
| Driver: kbdclass.sys, 7/14/2009 01:48:04, 50768 bytes  
|  
+ Terminal Server Keyboard Driver  
| Matching Device ID: root\rdp\_kbd  
| Upper Filters: kbdclass  
| Service: TermDD  
| Driver: i8042prt.sys, 7/13/2009 23:19:57, 105472 bytes  
| Driver: kbdclass.sys, 7/14/2009 01:48:04, 50768 bytes  
|  
+ HID-compliant mouse  
| Vendor/Product ID: 0xE0FF, 0x0002  
| Matching Device ID: hid\_device\_system\_mouse  
| Service: mouhid  
| Driver: mouhid.sys, 7/14/2009 00:00:20, 31232 bytes  
| Driver: mouclass.sys, 7/14/2009 01:48:27, 49216 bytes  
|  
+ Terminal Server Mouse Driver  
| Matching Device ID: root\rdp\_mou  
| Upper Filters: mouclass  
| Service: TermDD  
| Driver: termdd.sys, 11/21/2010 03:23:47, 63360 bytes  
| Driver: sermouse.sys, 7/14/2009 00:00:20, 26624 bytes  
| Driver: mouclass.sys, 7/14/2009 01:48:27, 49216 bytes

-----  
Disk & DVD/CD-ROM Drives

-----  
Drive: C:  
Free Space: 338.8 GB  
Total Space: 476.8 GB  
File System: NTFS  
Model: ST3500418AS ATA Device

Drive: D:  
Model: SAMSUNG DVDWBD SH-B083L ATA Device  
Driver: c:\windows\system32\drivers\cdrom.sys, 6.01.7601.17514 (English), 11/21/2010  
03:23:47, 147456 bytes

-----  
System Devices  
-----

Name: Standard Enhanced PCI to USB Host Controller  
Device ID: PCI\VEN\_8086&DEV\_8CA6&SUBSYS\_50061458&REV\_00\3&11583659&0&E8  
Driver: C:\Windows\system32\drivers\usbehci.sys, 6.01.7601.18328 (English), 11/27/2013  
01:41:11, 53248 bytes  
Driver: C:\Windows\system32\drivers\usbport.sys, 6.01.7601.18328 (English), 11/27/2013  
01:41:11, 325120 bytes  
Driver: C:\Windows\system32\drivers\usbhub.sys, 6.01.7601.18328 (English), 11/27/2013  
01:41:37, 343040 bytes

Name: Intel(R) 82801 PCI Bridge - 244E  
Device ID: PCI\VEN\_8086&DEV\_244E&SUBSYS\_88921458&REV\_41\4&7A856A7&0&00E3  
Driver: C:\Windows\system32\DRIVERS\pci.sys, 6.01.7601.17514 (English), 11/21/2010  
03:23:47, 184704 bytes

Name: Intel(R) 9 Series Chipset Family SMBus Host Controller - 8CA2  
Device ID: PCI\VEN\_8086&DEV\_8CA2&SUBSYS\_50011458&REV\_00\3&11583659&0&FB  
Driver: n/a

Name: Intel(R) 9 Series Chipset Family High Definition Audio Controller - 8CA0  
Device ID: PCI\VEN\_8086&DEV\_8CA0&SUBSYS\_A1821458&REV\_00\3&11583659&0&D8  
Driver: C:\Windows\system32\DRIVERS\hdaudbus.sys, 6.01.7601.17514 (English),  
11/21/2010 03:23:47, 122368 bytes

Name: PCI Express standard Root Port  
Device ID: PCI\VEN\_8086&DEV\_0C01&SUBSYS\_50001458&REV\_06\3&11583659&0&08  
Driver: C:\Windows\system32\DRIVERS\pci.sys, 6.01.7601.17514 (English), 11/21/2010  
03:23:47, 184704 bytes



Name: Intel(R) 9 Series Chipset Family PCI Express Root Port 4 - 8C96  
Device ID: PCI\VEN\_8086&DEV\_8C96&SUBSYS\_50011458&REV\_D0\3&11583659&0&E3  
Driver: C:\Windows\system32\DRIVERS\pci.sys, 6.01.7601.17514 (English), 11/21/2010  
03:23:47, 184704 bytes

Name: Intel(R) 4th Gen Core processor DRAM Controller - 0C00  
Device ID: PCI\VEN\_8086&DEV\_0C00&SUBSYS\_50001458&REV\_06\3&11583659&0&00  
Driver: n/a

Name: Intel(R) H97 Chipset LPC Controller - 8CC6  
Device ID: PCI\VEN\_8086&DEV\_8CC6&SUBSYS\_50011458&REV\_00\3&11583659&0&F8  
Driver: C:\Windows\system32\DRIVERS\msisadrv.sys, 6.01.7600.16385 (English), 7/14/2009  
01:48:27, 15424 bytes

Name: Intel(R) 9 Series Chipset Family PCI Express Root Port 3 - 8C94  
Device ID: PCI\VEN\_8086&DEV\_8C94&SUBSYS\_50011458&REV\_D0\3&11583659&0&E2  
Driver: C:\Windows\system32\DRIVERS\pci.sys, 6.01.7601.17514 (English), 11/21/2010  
03:23:47, 184704 bytes

Name: Intel(R) Management Engine Interface  
Device ID: PCI\VEN\_8086&DEV\_8CBA&SUBSYS\_1C3A1458&REV\_00\3&11583659&0&B0  
Driver: C:\Windows\system32\DRIVERS\TeeDriverx64.sys, 10.00.0000.1204 (English),  
3/20/2014 10:43:46, 118272 bytes  
Driver:  
C:\ProgramData\Microsoft\Windows\DeviceMetadataStore\EN\3f3ca95b-3978-4168-b47b-5444f42d6c89.devicemetadata-ms, 3/20/2014 10:43:46, 938 bytes  
Driver:  
C:\ProgramData\Microsoft\Windows\DeviceMetadataStore\EN\46a6fdbe-c823-4579-bab6-35f67e01f793.devicemetadata-ms, 3/20/2014 10:43:46, 833 bytes  
Driver: C:\Windows\system32\WdfCoInstaller01011.dll, 1.11.9200.16384 (English), 3/20/2014  
10:43:46, 1795952 bytes

Name: Intel(R) 9 Series Chipset Family PCI Express Root Port 1 - 8C90  
Device ID: PCI\VEN\_8086&DEV\_8C90&SUBSYS\_50011458&REV\_D0\3&11583659&0&E0  
Driver: C:\Windows\system32\DRIVERS\pci.sys, 6.01.7601.17514 (English), 11/21/2010  
03:23:47, 184704 bytes

Name: Realtek PCIe GBE Family Controller  
Device ID: PCI\VEN\_10EC&DEV\_8168&SUBSYS\_E0001458&REV\_06\01000000684CE00000  
Driver: n/a

Name: Intel(R) USB 3.0 eXtensible Host Controller  
Device ID: PCI\VEN\_8086&DEV\_8CB1&SUBSYS\_50071458&REV\_00\3&11583659&0&A0

Driver: C:\Windows\system32\DRIVERS\iusb3xhc.sys, 3.00.0000.0016 (English), 2/21/2014  
05:56:14, 791024 bytes

Name: Intel(R) 9 Series Chipset Family 2 port Serial ATA Storage Controller - 8C88  
Device ID: PCI\VEN\_8086&DEV\_8C88&SUBSYS\_B0021458&REV\_00\3&11583659&0&FD  
Driver: C:\Windows\system32\DRIVERS\pciide.sys, 6.01.7600.16385 (English), 7/14/2009  
01:45:45, 12352 bytes

Driver: C:\Windows\system32\DRIVERS\pciidex.sys, 6.01.7600.16385 (English), 7/14/2009  
01:45:46, 48720 bytes

Driver: C:\Windows\system32\DRIVERS\atapi.sys, 6.01.7600.16385 (English), 7/14/2009  
01:52:21, 24128 bytes

Driver: C:\Windows\system32\DRIVERS\ataport.sys, 6.01.7601.18231 (English), 8/5/2013  
02:25:45, 155584 bytes

Name: High Definition Audio Controller  
Device ID: PCI\VEN\_1002&DEV\_AAC8&SUBSYS\_AAC81682&REV\_00\4&1286464&0&0108  
Driver: C:\Windows\system32\DRIVERS\hdaudbus.sys, 6.01.7601.17514 (English),  
11/21/2010 03:23:47, 122368 bytes

Name: Standard Enhanced PCI to USB Host Controller  
Device ID: PCI\VEN\_8086&DEV\_8CAD&SUBSYS\_50061458&REV\_00\3&11583659&0&D0  
Driver: C:\Windows\system32\drivers\usbehci.sys, 6.01.7601.18328 (English), 11/27/2013  
01:41:11, 53248 bytes

Driver: C:\Windows\system32\drivers\usbport.sys, 6.01.7601.18328 (English), 11/27/2013  
01:41:11, 325120 bytes

Driver: C:\Windows\system32\drivers\usbhub.sys, 6.01.7601.18328 (English), 11/27/2013  
01:41:37, 343040 bytes

Name: Intel(R) 9 Series Chipset Family 4 port Serial ATA Storage Controller - 8C80  
Device ID: PCI\VEN\_8086&DEV\_8C80&SUBSYS\_B0051458&REV\_00\3&11583659&0&FA  
Driver: C:\Windows\system32\DRIVERS\pciide.sys, 6.01.7600.16385 (English), 7/14/2009  
01:45:45, 12352 bytes

Driver: C:\Windows\system32\DRIVERS\pciidex.sys, 6.01.7600.16385 (English), 7/14/2009  
01:45:46, 48720 bytes

Driver: C:\Windows\system32\DRIVERS\atapi.sys, 6.01.7600.16385 (English), 7/14/2009  
01:52:21, 24128 bytes

Driver: C:\Windows\system32\DRIVERS\ataport.sys, 6.01.7601.18231 (English), 8/5/2013  
02:25:45, 155584 bytes

Name: AMD Radeon R9 200 Series  
Device ID: PCI\VEN\_1002&DEV\_67B1&SUBSYS\_92951682&REV\_00\4&1286464&0&0008  
Driver: n/a

-----  
DirectShow Filters  
-----

DirectShow Filters:

WMAudio Decoder DMO,0x00800800,1,1,WMADMOD.DLL,6.01.7601.17514  
WMAPro over S/PDIF DMO,0x00600800,1,1,WMADMOD.DLL,6.01.7601.17514  
WMSpeech Decoder DMO,0x00600800,1,1,WMSPDMOD.DLL,6.01.7601.17514  
MP3 Decoder DMO,0x00600800,1,1,mp3dmod.dll,6.01.7600.16385  
Mpeg4s Decoder DMO,0x00800001,1,1,mp4sdecd.dll,6.01.7600.16385  
WMV Screen decoder DMO,0x00600800,1,1,wmvsdecd.dll,6.01.7601.17514  
WMVideo Decoder DMO,0x00800001,1,1,wmvdecod.dll,6.01.7601.18221  
Mpeg43 Decoder DMO,0x00800001,1,1,mp43decd.dll,6.01.7600.16385  
Mpeg4 Decoder DMO,0x00800001,1,1,mpg4decd.dll,6.01.7600.16385  
DV Muxer,0x00400000,0,0,qdv.dll,6.06.7601.17514  
Color Space Converter,0x00400001,1,1,quartz.dll,6.06.7601.18526  
WM ASF Reader,0x00400000,0,0,qasf.dll,12.00.7601.17514  
Screen Capture filter,0x00200000,0,1,wmpsrcwp.dll,12.00.7601.17514  
AVI Splitter,0x00600000,1,1,quartz.dll,6.06.7601.18526  
VGA 16 Color Ditherer,0x00400000,1,1,quartz.dll,6.06.7601.18526  
SBE2MediaTypeProfile,0x00200000,0,0,sbe.dll,6.06.7601.17528  
Microsoft DTV-DVD Video Decoder,0x005fffff,2,4,msmpeg2vdec.dll,12.00.9200.17037  
AC3 Parser Filter,0x00600000,1,1,mpg2splf.ax,6.06.7601.17528  
StreamBufferSink,0x00200000,0,0,sbe.dll,6.06.7601.17528  
Microsoft TV Captions Decoder,0x00200001,1,0,MSTVCapn.dll,6.01.7601.17715  
MJPEG Decompressor,0x00600000,1,1,quartz.dll,6.06.7601.18526  
CBVA DMO wrapper filter,0x00200000,1,1,cbva.dll,6.01.7601.17514  
MPEG-I Stream Splitter,0x00600000,1,2,quartz.dll,6.06.7601.18526  
SAMI (CC) Parser,0x00400000,1,1,quartz.dll,6.06.7601.18526  
VBI Codec,0x00600000,1,4,VBICodec.ax,6.06.7601.17514  
MPEG-2 Splitter,0x005fffff,1,0,mpg2splf.ax,6.06.7601.17528  
Closed Captions Analysis Filter,0x00200000,2,5,cca.dll,6.06.7601.17514  
SBE2FileScan,0x00200000,0,0,sbe.dll,6.06.7601.17528  
Microsoft MPEG-2 Video Encoder,0x00200000,1,1,msmpeg2enc.dll,6.01.7601.17514  
Internal Script Command Renderer,0x00800001,1,0,quartz.dll,6.06.7601.18526  
MPEG Audio Decoder,0x03680001,1,1,quartz.dll,6.06.7601.18526  
DV Splitter,0x00600000,1,2,qdv.dll,6.06.7601.17514  
Video Mixing Renderer 9,0x00200000,1,0,quartz.dll,6.06.7601.18526  
Microsoft MPEG-2 Encoder,0x00200000,2,1,msmpeg2enc.dll,6.01.7601.17514  
ACM Wrapper,0x00600000,1,1,quartz.dll,6.06.7601.18526  
Video Renderer,0x00800001,1,0,quartz.dll,6.06.7601.18526  
MPEG-2 Video Stream Analyzer,0x00200000,0,0,sbe.dll,6.06.7601.17528  
Line 21 Decoder,0x00600000,1,1,,

Video Port Manager,0x00600000,2,1,quartz.dll,6.06.7601.18526  
Video Renderer,0x00400000,1,0,quartz.dll,6.06.7601.18526  
VPS Decoder,0x00200000,0,0,WSTPager.ax,6.06.7601.17514  
WM ASF Writer,0x00400000,0,0,qasf.dll,12.00.7601.17514  
VBI Surface Allocator,0x00600000,1,1,vbisurf.ax,6.01.7601.17514  
File writer,0x00200000,1,0,qcap.dll,6.06.7601.17514  
iTV Data Sink,0x00600000,1,0,itvdata.dll,6.06.7601.17514  
iTV Data Capture filter,0x00600000,1,1,itvdata.dll,6.06.7601.17514  
DVD Navigator,0x00200000,0,3,qdvd.dll,6.06.7601.18611  
Microsoft TV Subtitles Decoder,0x00200001,1,0,MSTVCapn.dll,6.01.7601.17715  
Overlay Mixer2,0x00200000,1,1,,  
RDP DShow Redirection Filter,0xfffffff,1,0,DShowRdpFilter.dll,  
Microsoft MPEG-2 Audio Encoder,0x00200000,1,1,msmpeg2enc.dll,6.01.7601.17514  
WST Pager,0x00200000,1,1,WSTPager.ax,6.06.7601.17514  
MPEG-2 Demultiplexer,0x00600000,1,1,mpg2splf.ax,6.06.7601.17528  
DV Video Decoder,0x00800000,1,1,qdv.dll,6.06.7601.17514  
SampleGrabber,0x00200000,1,1,qedit.dll,6.06.7601.18501  
Null Renderer,0x00200000,1,0,qedit.dll,6.06.7601.18501  
MPEG-2 Sections and Tables,0x005fffff,1,0,Mpeg2Data.ax,6.06.7601.17514  
Microsoft AC3 Encoder,0x00200000,1,1,msac3enc.dll,6.01.7601.17514  
StreamBufferSource,0x00200000,0,0,sbe.dll,6.06.7601.17528  
Smart Tee,0x00200000,1,2,qcap.dll,6.06.7601.17514  
Overlay Mixer,0x00200000,0,0,,  
AVI Decompressor,0x00600000,1,1,quartz.dll,6.06.7601.18526  
NetBridge,0x00200000,2,0,netbridge.dll,6.01.7601.17514  
AVI/WAV File Source,0x00400000,0,2,quartz.dll,6.06.7601.18526  
Wave Parser,0x00400000,1,1,quartz.dll,6.06.7601.18526  
MIDI Parser,0x00400000,1,1,quartz.dll,6.06.7601.18526  
Multi-file Parser,0x00400000,1,1,quartz.dll,6.06.7601.18526  
File stream renderer,0x00400000,1,1,quartz.dll,6.06.7601.18526  
Microsoft DTV-DVD Audio Decoder,0x005fffff,1,1,msmpeg2adec.dll,6.01.7140.0000  
StreamBufferSink2,0x00200000,0,0,sbe.dll,6.06.7601.17528  
AVI Mux,0x00200000,1,0,qcap.dll,6.06.7601.17514  
Line 21 Decoder 2,0x00600002,1,1,quartz.dll,6.06.7601.18526  
File Source (Async.),0x00400000,0,1,quartz.dll,6.06.7601.18526  
File Source (URL),0x00400000,0,1,quartz.dll,6.06.7601.18526  
Media Center Extender Encryption Filter,0x00200000,2,2,Mcx2Filter.dll,6.01.7601.17514  
AudioRecorder WAV Dest,0x00200000,0,0,WavDest.dll,  
AudioRecorder Wave Form,0x00200000,0,0,WavDest.dll,  
SoundRecorder Null Renderer,0x00200000,0,0,WavDest.dll,  
Infinite Pin Tee Filter,0x00200000,1,1,qcap.dll,6.06.7601.17514  
Enhanced Video Renderer,0x00200000,1,0,evr.dll,6.01.7601.18526  
BDA MPEG2 Transport Information Filter,0x00200000,2,0,psisrndr.ax,6.06.7601.17669

MPEG Video Decoder,0x40000001,1,1,quartz.dll,6.06.7601.18526

WDM Streaming Tee/Splitter Devices:

Tee/Sink-to-Sink Converter,0x00200000,1,1,ksproxy.ax,6.01.7601.17514

Video Compressors:

WMVideo8 Encoder DMO,0x00600800,1,1,wmvxencd.dll,6.01.7600.16385

WMVideo9 Encoder DMO,0x00600800,1,1,wmvencod.dll,6.01.7600.16385

MSScreen 9 encoder DMO,0x00600800,1,1,wmvsencd.dll,6.01.7600.16385

DV Video Encoder,0x00200000,0,0,qdv.dll,6.06.7601.17514

MJPEG Compressor,0x00200000,0,0,quartz.dll,6.06.7601.18526

Audio Compressors:

WM Speech Encoder DMO,0x00600800,1,1,WMSPDMOE.DLL,6.01.7600.16385

WMAudio Encoder DMO,0x00600800,1,1,WMADMOE.DLL,6.01.7600.16385

IMA ADPCM,0x00200000,1,1,quartz.dll,6.06.7601.18526

PCM,0x00200000,1,1,quartz.dll,6.06.7601.18526

Microsoft ADPCM,0x00200000,1,1,quartz.dll,6.06.7601.18526

GSM 6.10,0x00200000,1,1,quartz.dll,6.06.7601.18526

CCITT A-Law,0x00200000,1,1,quartz.dll,6.06.7601.18526

CCITT u-Law,0x00200000,1,1,quartz.dll,6.06.7601.18526

MPEG Layer-3,0x00200000,1,1,quartz.dll,6.06.7601.18526

PBDA CP Filters:

PBDA DTFilter,0x00600000,1,1,CPFilters.dll,6.06.7601.17528

PBDA ETFilter,0x00200000,0,0,CPFilters.dll,6.06.7601.17528

PBDA PTFilter,0x00200000,0,0,CPFilters.dll,6.06.7601.17528

Midi Renderers:

Default MidiOut Device,0x00800000,1,0,quartz.dll,6.06.7601.18526

Microsoft GS Wavetable Synth,0x00200000,1,0,quartz.dll,6.06.7601.18526

WDM Streaming Capture Devices:

Realtek HD Audio Line input,0x00200000,1,1,ksproxy.ax,6.01.7601.17514

Realtek HD Audio Mic input,0x00200000,1,1,ksproxy.ax,6.01.7601.17514

Realtek HD Audio Stereo input,0x00200000,1,1,ksproxy.ax,6.01.7601.17514

WDM Streaming Rendering Devices:

Realtek HD Audio output,0x00200000,1,1,ksproxy.ax,6.01.7601.17514

Realtek HDA SPDIF Out,0x00200000,1,1,ksproxy.ax,6.01.7601.17514

BDA Network Providers:

Microsoft ATSC Network Provider,0x00200000,0,1,MSDvbNP.ax,6.06.7601.17514

Microsoft DVBC Network Provider,0x00200000,0,1,MSDvbNP.ax,6.06.7601.17514  
Microsoft DVBS Network Provider,0x00200000,0,1,MSDvbNP.ax,6.06.7601.17514  
Microsoft DVBT Network Provider,0x00200000,0,1,MSDvbNP.ax,6.06.7601.17514  
Microsoft Network Provider,0x00200000,0,1,MSNP.ax,6.06.7601.17514

Multi-Instance Capable VBI Codecs:

VBI Codec,0x00600000,1,4,VBICodec.ax,6.06.7601.17514

BDA Transport Information Renderers:

BDA MPEG2 Transport Information Filter,0x00600000,2,0,psisrndr.ax,6.06.7601.17669  
MPEG-2 Sections and Tables,0x00600000,1,0,Mpeg2Data.ax,6.06.7601.17514

BDA CP/CA Filters:

Decrypt/Tag,0x00600000,1,1,EncDec.dll,6.06.7601.17708  
Encrypt/Tag,0x00200000,0,0,EncDec.dll,6.06.7601.17708  
PTFilter,0x00200000,0,0,EncDec.dll,6.06.7601.17708  
XDS Codec,0x00200000,0,0,EncDec.dll,6.06.7601.17708

WDM Streaming Communication Transforms:

Tee/Sink-to-Sink Converter,0x00200000,1,1,ksproxy.ax,6.01.7601.17514

Audio Renderers:

Speakers (Realtek High Definition),0x00200000,1,0,quartz.dll,6.06.7601.18526  
Default DirectSound Device,0x00800000,1,0,quartz.dll,6.06.7601.18526  
Default WaveOut Device,0x00200000,1,0,quartz.dll,6.06.7601.18526  
DirectSound: Realtek Digital Output (Realtek High Definition  
Audio),0x00200000,1,0,quartz.dll,6.06.7601.18526  
DirectSound: Speakers (Realtek High Definition  
Audio),0x00200000,1,0,quartz.dll,6.06.7601.18526  
Realtek Digital Output (Realtek),0x00200000,1,0,quartz.dll,6.06.7601.18526

-----  
EVR Power Information  
-----

Current Setting: {5C67A112-A4C9-483F-B4A7-1D473BECAFDC} (Quality)

Quality Flags: 2576

Enabled:

Force throttling

Allow half deinterlace

Allow scaling

Decode Power Usage: 100

Balanced Flags: 1424

Enabled:

Force throttling  
Allow batching  
Force half deinterlace  
Force scaling  
Decode Power Usage: 50

PowerFlags: 1424

Enabled:

Force throttling  
Allow batching  
Force half deinterlace  
Force scaling  
Decode Power Usage: 0