

Bibliography of Cholinesterase Inhibitor related research

Last updated: 8/3/2012

- [1] **Moser VC.**, 1995. Comparisons of the acute effects of cholinesterase inhibitors using a neurobehavioral screening battery in rats. *Neurotoxicol Teratol.* Nov-Dec;17(6):617-25. (<http://www.ncbi.nlm.nih.gov/pubmed/8747743>)
- [2] **Akiyama T, Yamazaki T, Mori H, Sunagawa K.**, 2003. Inhibition of cholinesterase elicits muscarinic receptor-mediated synaptic transmission in the rat adrenal medulla. *Auton Neurosci.* 2003 Sep 30;107(2):65-73. (<http://www.ncbi.nlm.nih.gov/pubmed/12963416>)
- [3] **Roddick JG, Leonard AL.**, 1999. Amelioration by glucose-6-phosphate and NADP of potato glycoalkaloid inhibition in cell, enzyme and liposome assays. *Phytochemistry.* 1999 May;51(1):23-7. (<http://www.ncbi.nlm.nih.gov/pubmed/10349728>)
- [4] Kuiper-Goodman T, Nawrot PS. SOLANINE AND CHACONINE. <http://www.inchem.org/documents/jecfa/jecmono/v30je19.htm>
- [5] M.V. Venkataranganna, S.D. Anturlikar, S. Gopumadhavan, N.S. Prakash, Mohammed Rafiq, Girish S. Murthy and S.K. Mitra, 2002. Antispasmodic Activity of SJ-200 (Himcospaz) An Herbal Preparation. *Pharmaceutical Biology.* (40), 6, 416-421. http://www.himalayahealthcare.com/pdf_files/himcospaz001.pdf
- [6] HARVEY, M.H., McMILLAN, M., MORGAN, M.R.A. & CHAN, H.W.-S. (1985a). "Solanidine is present in sera of healthy individuals and in amounts dependent on their dietary potato consumption." *Hum. Toxicol.*, 4:187-194. (<http://www.ncbi.nlm.nih.gov/pubmed/4007882>)
- [7] **Harvey MH, Morris BA, McMillan M, Marks V**, 1985. Measurement of potato steroidal alkaloids in human serum and saliva by radioimmunoassay. *Hum Toxicol.* 1985 Sep;4(5):503-12. (<http://www.ncbi.nlm.nih.gov/pubmed/4054913>)
- [8] Van Gelder WMJ, 1990. Chemistry, Toxicology, and Occurrence of Steroidal Glycoalkaloids: Potential Contaminants of the Potato (*Solanum Tuberosum* L.). *Poisonous Plant Contamination of Edible Plants*, Chapter 6, pp. 117-156.
- [9] **Claringbold WD, Few JD, Renwick JH**, 1982. Kinetics and retention of solanidine in man. *Xenobiotica.* 1982 May;12(5):293-302. (<http://www.ncbi.nlm.nih.gov/pubmed/7135998>)
- [10] **Claringbold WD, Few JD, Brace CJ, Renwick JH**, 1980. The disposition and metabolism of [3H]-solasodine in man and Syrian hamster. *J Steroid Biochem.* 1980 Aug;13(8):889-95. (<http://www.ncbi.nlm.nih.gov/pubmed/7464135>)
- [11] **Friedman M, Henika PR, Mackey BE**, 1996. Feeding of potato, tomato and eggplant alkaloids affects food consumption and body and liver weights in mice. *J Nutr.* 1996 Apr;126(4):989-99. (<http://jn.nutrition.org/cgi/reprint/126/4/989.pdf>)
- [12] **Roddick JG, Weissenberg M, Leonard AL**, 2001. Membrane disruption and enzyme inhibition by naturally-occurring and modified chactriose-containing *Solanum* steroidal glycoalkaloids. *Phytochemistry.* 2001 Mar;56(6):603-10. (<http://www.ncbi.nlm.nih.gov/pubmed/11281138>)
- [13] Krasowski MD, McGehee DS, Moss J, 1997. Natural inhibitors of cholinesterases: implications for adverse drug reactions. *CAN J ANAESTH* 1997 / 44: 5 / pp 525-534. (<http://www.cja-jca.org/cgi/reprint/44/5/525.pdf?ck=nck>)
- [14] Azim A, Shaikh HA, Ahmad R, 1982. Effect of feeding greened potatoes on different visceral organs and blood plasma of rabbits. *J Sci Food Agric.* 1982 Dec;33(12):1275-9. (<http://www.ncbi.nlm.nih.gov/pubmed/6220178>)
- [15] Sklan EH, Lowenthal A, Korner M, Ritov Y, Landers DM, Rankinen T, Bouchard C, Leon AS, Rice T, Rao DC, Wilmore JH, Skinner JS, Soreq H, 2004. Acetylcholinesterase/paraoxonase genotype and expression predict anxiety scores in

Health, Risk Factors, Exercise Training, and Genetics study. Proc Natl Acad Sci U S A. 2004 Apr 13;101(15):5512-7. Epub 2004 Apr 1.

(<http://www.pubmedcentral.nih.gov/picrender.fcgi?artid=397414&blobtype=pdf> , PMID 15060281)

- [16] **Friedman M**, 2006. Potato glycoalkaloids and metabolites: roles in the plant and in the diet. J Agric Food Chem. 2006 Nov 15;54(23):8655-81. (<http://www.ncbi.nlm.nih.gov/pubmed/17090106>)
- [17] **Dinkins CL, Peterson RK**, 2008. A human dietary risk assessment associated with glycoalkaloid responses of potato to Colorado potato beetle defoliation. Food Chem Toxicol. 2008 Aug;46(8):2837-40. Epub 2008 Jul 9. (<http://www.ncbi.nlm.nih.gov/pubmed/18614268>)
- [18] Bryk B, BenMoyal-Segal L, Podoly E, Livnah O, Eisenkraft A, Luria S, Cohen A, Yehezkeili Y, Hourvitz A, Soreq H, 2005. Inherited and acquired interactions between AChE and PON1 polymorphisms modulate plasma acetylcholinesterase and paraoxonase activities. J Neurochem. 2005 Mar;92(5):1216-27 (<http://www.ncbi.nlm.nih.gov/pubmed/15715671>)
- [19] **Shapira M, Tur-Kaspa I, Bosgraaf L, Livni N, Grant AD, Grisaru D, Korner M, Ebstein RP, Soreq H**, 2000. A transcription-activating polymorphism in the AChE promoter associated with acute sensitivity to anti-acetylcholinesterases. Hum Mol Genet. 2000 May 22;9(9):1273-81. PMID 10814709. (<http://hmg.oxfordjournals.org/cgi/content/abstract/9/9/1273>)
- [20] **Browne RO, Moyal-Segal LB, Zumsteg D, David Y, Kofman O, Berger A, Soreq H, Friedman A**, 2006. Coding region paraoxonase polymorphisms dictate accentuated neuronal reactions in chronic, sub-threshold pesticide exposure. FASEB J. 2006 Aug;20(10):1733-5. Epub 2006 Jun 28. PMID 16807370. (<http://www.ncbi.nlm.nih.gov/pubmed/16807370>)
- [21] Baker E, Smrek A, Kimbrough R, Hudgins M, Landrigan P, and Liddle J, 1977. Hereditary cholinesterase deficiency: A report of a family with two rare genotypes. Clinical Genetics 1977: 12: 134-138. (<http://nciph.sph.unc.edu/cvs/baker/pdfs/005.pdf>)